

Your Local Store for **AGRICULTURE** Parts, Shop Supplies & Tools

Regina: (306) 525-2551

Yorkton: (306) 783-6515

Estevan: (306) 634-3664

Weyburn: (306) 842-4676

Mainline Fleet Service: (306) 721-7711



Don't get left out in the
field this spring!

Dayco Gold Label Industrial

V Belts in Stock!

AP, BP, CP, & 5V series belts



Quality Rotating Electrical
In Stock!



for all of your filtration needs,
Farm & Auto!

FARM SUPPLIES

Box of Rags

In a 20lbs box or bale. Great for economical clean ups in the shop or home. Absorbs greases, oils and more.

RBW 24020 | Box of Fleecy Rags

RBW 24020BALE | Bale of Fleecy Rags

RBW 12920 | Box of Cotton Rags

RBW 41015BALE | Bale of White Terri Rags

RBW 60020 | Box of White Ganzies Rags



Shop Towels

Strong shop towels absorb oil and grease even when wet! 55 sheets per roll.

KIM 75120



Qualisorb

Qualisorb® is the most efficient way to soak up liquid spills wherever you need to absorb unwanted liquid. Nothing is easier to use. Simply spread Qualisorb on spills and let it do the work! It really is that easy! Unlike clay products which become wet, sticky and heavy, Qualisorb stays dry and manageable, making it easy to remove.



QUA 628

Fast Orange Hand Cleaner

The #1 selling, biodegradable, waterless, petroleum solvent-free hand cleaner that contains no harsh chemicals, petroleum solvents or ammonia that can sting cuts and abrasions. Pure, orange scented natural citrus power does the cleaning. Fortified with aloe, lanolin, glycerin, and other skin conditioners. These formulas gently deep clean the toughest dirt. Works great on laundry stains, scuff marks, tile floors, pet odors and many other household cleaning needs.

PER 23218 | 3.8L Smooth

PER 25219 | 3.8L Pumice



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

Fast Orange Hand Wipes

Removes the toughest grease, tar, grime, ink, paints, sealants, adhesives and other difficult soils. The wipes also have a smooth side for general purpose cleaning. 72 wipes per container.



PER 25051

Spray Nine Degreaser & Disinfectant

Spray Nine cleaner and degreaser, disinfects and contains no chlorinated or petroleum solvents, non-flammable, ready-to-use, harmless to almost all hard surfaces.

KNI C26832 | 946ml

Subject to protect availability due to COVID-19.



Glass Cleaner

Pleasantly scented, non streaking, foamy cleaner. Quickly removes dirt and grime, cigarette smoke and fingerprints.



010 19370292 | 18 oz

Glass Kleen



Ideal for auto, marine, fleet and home use. Cleans windows, mirrors, formica and porcelain. Specially formulated for body shops and industrial use.

KLF 886 | 22oz Bonus Size



Brake & Parts Cleaner

This low odor product removes brake fluid, grease, oils, and other contaminants from surfaces.



KLF 313 | 14 oz



Aero Kroil

Wherever there is corrosion either due to heat, salt water, chemical action, or weathering- Kroil will loosen metal joints in a few minutes time, saving labor, equipment and temper. Dissolves gum, dried grease and oil, removes rust and carbon deposits without attacking the metal.



KAN AEROKROIL | 10 oz

Penetrating Fluid

Lead oxide never had a chance. ACDelco Rust Penetrant and Inhibitor aerosol spray contains a special blend of solvents and lubricants to tackle rust, corrosion and other time-formed oxides.



010 992955

Deep Creep

Works fast to break metal surface tension. Frees stubborn parts from rust & corrosion. Use to oil bushings, chains, gears, hinges, rollers & slides. Use to lube & protect metal parts and stays fluid under extreme heat/cold. Gentle petroleum formula, non-corrosive, V.O.C. Compliant.



SFC DC14

Dry Graphite Lubricant

Ideal where a dry lubricant is required or where petroleum products must be avoided. Resists dirt, dust and oil build-up. Wide effective temperature range up to 850°F constant. 16oz.



CRC 75101

Belt Dressing

Eliminates squeaks and prolongs belt life. For use on all types of belts, such as serpentine, flat and v-type belts. Prevents slippage and glazing. Removes oil, grease and glaze. 10oz.



CRC 75350

Power Lube

The next generation of multi-purpose lubricants. This all in one product quickly penetrates, lubricates, stops squeals, fights corrosion & loosens rusted parts. New & Improved formula is odor free. 16oz.



CRC 75005

Cutting Oil

Cutting Oil is a superior thread cutting lubricant for use on all types of metals, including brass, copper and aluminum. 16oz.



CRC 75500

Knocker Loose

An industrial strength, low viscosity super penetrant designed to quickly loosen and free seized, bound or frozen fasteners. Quickly permeates rust, scale, gum, grease and corrosion. 16oz.



CRC 73020

Compressor Oil



Helps promote longer life in all types of reciprocating & rotary compressors. Solvent refined & clay filtered for long lasting, anti-foul operation. Cleans valve seat deposits & extends life. 3.78L.



CRC 75133

Anaerobic Gasket Maker



OEM specified. Noncorrosive gasketing material designed primarily for use on aluminum, iron, and steel flanged mating surfaces. Ideal for on-the-spot and emergency repairs, or when a conventional gasket is unavailable. Fills gaps up to .015" and cures to a solvent-resistant seal that will not tear or decay during service. Parts disassemble easily even after extended service. Old gasket material can be removed in minutes with a simple putty knife.

PER 51845 | 300ml



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

Anaerobic Gasket Maker

OEM specified. Noncorrosive gasketing material designed primarily for use on aluminum, iron, and steel flanged mating surfaces. Ideal for on-the-spot and emergency repairs, or when a conventional gasket is unavailable. Fills gaps up to .015" and cures to a solvent-resistant seal that will not tear or decay during service. Parts disassemble easily even after extended service. Old gasket material can be removed in minutes with a simple putty knife.

PER 51850 | 50ml




Anaerobic Gasket Maker

Flexible, gasketing material for use on rigid machined flanges with less than .015" gap. OEM approved use where OE specify "anaerobic" gasket (cures in the absence of air). Withstands temperatures to 300°F (149°C). Eliminates preformed, pre-cut, paper, rubber and cork gaskets. Flexes with flanges that move in service.

PER 51550 | 50ml

PER 51580 | 300ml



JB Kwik Cold Weld

Two-part epoxy cold weld system that provides strong, lasting repairs to metal and multiple other surface types. After mixing, it forms a permanent bond and can be shaped, tapped, filed, sanded and drilled after curing. rated at a tensile strength of 3127 PSI and will withstand temperatures up to 300°F.

JBW 8276CAN | Twin Tube

JBW 50176CAN | Syringe



JB Kwik Clear Weld

ClearWeld™ is a quick setting, multipurpose two part epoxy that provides a strong and lasting bond on most surfaces including tile, most plastics, ceramic, glass, wood and metal. ClearWeld™ is designed to cure with a clear, transparent bond when used at thicknesses of less than 15 mil. ClearWeld™ has a 1:1 mixing ratio, sets in 5 minutes and cures in 1 hour. With a tensile strength of 3900 PSI, ClearWeld™ sets to a hard, permanent bond.

JBW 50112CAN



Permatex Threadlocker Gel Twist

OEM specified. Gel formula provides "liquid-reliability" without drips, globs, mess or waste. High strength threadlocker for heavy-duty applications 3/8 inch to 1 inch (10mm to 25mm). Adds 3,000 PSI holding power on slip and press fit assemblies. Replaces set screws and snap rings. Locks against vibration loosening. Conforms to ASTM D5363 AN0221 (Mil-S-46163A, Type I, Grade K).

PER 27115 | Red | 36ml

PER 24215 | Blue | 36ml



Permatex Threadlocker

OEM specified. A permanent, high strength product that is applied to fasteners 3/8" to 1" (10mm to 25mm) in size before assembly. Designed for securing parts that must withstand heavy shock, vibration, or extreme chemical or environmental conditions. Localized heating and hand tools are required to separate parts. Conforms to ASTM D5363 AN0331 (Mil-S-46163A, Type II, Grade O).

PER 26240 | Red | 36ml

PER 24240 | Blue | 36ml



Cable Ties

One piece self-locking cable ties. General purpose nylon 6-6 is a weather resistant grade suitable for use in most practical applications at a continuous temperature up to 150°F. UV stabilized black nylon 6-6 is used in continuous or extended exposure to outdoor use. 100 pieces per pack.

PIC 7065-0C | 5.8"/ 40lb

PIC 7066-0C | 7.6"/50 lb

PIC 7067-0C | 11.1"/50 lb

PIC 7068-HD0C | 15" Heavy Duty



General Purpose Electrical Tape

Primary electrical insulation for all wire and cable splices rated up to 600V. Can be used as a protective jacketing for high-voltage cable splices and repairs or for harnessing of wires and cables. For indoor or outdoor, above or below grade application.

MMM 6140 | Sleeve of 10



Industrial Grade Duct Tape

Composed of a waterproof polyethylene film over cloth scrim backing with a rubber adhesive used for demanding duct tape applications. Offers high tack, conformability, strength and easy tear. The individual roll wrap preserves integrity of the roll for less waste and the product number is printed in core to insure the correct product is used. It features good moisture resistance and has good tensile strength.

MMM 06975



Emery Cloth

3M™ Emery Cloth makes a durable and effective tool for the challenges of sanding metal parts. Its J-weight cloth backing – lightweight, yet much more durable than paper – is ideal for sanding metal by hand or machine. Emery abrasive combines metal oxide minerals, such as non-fibrous aluminum oxide, for a tough abrasive surface that removes stock quickly yet leaves a fine finish. Choose from a complete range of grits from fine to coarse. 50 sheets a pack.

MMM 02431 | Fine

MMM 02432 | Medium

MMM 02433 | Coarse



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

7 Quart Catch All Pan

Built-in raised rim handles provide ease of use. Features unique oversized pouring spout. 7-quart capacity with drain scale that helps track oil usage. Lightweight, stackable but innovative and sturdy design. Multi-purpose use for variety of different applications.



BLI OP-1 | 7qt

Fuel Filter Funnel

With a 5 gal/minute flow rate this **fuel filter** removes **water, dirt** and **debris**. Filters gasoline, heating oil, and kerosene. As well as 2 cycle mixed gas.



BLI F8C

Extra Large Funnel

May be used with multiple substances such as oil, radiator fluid or fuel additives. 1-piece tapered, tough, high-density polyethylene for hard-to-reach spots. 5 x 5 x 17.75



BLI 05034

Giant Quick Funnel

Has an easy grip guard that makes pouring safe and easy. Includes a snap-in screen. Applications include fuel and oil for marine use, tractors, and trucks. Innovative and sturdy design.



BLI 10705

3 Piece Funnel Assortment

Funnel sets polyethylene Made of tough, high-density polyethylene for dispensing petroleum-based fluids. May be used with substances such as oil, radiator fluid or fuel additives. Includes one each: gray 1/2-pint, charcoal 1-pint, and black 2-quart.



BLI 05068

2 in 1 Flexible Spout Funnel

The utility flexible 2 in 1 funnel provides the perfect solution to reach those difficult to reach fluid reservoirs that traditional funnels can't get to. With a long, flexible spout and no-mess splash guard, this funnel provides the reach and flexibility to get the job done.



DYN 14015

Multi-Purpose Funnel

No-mess splash guard. Fits all sizes of filler tubes. Extended filler neck opens gas tank trap door. Features peg hole for easy hang option. Versatile design for multiple liquid applications including trans fluid, oil, power steering fluid, and gas/oil additives.



BLI 10701

MIX N' MATCH

Receive 10% off our preferred wholesale pricing when you purchase a minimum of 5 boxes of hose clamps.

Receive 20% off when purchasing 10 OR more boxes.



Nitrile Coated Gloves

- 13 Gauge polyester
- Shell colour: grey
- Palm colour: black
- Nitrile coating provides improved grip and dexterity



ADC TGG-200-08 | Medium
ADC TGG-200-09 | Large
ADC TGG-200-10 | XLarge
ADC TGG-200-11 | XXL

Fitted Leather Gloves

Grain leather provides excellent comfort, durability and strength. Patch/ Two-piece palm. Rubberized safety cuff for extended wrist protection. Breathable cotton back and cotton lined provided ventilation for user comfort.

ADC TGG-400-L | Large
ADC TGG-400-XL | X-Large



Polyurthane Coated Gloves

- 13 Gauge high performance polyethylene shell
- Cut Resistance Level 3
- Polyurethane coating provides excellent dexterity



ADC TGG-2 25-08 | Medium
ADC TGG-225-09 | Large
ADC TGG-225-10 | XLarge

Work Glove

A synthetic leather palm for durability and flexible, spandex back. Great fit provides maximum dexterity while protecting hands from cuts, abrasions and burns. Adjustable hook and loop closure for comfort, reinforced fingertips for longer wear.

PMG AG7000TM | Medium
PMG AG7000TL | Large
PMG AG7000XL | XLarge



Mechanics Gloves

- Synthetic leather on palm for improved grip and dexterity
- Reinforced padding on palm for increased impact resistance
- Oil and abrasion resistant
- Breathable spandex fabric on back for snug comfortable fit
- Elastic wrist with hook and loop closure keeps
- Flexible knuckle guards on each finger for added protection

ADC TGG-520M | Medium
ADC TGG-520L | Large
ADC TGG-520XL | XLarge



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

Anti-Fog CCS Protective Eyewear

Foam Gasket helps limit eye exposure to nuisance dust and other particles while providing additional cushioning. The anti fog lens coating and removable foam lined gasket with airflow vents. Polycarbonate lenses absorb 99.9% UVA and UVB. Meets the requirements of CSA.

MMM 11872-00000-20



Safety Glasses

Soft adjustable nosepiece to help reduce slippage. Incorporates dual-material temples to provide cushioned comfort plus enhanced style and features. The proprietary 3M™ Pressure Diffusion Temple Technology that helps diffuse pressure over the ear.

MMM SF401AF-CA



Tarps

Waterproof and resistance to chemicals, tearing and mildew. Weave: 10 x 10, GSM: 135, Material: High density polyethylene. Aluminum grommets every 3'. Polyethylene Rope Reinforced Hems.

ADC TARP-1015-BLUE | 10' X 15'

ADC TARP-1520-BLUE | 15' X 20'

ADC TARP-2030-HDB | 20' X 30'



Rope

- 3-strand polypropylene twisted
- Polypropylene rope is idea for general uses
- Does not absorb water and floats
- ABS riveted reels
- Other sizes available
- 975' and a 1368lbs strength

ADC TGR-5/16-B



Tow Straps

-Sewn in a Canadian Facility
-Reinforced Eyes

Part Number	Size	Breaking Strength
RMD TS180X20-2	2" x 20'	39,200 lbs
RMD TS180X30-2	2" x 30'	39,200 lbs
RMD TS270X20-2	3" x 20'	58,800 lbs
RMD TS270X30-2	3" x 30'	58,800 lbs
RMD TS360X20-2	4" x 20'	78,400 lbs
RMD TS360X30-2	4" x 30'	78,400 lbs
RMD TS600X30-2	6" x 30'	117,600 lbs
RMD TS800X30-2	8" x 30'	156,800 lbs



Ratchet Strap 2"X27'

- Double J-hooks
- Heavy-Duty ratchet tie-down
- Nylon woven straps
- Straps: Yellow

ADC RS-227CE



Ratchet Straps

- Ratchet Allows Loads To Be Secured with Maximum Holding Force and includes Steel Coated S Hooks.
- Breaking Strength: 3000 lbs
- Working Load Limit: 1000 lbs
- Coated S Hook



ADC RS-102 | 1"X16'

ADC RS-103 | 1"X20'

TOOLS & EQUIPMENT



See in store or your
Sales Representative for ALL
your Milwaukee Tool Needs!

M18™ Cordless 2-Speed Grease Gun

- Max 10,000 PSI
- 2-Speed Max Pressure and Max Flow Rate
- LED Light
- 48" Flexible Hose

MLW 2646-21CT



M18™ 4.5" - 6" Braking Grinder Kit with Battery

The Rapid Stop Brake feature stops all accessories in under 3 seconds. Providing you with high performance, advanced ergonomics and legendary durability. The M18™ REDLITHIUM™ HIGH OUTPUT™ XC6.0 Battery has more material removed per charge and unmatched run-time in all applications.

MLW 2980-22



1/2" Air Impact Wrenches

Drive Size: 1/2", Bolt cap Grade 5 5/8", Torque Range 100-625lbs, Maximum Torque 780lb, Blows per minute 1200, Free Speed 9400 rpm, Weight 4.2lb, Length: available in 7" and 10". Side to center 1.5". Average Air consumption 4 cfm.

SIO IW500MP-4R3 | 10"

SIO IW500MP-4R | 7"



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

Deep Impact Socket Sets

- 6 point sockets
- Chrome molybdenum steel for strength and durability
- Finish: black phosphate
- Includes blow molded case



ADC TGSS-001 | 11pc | range from 3/8" - 15/16"

ADC TGSS-002 | 11pc | range from 10mm -24mm

Chop Saw Wheel

14" x 3/32", 1" AH A 36 K PSF-CHOP. 4400 RPM.



PFD 64492

Cut Off Wheels by PFERD

For additional information and sizes on all PFERD cutting & Grinding products contact the store or your Sales Representative.



PFD 69834 | 3" x 0.045"

PFD 69817 | 4.5" x 0.030"

PFD 69818 | 5" x 0.030"

Jump-N-Carry 12V Jump Starter

Jump-N-Carry JNC660 1700 Peak Amp 12-Volt Jump Starter.

- 1700 peak ampere
- Battery status indicator gauge
- 46 inch heavy-duty #2 cables
- DC outlet to power 12 volt accessories



G2S SOLJNC660

EconoPower Interstate Batteries

Great for farm equipment as well as cars, trucks, RV's, 365 day warranty period. With no exchange, a \$16.00 core charge will apply.

Part Number	CCA/RC min/ CA
ISBEPOWER-48-700	700/112/875
ISBEPOWER-94R-750	750/143/935
ISBEPOWER-65-700	700/130/875
ISBEPOWER-78DT-650	650/100/810
ISBEPOWER-75DT-550	550/85/685



Farm & Ranch Battery Charger/Engine Starter

- 200A (12V) and 150A (6V) Engine Start - Powerful enough for SUVs, trucks, and large engines
- 40A Boost Mode - quickly brings deeply discharged battery back to life
- Scrolling digital display, LED indicators and push-button controls
- Automatically adjusts amperage rate to charge and maintain
- Multi-Stage charging, Auto voltage detection
- Reverse hook-up protection



SCH FR01335

Cobra Flex Air Hose

Cobra Flex pneumatic air hoses provide superior flexibility and lay flat. Milton Cobra Flex is made from a hybrid polyvinyl chloride material, which is perfect to eliminate kinking. Cobra Flex relies on sturdy brass metal hose ends as opposed to soft aluminum. This multipurpose air hose remains flexible down to -40 degrees Fahrenheit and offers up to 300 PSI.



MIL MA3835OR | 35' x 3/8"

MIL MA3850OR | 50' x 3/8"



Pliers

Constructed of chrome and vanadium steel hardened for maximum strength and durability. Double dipped handles provide comfortable use. Meets ANSI Standards. Other Sizes available.



ADC TGHT-031-007 | 7" Diagonal Cutter
ADC TGHT-031-008 | 6" Diagonal Cutter
ADC TGHT-020-007 | 7" Long Nose Pliers
ADC TGHT-020-008 | 8" Long Nose Pliers

Pliers

Constructed of chrome and vanadium steel hardened for maximum strength and durability. Double dipped handles provide comfortable use. Meets ANSI Standards. Other Sizes available.



ADC TGHT-014-006 | 6" Slip Joint
ADC TGHT-016-008 | 8" Groove Joint

Curved Locking Jaw Pliers

- Chrome vanadium steel hardened for maximum strength and durability.
- Bare metal handle
- Curved jaws, knurled tips and wire cutters
- Instantly locks



ADC THGT-030-007 | 7" | 1.14" max
ADC THGT-030-010 | 10" | 1.46" max

PARTS

AUTOBODY SUPPLY


INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN



Adjustable Wrenches

- Chrome Vanadium Steel for strength and durability
- Chrome Finish
- Cushioned grip for added comfort and visibility or choose plain grip

ADC IDI-AW6 | 6" length | 15/16" Jaw Width
ADC IDI-AW10 | 10" Length | 1-5/16" Jaw Width



22 Piece Wrench Set

- Chrome vanadium steel alloy for strength and durability
- Polished mirror finish for quick cleaning
- 12 point design minimizes fastener damage and increases torque
- premium canvas pouch
- Comes in 7mm-32mm

ADC TGCW-SET-22PC-MET



Utility Knife

- Heavy-Duty Cutter
 - Contoured handle
 - Stainless steel blade channel
- Replacement blades: TGUK-001-10 | \$1.29



ADC TGUK-001-00 | Ratchet Lock Blade

Tape Measure

- High Impact ABS case for longevity
- Thumb lock for quick lock/release function
- Belt clip for easy storage
- Graduation: Inch and metric



ADC TGTM-008 | 25' x 1"

Pry Bars

- Wrecking Bar combines roll head and angle pry bar ends for better access in tight work areas
- Tempered alloy steel
- Electrostatic Powder Coated Finish



ADC TGHT-040-024 | 24"
ADC TGHT-044-015 | 15"

Screwdrivers

ADC TGSD1101 | #1 Phillips Magnetic Tip
ADC TGSD1204 | #2 Phillips Stubby Magnetic Tip
ADC TGSD1301 | #3 Phillips Magnetic Tip
ADC TGSD3101 | #1 Robertson Magnetic Tip
ADC TGSD3204 | #2 Robertson Stubby Magnetic Tip
ADC TGSD3301 | #3 Robertson Magnetic Tip
ADC TGSD5101 | 3/16 Slot Magnetic Tip
ADC TGSD5204 | 1/4 Slot Stubby Magnetic Tip



Kneeling Pad

This 24" X 12" Kneeling Pad is great for any mechanic, tradesperson, or DIYer. XLPE foam base ensures that no water or oils are absorbed by the foam. Comes with the Auto Value logo etched into the top. Custom etching available for \$15.00 per kneeler.

AES KNEELINGPAD



FLOOR BROOMS & SHOVELS

30" Foam Double Edge Squeegee

Constructed for tough, industrial usage. The heavy-duty frame with 4" twin rubber blades moves large amounts of water. 15/16" diameter reusable black handle for foam squeegee (PBP 85-978) not included.



PBP 83-304
PBP 85-978



Indoor/ Outdoor Push Broom Black Polypropylene with Handle

24" push broom head with 3" bristles are excellent for wet or dry sweeping of concrete, asphalt, tile, wood, patios, garages, driveways, sidewalks, and rough wood floors. Bristles are acid resistant.

PBP 92-232



24" Tampico & Steel Broom with Handle

3" black tampico bristles with a center row of steel wire bristles. Works well for dislodging dirt, is acid resistant. 24" long.

PBP 92-282



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

Indoor/ Outdoor Push Broom Soft Grey with Handle

3" soft grey, flagged tip, solvent resistant bristles. Recommended for sweeping smooth, highly polished floors, varnished wood and concrete. 24" long.

PBP 92-212



24" Maroon Durastran Broom with Handle

3" stiff, heavy duty, maroon polystyrene bristles for wet or dry sweeping of rough concrete and asphalt. 24" long.

PBP 92-262



Garage Broom

(head only, use handle PSI 93069 shown below)

24" broom head and 3" soft outer bristles with stiff nylon inner bristles. Excellent for smooth and rough surfaces. Handle (PSI 93069) not included, see below.

PSI 93070



Street Broom

Industrial grade street/stable broom for extra-rough surfaces. 16 inches brush made of synthetic fibers. Tempered steel bracket, formed and welded for more sturdiness. Premium varnished ash handle (1-1/8 inch x 60 inches). Perfect for sweeping up heavy debris



GAR 84245



Heavy Duty Corn Broom

Warehouse corn broom, heavy-duty, natural fiber, indoors and outdoors, 4 rows of stitching and wire band for extra strength. 1-1/8" x 39" hardwood handle, ideal for offices, warehouses, garage bays, driveways and patios.



GAR 84578

17" Contractors Dust Pan



This contractor-grade dustpan is made of heavy-duty aluminum, so it's sturdy yet light, and easy to use and store. Rubber coated handle is 9" long. Heavy-duty aluminum dustpan is 17" wide. Grooved edges for broom and brush cleaning.

GAR 84630



Broom Poles

60" Steel handle with Metal tip. 15"/16" diameter.

PSI 93069

60" hardwood handle Threaded and tapered tip. 1" diameter.

PSI 93070

72" hardwood handle with Metal tip. 1" diameter.

PSI 93502



Square Point Shovel



This tool is equipped with a tempered steel blade. This shovel was designed for entrepreneurs who are looking for a robust, reliable and efficient tool.

GAR 81765



Square Point Shovel, Long Handle

This tool is equipped with a tempered steel blade. This shovel was designed for entrepreneurs who are looking for a robust, reliable and efficient tool.



GAR 81766



Drain Spade



This tool is equipped with a 16" (40.6 cm) forged and tempered steel blade and with a footstep for more power and security. This industrial drain spade is especially designed for professionals looking for a robust, reliable and safe tool to complete various landscaping projects.

GAR 81183



Square Point Shovel

Square Point Shovel Is Ideal For Scooping And Moving Dirt, Gravel And Other Landscaping Material. Solid Ash Handle Is Stained To Help Prevent Chipping And Water Damage. Blade width 10.5".



ADC TGHS2L



Round Point Shovel

Equipped with a forward-turned footstep to provide you with better comfort. Designed for residential use, this tool is ideal for people looking for an excellent quality/price.

GAR 00197



Long Round Point Shovel



Dig, plant or uproot with the help of the Garant Pro Series round shovel. This tool is equipped with a tempered steel blade and a forward turned footstep. This shovel is especially designed for professionals looking for a robust, reliable and efficient tool to complete various landscaping projects.

GAR 80377



Steel Tray Wheel Barrow

Transport dirt, mulch, gravel, tools and other materials easily with the True Temper contractor wheelbarrow. Its 6 cu. ft. tray with a maximum capacity of 270lb.

GAR 01044 |



Quantities are limited while supplies last. Please contact us for pricing!

PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN