# AUGUST 1<sup>ST</sup> - SEPTEMBER 30<sup>TH</sup> 2021

**REGINA:** (306) 525-2551

YORKTON: (306) 783-6515

**ESTEVAN:** (306) 634-3664 **WEYBURN:** (306) 842-4676

**MAINLINE FLEET: (306) 721-7711** 







#### **Tarps**

Waterproof and resistance to chemicals, tearing and mildew. Weave: 10 x 10, GSM: 135, Material: High density polyethylene. Aluminum grommets every 3'. Polyethylene Rope Reinforced Hems.

ADC TARP-1015-BLUE | 10' X 15' ADC TARP-1520-BLUE | 15' X 20' ADC TARP-2030-HDB | 20' X 30'



## **Tow Ropes**

- Sewn in a Canadian Facility
- Reinforced Eyes

Size	Safe Working Load
2"x 20'	18,000 LBS
3"x 20'	27.000 LBS
4"x 20'	36,000 LBS
8"x 30'	160,000 LBS
	2"x 20' 3"x 20' 4"x 20'



## Rope

- 3-strand polypropylene twisted
- Does not absorb water and floats
- Other sizes available
- 975" and a 1368lbs strength

ADC TGR-5/16-B



### Ratchet Strap 2"X27"

- Heavy-Duty ratchet tie-down
- Nylon woven straps



ADC RS-227CE | Double J-Hook ADC RS-227FLATCE | Flat Hook



#### Other Sizes Available! Please ask your sales representative for details!

#### OLFA 18mm Heavy Duty Utility Knife L-2

This heavy-duty Olfa utility knife features an anti-slip rubber grip inset and a ratchet wheel blade lock.

#### OLF L2

### **OLFA 25mm Extra HD Utility Knife H-1**

Extra heavy-duty utility knife features a ratchet wheel blade lock and rubber grip inset for better handle control and a rubber grip insert. OLF H1

### HBB Ultra Sharp Black HD Snap-Off Blades

The OLFA UltraSharp black heavy-duty snap-off blades are exclusively designed for maximum cutting performance. 7 cutting edges per blade

OLF HBB-5B | Pack of 5 Blades OLF HBB-20B | Pack of 20 Blades

#### LBB UltraMac HD Snap-Off Blades

Olfa UltraMax® blades (LBB) exclusively designed for maximum cutting performance. 8 cutting edges per blade.

OLF LBB-10B | Pack of 10 Blades OLF LBB-50B | Pack of 50 Blades







OLFA

OLFA

Other OLFA Products Available Please ask your sales representative for details!

#### Ratchet Straps

- Steel Coated S Hooks
- Breaking Strength: 3000 lbs
- Working Load Limit: 1000 lbs

ADC RS-102 | 1"X16" ADC RS-103 | 1"X20"



#### Sledge Hammer, 4lbs

4 lb, double-face, forged and tempered steel head for increased strength and rigidity. 15.5" long × 5" wide **GAR 78603** 

#### Sledge Hammer, 6lbs

6 lb, double-face, forged and tempered steel head for increased strength and rigidity. 35.5" long × 5.5" wide.

**GAR 78604** 



#### Sledge Hammer, 8lbs


8 lb, double-face, forged and tempered steel head for increased strength and rigidity. 36" long × 6" wide. **GAR 78605** 



AUTOBODY SUPPLY



**WEYBURN ESTEVAN** 







**GAR 81216** 



**GAR 80841** 

# Steel Tray Wheel Barrow

Transport dirt, mulch, gravel, tools and other materials easily with the True Temper contractor wheelbarrow. Its 6 cu ft tray with a maximum capacity of 270lb.


**GAR 01044** 




Square Point Shovel

61.5" long × 10" wide.

#### Round Point Shovel





61" long × 9" wide.

**GAR 80377** 



41.5" long × 9" wide.

**GAR 81765** 



## **GAR 00197**






# Heavy Duty Corn Broom

1-1/8" x 39" hardwood handle, ideal for offices, warehouses, garage bays, driveways and patios.

**GAR 84578** 





Honeywell

**GAR 84630** 

Honeywell White North Peak HDPE polyethylene cap

style hard hat with 4 point pinlock suspension.

Non-conductive concealed snaps

White Peak A79 Hard Hat

HON A79R020000N | White

**Pioneer Safety Vest** 

Flame resistance

D ring access slot Available in sizes S-4XL

JET V2540050



# **Street Broom**

Industrial grade street/stable broom for extra-rough surfaces. 67" long × 18" wide.

GAR 84245



#### **Full Brim Hardhat**

- Built for use by utilities and other industries where head protection with dielectric protection is necessary
- Withstands radiant heat loads up to 275°F
- Slotted hardhat

SCN SCNSEK916 | White SCN SCNSDL492 | Black



#### Safety Vest

- CSA Z96-09 Class 2, Level 2
- One Size
- 5-Point Tear Away

#### **ADC TGVEST005**

# SRADE



#### **Stealth Transformer Gloves**

- Crinkle latex palm coating for a sure-grip in wet conditions
- Ergonomically formed to help reduce hand fatigue
- Extended snug-fitting seamless knit wrist keeps out dirt and debris

## WAT 9394 | M,L,XL





# **G40 Gloves**

KleenGuard™ G40 Polyurethane Coated Gloves (Black) are general purpose protective gloves with knitted back.

KIM 13838 | Medium KIM 13839 | Large KIM 13840 | X-Large KIM 13841 | XX-Large





#### Safety Glasses **Anti-Fog CCS Protective Eyewear**

The anti fog lens coating and removable foam lined gasket with airflow vents. Polycarbonate lenses absorb 99.9% UVA and UVB. Meets the requirements of CSA.

MMM 11872-00000-20



Soft adjustable nosepiece to help reduce slippage. Incorporates dual-material temples to provide cushioned comfort plus enhanced style and features.

MMM SF401AF-CA





**PARTS** 

AUTOBODY SUPPLY

**INDUSTRIAL** 

**WEYBURN** ESTEVAN

#### **Dentec Sqwincher**

Qwik Stik® ZERO is a one-man hydration solution without the sugar or calories. Simply rip open a pack, pour into a bottle of water and let the hydration hit the spot.







DNT 11060100-OR | Orange DNT 11060101- MB | Mixed Berry

DNT 11060453-SL | Strawberry Lemonade

DNT 11060102-FP | Fruit Punch

Pack of 50



Sqwincher® FAST PACK® is a guick and convenient method to replenish your electrolytes and rehydrate. Made to easily tuck away and not get in the way of your active lifestyle. Simply tear open the top, add water to the fill line and drink. The pack is your cup! Just add water. Lemon Lime favored.

DNT 11082 | Box of 50 packs





Simply freeze the "SQWEEZE" and enjoy the refreshing feeling of flavored ice or refrigerate the SQWEEZE and drink right out of the package. The SQWEEZE is a 3ounce electrolyte drink. Available in packs of 10 or a case of 150 (15 packs of 10) Squeeze Pops. Each pack of 10 contains two of each flavor - Cherry, Grape, Orange, Lemon-Lime & Mixed berry

Assorted Flavors | DNT 11130 | Pack of 10



Sqwincher Liquid Concentrate. Just add to 5 Gallons of water and serve Sqwincher® electrolyte replenishment. Available in ZERO sugar in the flavors Orange and Fruit Punch.

DNT 11021 | Orange DNT 11022 | Fruit Punch DNT 11024 | Tropical Cooler DNT 11025 | Grape

DNT 11050502 | ZERO Fruit Punch DNT 11050507 | ZERO Orange



#### First Aid Kit Plastic Case

DNT 81CSA-0001-0 | Type 1 Personal FA Kit DNT 81CSA-0002-0 | Type 2 Small Basic FA Kit DNT 81CSA-0003-0 | Type 2 Medium Basic FA Kit DNT 81CSA-0004-0 | Type 2 Large Basic FA Kit DNT 81CSA-0005-0 | Type 3 Small Intermediate FA Kit

#### First Aid Kit Bulk Metal Case

DNT 81CSA-0002-1 | Type 2 Small Basic FA Kit DNT 81CSA-0003-1 | Type 2 Medium Basic FA Kit DNT 81CSA-0004-1 | Type 2 Large Basic FA Kit DNT 81CSA-0005-1 | Type 3 Small Intermediate FA Kit DNT 81CSA-0005-1 | Type 3 Medium Intermediate FA Kit DNT 81CSA-0007-1 | Type 3 Large Intermediate FA Kit

#### First Aid Kit Bulk Soft Case

DNT 81CSA-0002-2 | Type 2 Small Basic FA Kit DNT 81CSA-0003-2 | Type 2 Medium Basic FA Kit



DENTEC



Highly effective, perfume-free, dye-free alcohol-based foam hand sanitizer moisturizer. Use without water to kill 99,999% of many common germs in seconds! Does not contain any gelling agents, does NOT leave hands feeling sticky!

ADC IFS400ML | 400ml ADC IFS1L | 1L **ADC SAN1LDS | Dispenser** 

Foaming Hand Sanitizer







#### KleenGuard Respirator

NIOSH-Approved N95 Respirator. Box of 20.



KIM 53899



DNT 81CSA-0004-2 | Type 2 Large Basic FA Kit

All kits meet or exceed NEW OHS requirements for workplace first aid kits when selected based on the businesses workplace first aid risk assessment.

#### Industrial Grade Duct Tape

Composed of a waterproof polyethylene film over cloth scrim backing with a rubber adhesive used for demanding duct tape applications. Offers high tack, conformability, strength and easy tear.

#### MMM 06975



#### Tesa Electrical Tape

Double layer PET cloth coated at the edges with an advanced acrylic adhesive for lengthwise applications. tesa 🖊

**LWR 51036** 



#### **General Purpose Electrical Tape**

Primary electrical insulation for all wire and cable splices rated up to 600V.

MMM 6140 | Sleeve of 10



#### Pro-Line WP

Liquid paint marker for enhanced marking performance and adhesion on wet surfaces. The fast-drying formula resists spreading and running when in contact with water or waterbased fluids to leave a bright, permanent mark.

MKL 096930 | White



#### Paint Stik


Combines the durability of paint in the convenience of a crayon. The real paint formula has superior marking performance on oily, icy, wet, dry or cold surfaces and is weather- and UV-resistant...

MKL 080220 | White MKL 080221 | Yellow



#### Pro-Wash D

Removable liquid paint marker that dry fast and can be quickly and easily washed off of any non-porous surfaces without ghosting or leaving a residue.



Other Markal products available! Please ask your sales representative.



**PARTS** 

AUTOBODY SUPPLY

**INDUSTRIAL** 

ESTEVAN



#### **Energizer Industrial Alkaline Battery**

Strong long lasting Energizer Alkaline battery. Available in AA and AAA.



### **Energizer Industrial Alkaline Battery**

Strong long lasting Energizer Alkaline Battery. Available in 9V, C, and D. Boxes of 12.

**ENE EN22 | 9V** ENE EN93 I C ENE EN95 | D



Powerful waterproof (IP67), rechargeable, 6000 lumen flashlight that features 4x adjustable zoom and new optimized C•O•B technology.

Reline 6K Lumen Flashlight

NEB-FLT-0002



#### Amber Medium Profile Fleet LED Beacon, Permanent Mount

- Fully encapsulated electronics
- Precision molded Fresnel lens
- 3 User selectable flash patterns





### Amber Medium Profile Fleet LED Beacon, Magnetic Mount

- Rugged Polycarbonate lens, silicone rubber base, corrosion proof housing
- Fully encapsulated electronics
- 3 User selectable patterns

SWS 208RM-12V-A



SWS 208R-12V-A

#### Amber & Blue 16" LED Mini Lightbar, Permanent Mount

- High strength polycarbonate construction with UV inhibitors
- **CSA** Approved
- BatteryCheck™ alerts you to critically low battery voltage
- Autodim<sup>™</sup> technology with photocell for night time use
- 23-User selectable flash patterns
- Extruded aluminum base with T-slot mounting

#### SWS 16399

#### Switch Panel Kit

- 2 x 12Vdc lit rocker switch and 1 x momentary rocker
- 10A max. current capability per switch
- Aluminum switch panel
- Comes with connection wires and fast on terminals
- Prewired with necessary jumpers
- Recommended for use with SWS 16399

#### SWS 766171



## 10 Ton Air Lift Jack

- 10 ton capacity achieved at 200 PSI air supply
- Heavy duty air valve offers accurate lift control
- Removable T-handle for easy storage

#### SAF 030458

# **Aluminum Work Platform**

- Capacity: 444 lbs (200 kg)
- Net weight: 17.90 lbs (8.16 kg)
- Gross weight: 20 lbs (9.07 kg)/ case
- Dimensions: 38" x 12" x 18"

### **INF PTR-3001**

# 3 Ton 2XP Floor Lift Jack

- Superior grade "soft" components
- Padded handle bumper
- Double Pump design for fast efficient lifting
- Rear mounted swivel casters

#### **SAE 030417**

#### Aero Kroil

Dissolves gum, dried grease and oil, removes rust and carbon deposits without attacking the metal.

KAN AEROKROIL | 10 oz KAN KROIL-GAL | 1 Gallon



STRONGARM

#### Qualisorb

Qualisorb® is the most efficient way to soak up liquid spills wherever you need to absorb unwanted liquid.





#### Brake Kleen

Removes brake fluid, oil, grease, transmission fluid and other contaminants. Case Special!

KLF 313 | 390g



#### **HD Oil Stabilizer**

Lucas Oil Heavy Duty Oil Stabilizer available in 946ml bottle or a 4L jug.

LUC 20001 | 946ml LUC 20002 | 4L

Other Lucas products available! Please ask your sales representative.



### Liqui Tube



- For air, nitrogen filled tires & tubeless
- Non-Flammable & Non-Explosive
- Seals 6 mm punctures in tread area. Seals larger punctures up to 19 mm in heavier ply tires

NLS 9555 | 4L Tire Sealant



### **WD-40 Products**

WDF 01022 | 342g Bonus Can WDF 01627 | EZE Reach 408g WDF 01110 | 3.78L WD-40





### 30LBS Keg Freon

**REF 134A** 

10LBS Keg Solstice yf REF R1234YF



**PARTS** 

AUTOBODY SUPPLY INDUSTRIAL

Boxes of 24. ENE EN91 | AA

ENE EN92 | AAA

STRONGARM