

Your Local Store for **AGRICULTURE** Parts, Shop Supplies & Tools

AUTO
electric service
SALES · PARTS · SERVICE

Auto Value
Parts Stores

mainline
FLEET SERVICE

REGINA: (306) 525-2551
YORKTON: (306) 783-6515
ESTEVAN: (306) 634-3664
WEYBURN: (306) 842-4676
MAINLINE FLEET : (306) 721-7711



Don't get left out in the field this Fall!
Dayco Gold Label Industrial V Belts and Hydraulics in Stock!
AP, BP, CP, & 5V series belts
DAYCO

Quality Rotating Electrical
In Stock!
WILSON **BOSCH**

WIX
FILTERS
for all of your filtration needs,
Farm & Auto!

FARM SUPPLIES

Box of Rags

In a 20lbs box or bale. Great for economical clean ups in the shop or home. Absorbs greases, oils and more.

RBW 24020 | Box of Fleecy Rags
RBW 24020BALE | Bale of Fleecy Rags
RBW 12920 | Box of Cotton Rags
RBW 41015BALE | Bale of White Terri Rags
RBW 60020 | Box of White Ganzies Rags



Qualisorb

Qualisorb® is the most efficient way to soak up liquid spills wherever you need to absorb unwanted liquid.

QUA 628



Shop Towels

Strong shop towels absorb oil and grease even when wet! 55 sheets per roll.



KIM 75120



Fast Orange Hand Cleaner

Pure, orange scented natural citrus power does the cleaning. Fortified with aloe, lanolin, glycerin, and other skin conditioners. These formulas gently deep clean the toughest dirt.

PER 23218 | 3.8L Smooth
PER 25219 | 3.8L Pumice



Fast Orange Hand Wipes

Removes the toughest grease, tar, grime, ink, paints, sealants, adhesives and other difficult soils. 72 wipes per container.

PER 25051



Glass Kleen

Ideal for auto, marine, fleet and home use. Cleans windows, mirrors, formica and porcelain. Specially formulated for body shops and industrial use.

KLF 886 | 22oz Bonus Size



Aero Kroil

Wherever there is corrosion either due to heat, salt water, chemical action, or weathering- Kroil will loosen metal joints in a few minutes time, saving labor, equipment and temper. Dissolves gum, dried grease and oil, removes rust and carbon deposits without attacking the metal.

KAN AEROKROIL-10OZ | 10 oz
KAN KROIL-GAL | 1 Gallon



Non-Chlorinated Power Jet

The newest non-chlorinated brake parts cleaner for Canada from the #1 brand. Specially formulated to remove even the strongest contaminants from brake linings and pads.

CRC 1752253 | 411g



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

Freeze-Off

Immediately drops the temperature of the area in direct contact with the spray. The freezing effect cracks rusted surfaces, allowing it to reach deeper & work more effectively than other penetrants.

CRC 75222 | 326g



Ice-Off

Melts ice, snow, and frost on contact. Harmless to car finish. Thaws frozen locks and is effective to sub-zero temperatures.

CRC 75346 | 340g



Dry Graphite Lubricant

Ideal where a dry lubricant is required or where petroleum products must be avoided. Resists dirt, dust and oil build-up. Wide effective temperature range up to 850°F constant. 16oz.

CRC 75101



Belt Dressing

Eliminates squeaks and prolongs belt life. For use on all types of belts, such as serpentine, flat and v-type belts. Prevents slippage and glazing. Removes oil, grease and glaze. 10oz.

CRC 75350



Cutting Oil

Cutting Oil is a superior thread cutting lubricant for use on all types of metals, including brass, copper and aluminum. 16oz.

CRC 75500



Knocker Loose

An industrial strength, low viscosity super penetrant designed to quickly loosen and free seized, bound or frozen fasteners. Quickly permeates rust, scale, gum, grease and corrosion. 16oz.

CRC 73020



Compressor Oil

Helps promote longer life in all types of reciprocating & rotary compressors. Solvent refined & clay filtered for long lasting, anti-foul operation. Cleans valve seat deposits & extends life. 3.78L.

CRC 75133



Motor Treatment

Sea Foam Motor Treatment is a fuel and oil additive that works to clean and lubricate all types of gas and diesel engines.

SFC SF16 | 16oz

SFC SF128 | 1 Gallon



Air Induction Spray

Cleans & lubricates critical upper engine areas where fuel cleaners can't reach.

SFC SS14



Trans Tune Treatment

Cleans harmful fluid residue that causes rough system operation and erratic shifting. For use in hydraulic fluid, automatic transmissions, and power steering systems.

SFC TT16



Deep Creep

Works fast to break metal surface tension. Frees stubborn parts from rust & corrosion. Use to oil bushings, chains, gears, hinges, rollers & slides.

SFC DC14



Diesel Fuel Conditioner

Eliminates varnish and sludge. Reduces corrosion. Prevents stalling and frozen fuel lines. Retards wax formation. Contains anti-gel properties.

KLF 991 | 150ml

KLF 992 | 500ml

KLF 993 | 1L



Diesel Melt

Diesel Melt is an emergency fast-acting anti-gelling treatment additive that is recommended for fuel that has already gelled.

DSG DM16 | 455ml

DSG DM32 | 946ml



Polar Max

Super concentrated fuel additive to stop diesel fuel from gelling during winter. Use summer fuel in the winter and save!

DSG PM32 | 946ml



Arctic Plus +

A comprehensive multi-purpose winter diesel additive with anti-gel that addresses critical performance issues. It reduces fuel consumption, extends fuel system, engine & diesel particulate filter life.

DSG AP16 | 455ml

DSG AP32 | 946ml



4+ Premium

Prevents costly fuel pump and injector repairs. A comprehensive multi-purpose fuel enhancer that addresses eight critical fuel performance issues to reduce fuel consumption and extend fuel system, engine and diesel particulate filter life.

DSG FPP16 | 455ml

DSG FPP32 | 946ml

DSG FPP4L | 4L



Furnace Saver

- Prevents water from accumulating
- Safely removes water from condensation
- Cleans nozzles & provides hotter flame
- Reduces foaming on tank refills

DSG FS32



IronTite

Stop leaks in coolant systems, seal minor cracks in cylinder heads & blocks. Used by professionals for over 35 years.

IRT 913216 | All Weather Seal

IRT 911216 | Thoro Flush



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

H/D Extended Life Anti-Freeze

3.78L mixed fleet long life anti-freeze concentrate for all engines. Yellow in color.



REC 16-314

H/D Extended Life

Fleet long life anti-freeze premix 50/50. No need to add any water. 3.78L pale yellow in color.

REC 16-324



H/D Diesel Universal Anti-Freeze

3.78L H/D Anti-freeze fully formulated concentrate does not require an initial charge of SCA. Purple in color.

REC 16-284



H/D Diesel Universal Anti-Freeze

HD 3.78L Premix 50/50. Does not require an initial charge of SCA.

REC 16-474



Diesel Exhaust Fluid

Air1® Diesel Exhaust Fluid for Selective Catalytic Reduction (SCR) technology in new heavy duty diesel vehicle engines.

REC 55-126H2BX96 | 9.46L



Disposable Butane Cylinder

- 5.5 oz. aerosol can
- For use with Bernzomatic butane torches
- Can be used for fueling all leading butane cigarette lighters

ADC BZBF56

BERNZOMATIC



Micro Torch

This Pro-Torch micro torch is powered by butane and features a child-resistant automatic ignition system. The flame temperature is 2400 Degrees F. This torch is refillable and has a windproof flame and a safety lock.

PIC 8247-31



4 in 1 Butane Torch

This 4 in 1 butane torch is refillable and features a safety lock. The flame temperature is 2400 Degrees F. This torch includes a base stand, a soldering tip, a torch sleeve, a hot air blower sleeve, and a shrink tube deflector.

PIC 8257-31



Anaerobic Gasket Maker

OEM specified. Noncorrosive gasketing material designed primarily for use on aluminum, iron, and steel flanged mating surfaces. Ideal for on-the-spot and emergency repairs, or when a conventional gasket is unavailable. Fills gaps up to .015" and cures to a solvent-resistant seal that will not tear or decay during service. Parts disassemble easily even after extended service. Old gasket material can be removed in minutes with a simple putty knife.

PER 51850 | 50ml

Permatex



Anaerobic Gasket Maker

Flexible, gasketing material for use on rigid machined flanges with less than .015" gap. OEM approved use where OE specify "anaerobic" gasket (cures in the absence of air). Withstands temperatures to 300°F (149°C). Eliminates preformed, pre-cut, paper, rubber and cork gaskets. Flexes with flanges that move in service.

PER 51550 | 50ml

PER 51580 | 300ml

Permatex



Anaerobic Gasket Maker

OEM specified. Noncorrosive gasketing material designed primarily for use on aluminum, iron, and steel flanged mating surfaces. Ideal for on-the-spot and emergency repairs, or when a conventional gasket is unavailable. Fills gaps up to .015" and cures to a solvent-resistant seal that will not tear or decay during service. Parts disassemble easily even after extended service. Old gasket material can be removed in minutes with a simple putty knife.

PER 51845 | 300ml

Permatex



Permatex Threadlocker

OEM specified. A permanent, high strength product that is applied to fasteners 3/8" to 1" (10mm to 25mm) in size before assembly. Designed for securing parts that must withstand heavy shock, vibration, or extreme chemical or environmental conditions. Localized heating and hand tools are required to separate parts. Conforms to ASTM D5363 AN0331 (Mil-S-46163A, Type II, Grade O).

PER 26240 | Red | 36ml

PER 24240 | Blue | 36ml



Permatex Threadlocker Gel Twist

OEM specified. Gel formula provides "liquid-reliability" without drips, globs, mess or waste. High strength threadlocker for heavy-duty applications 3/8 inch to 1 inch (10mm to 25mm). Adds 3,000 PSI holding power on slip and press fit assemblies. Replaces set screws and snap rings. Locks against vibration loosening. Conforms to ASTM D5363 AN0221 (Mil-S-46163A, Type I, Grade K).

PER 27115 | Red | 36ml

PER 24215 | Blue | 36ml

Permatex



TechSteel Epoxy

TechSteel epoxy putty can be installed under water, is impervious to most chemicals, and resists temperatures to 260°C. Steel hard in 15 minutes, fully cured in 1 hour and is 500°F temperature resistant.

NLS 16002



TechPlastic Epoxy

Repairs PVC, ABS, gutters, seals electrical wires, plastic bumpers, battery cases, fish boxes, sprinkler heads, on board fuel tank leaks, and many automotive and household uses. Dries white, will not shrink, crack, rot or pull away. Bonds to rigid and / or semi flexible surfaces, TechPlastic is permanent and can be molded to any shape.

NLS 2900



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

MAG1 Lubricants

SAE 15W-40 Engine Oil

1 Gallon | PMO MAG62631
Gallons | PMO MAG67980
55 Gallons | PMO MAG67983

SAE 5W-40 Full Synthetic

1 Gallon | PMO MAG62627
5 Gallons | PMO MAG68036
55 Gallons | PMO MAG68037

Hydraulic Fluid

ISO AW22 5 Gallons | PMO MAG65847
ISO AW32 5 Gallons | PMO MAG00325



Giant Quick Funnel

Has an easy grip guard that makes pouring safe and easy. Includes a snap-in screen. Applications include fuel and oil for marine use, tractors, and trucks. Innovative and sturdy design.

BLI 10705



3 Piece Funnel Assortment

Funnel sets polyethylene Made of tough, high-density polyethylene for dispensing petroleum-based fluids. May be used with substances such as oil, radiator fluid or fuel additives. Includes one each: gray 1/2-pint, charcoal 1-pint, and black 2-quart.

BLI 05068MI



Fuel Filter Funnel

With a 5 gal/minute flow rate this **fuel filter** removes **water**, **dirt** and **debris**. Filters gasoline, heating oil, and kerosene. As well as 2 cycle mixed gas.



BLI F8C

7 Quart Catch All Pan

Built-in raised rim handles provide ease of use. Features unique oversized pouring spout. 7-quart capacity with drain scale that helps track oil usage. Lightweight, stackable but innovative and sturdy design. Multi-purpose use for variety of different applications.



BLI OP-1 | 7qt

HOSE CLAMP MIX N' MATCH SPECIAL

Receive 10% off our preferred wholesale pricing when you purchase a minimum of 5 boxes of hose clamps. Receive 20% off when purchasing 10 OR more boxes.



Nitrile Coated Gloves

- 13 Gauge polyester
- Shell colour: grey
- Palm colour: black
- Nitrile coating provides improved grip and dexterity



ADC TGG-200-08 | Medium

ADC TGG-200-09 | Large

ADC TGG-200-10 | XL

ADC TGG-200-11 | 2XL

Winter Flashback Gloves

- 3M Thinsulate™ C100 lining
- Full-grain cowhide leather
- Hi-vis safety orange nylon back
- Reflective strip on knuckle bar
- Snug-fitting shirred elastic wrist
- Slip-on style safety cuff



WAT 94006HHV | SM-2XL

Stealth Transformer Gloves

- Crinkle latex palm coating for a sure-grip in wet conditions
- Ergonomically formed to help reduce hand fatigue
- Extended snug-fitting seamless knit wrist keeps out dirt and debris



WAT 9394 | M,L,XL

Scape Goat Gloves

- 3M Thinsulate™ C100 lining
- Full-grain goatskin leather
- Gauntlet style cuff with leather gore
- Snug-fitting shirred elastic wrist with slip-on style cuff

WAT 9545 | SM, M, L



Red Baron Gloves

- Heavy sherpa lining
- Full-grain cowhide leather
- Cotton drill back
- Shirred elastic wrist
- Slip-on style safety cuff

WAT 94002 | SM-3XL



Flex Time Gloves

- 3M Thinsulate™ C40 lining
- Dryhide™ water-resistant full-grain goatskin leather palm
- Hooded fingertips and thumb reinforcement, spandex back
- Snug-fitting elastic wrist with secure Velcro® closure

WAT 9005W | SM-2XL



Anti-Fog CCS Protective Eyewear

Foam Gasket helps limit eye exposure to nuisance dust and other particles while providing additional cushioning. The anti fog lens coating and removable foam lined gasket with airflow vents. Polycarbonate lenses absorb 99.9% UVA and UVB. Meets the requirements of CSA.

MMM 11872-00000-20



Safety Glasses



Soft adjustable nosepiece to help reduce slippage. Incorporates dual-material temples to provide cushioned comfort plus enhanced style and features. The proprietary 3M™ Pressure Diffusion Temple Technology that helps diffuse pressure over the ear.

MMM SF401AF-CA



KleenGuard Respirator

NIOSH-Approved N95 Respirator. Box of 20.

KIM 53899



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

Industrial Grade Duct Tape

Composed of a waterproof polyethylene film over cloth scrim backing with a rubber adhesive used for demanding duct tape applications. Offers high tack, conformability, strength and easy tear. The individual roll wrap preserves integrity of the roll for less waste and the product number is printed in core to insure the correct product is used. It features good moisture resistance and has good tensile strength.

MMM 06975

3M



Cold Weather Tarp Straps

Tie down strap made of rubber. Injection molded EPDM meaning no imperfections. 2-1/2 times safe stretch, non-cracking. Meets DOT safe working load limit. Easy identifiable blue colour. Operational to -40°C. Stamped with 50 lb SWL as required by DOT.

HJU SH09CO | 9"
HJU SH15CO | 15"
HJU SH20CO | 20"
HJU SH30CO | 30"

SnappiHooks



Tarps

Waterproof and resistance to chemicals, tearing and mildew. Weave: 10 x 10, GSM: 135, Material: High density polyethylene. Aluminum grommets every 3'. Polyethylene Rope Reinforced Hems.

ADC TARP-1015-BLUE | 10' X 15'
ADC TARP-1520-BLUE | 15' X 20'
ADC TARP-2030-HDB | 20' X 30'

TUFF GRADE



Tow Straps

-Sewn in a Canadian Facility
-Reinforced Eyes

| Part Number | Size | Breaking Strength |
|----------------|----------|-------------------|
| RMD TS180X20-2 | 2" x 20' | 39,200 lbs |
| RMD TS180X30-2 | 2" x 30' | 39,200 lbs |
| RMD TS270X20-2 | 3" x 20' | 58,800 lbs |
| RMD TS270X30-2 | 3" x 30' | 58,800 lbs |
| RMD TS360X20-2 | 4" x 20' | 78,400 lbs |
| RMD TS360X30-2 | 4" x 30' | 78,400 lbs |
| RMD TS600X30-2 | 6" x 30' | 117,600 lbs |
| RMD TS800X30-2 | 8" x 30' | 156,800 lbs |



RMD
Rocky Mountain Distributors

Tesa 51036 PET Cloth Wire Harness Tape

Black 3/4" x 25M. Tesa PET cloth wire harness tape with an advanced acrylic adhesive.

- Flag resistant
- High temperature resistance 150°C/3000h
- Good adhesion, gives professional appearance.
- Excellent abrasion, chemical and fluid resistant
- Large 19mm x 25M rolls



LWR 51036

Cable Ties

Cold weather black cable ties, 100pc each.

PIC 7295-36 | 7.5"
PIC 7296-36 | 11"
PIC 7297-36 | 14"
PIC 7298-36 | 14" (120lbs)



PICO
of Canada Ltd.

Rope

- 3-strand polypropylene twisted
- Polypropylene rope is idea for general uses
- Does not absorb water and floats
- ABS riveted reels
- Other sizes available
- 975" and a 1368lbs strength

TUFF GRADE



ADC TGR-5/16-B

Ratchet Strap 2"X27'

- Double J-hooks
- Heavy-Duty ratchet tie-down
- Nylon woven straps
- Straps: Yellow

TUFF GRADE



ADC RS-227CE

Ratchet Straps

- Ratchet Allows Loads To Be Secured with Maximum Holding Force and includes Steel Coated S Hooks.
- Breaking Strength: 3000 lbs
- Working Load Limit: 1000 lbs
- Coated S Hook

TUFF GRADE



ADC RS-102 | 1"X16'
ADC RS-103 | 1"X20'

TOOLS & EQUIPMENT

Universal AG Battery 75DT-400

- 450CCA 75RC on the label.
- Puts over 550CCA on the load tester.
- 12 Month North American wide free replacement warranty with Interstate's System.
- Length 9 1/2", Width 7 1/4", Height 8 3/8" (to the top of the post).
- Top and side post battery to fit many applications



ISB 75DT-400

Farm & Ranch Battery Charger/Engine Starter

- 200A (12V) and 150A (6V) Engine Start - Powerful enough for SUVs, trucks, and large engines
- 40A Boost Mode - quickly brings deeply discharged battery back to life
- Scrolling digital display, LED indicators and push-button controls
- Automatically adjusts amperage rate to charge and maintain
- Multi-Stage charging, Auto voltage detection
- Reverse hook-up protection

SCH FR01335

Schumacher



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

Extra HD All Weather Locking Extension Cord

- 12/3 SJEOW
- Outstanding performance in extreme climate conditions at temperatures from -50°C up to +105°C
- superior resistance to oil, moisture, ozone, cracking, and are outstanding in resistance to abuse, rough handling and wear

ADC LT530825 | 25'

ADC LT530830 | 50'

ADC LT530835 | 100'



Cobra Flex Air Hose

Cobra Flex pneumatic air hoses provide superior flexibility and lay flat. Milton Cobra Flex is made from a hybrid polyvinyl chloride material, which is perfect to eliminate kinking. Cobra Flex relies on sturdy brass metal hose ends as opposed to soft aluminum. This multipurpose air hose remains flexible down to -40 degrees Fahrenheit and offers up to 300 PSI.

MIL MA3835OR | 35' x 3/8"

MIL MA3850OR | 50' x 3/8"



Cut Off Wheels by PFERD

For additional information and sizes on all PFERD cutting & Grinding products contact the store or your Sales Representative.

PFD 69834 | 3" x 0.045"

PFD 69817 | 4.5" x 0.030"

PFD 69818 | 5" x 0.030"



CC Grind Disc

- Diameter: 4-1/2
- Bore: 7/8
- Max RPM: 13300 RPM
- Compatible mounting flange set: EDP 69116 (5/8-11)



PFD 61200

Chop Saw Wheel

14" x 3/32", 1" AH A 36 K
PSF-CHOP. 4400 RPM.



PFD 64492

Polyfan Flap Disc

Radial Type (curve) with plain arbor hole.

- Diameter: 5
- Bore: 7/8
- Max. RPM: 12200 RPM
- Grit size: 40
- Type: Medium

PFD 67196



Polyfan Flap Disc

Flat (Type 27, PFF) with plain arbor hole.

- Diameter: 4-1/2
- Bore: 7/8
- Max. RPM: 13300 RPM
- Grit size: 40



PFD 62957

Roloc Discs

- Tough mineral abrasive aggressively deburrs and finishes
- Conformable, non-woven disc achieves an aggressive cut
- Convenient 3M™ Roloc™ Attachment System offers quick and easy disc change-out for multi-step finishing processes

MMM 07480 | 2" Course box of 25

MMM 07481 | 2" Medium box of 25



Roloc Holder

The 3M™ Roloc™ Holder is a rugged, plastic holder that provides support for Roloc™ Products including discs and combo wheels. Its deeper internal threads accept products with Roloc™ + Buttons. The 3M™ Roloc™ Holder quick release attachment makes changeover quicker for greater productivity during multi-step processes and the 1/4 inch (6 mm) shank works on standard power tool collet systems.

MMM 07500



General Purpose 6"X9" Pads

- Superior alternative to steel wool, wire brushes, sandpaper, and other non-woven products for cleaning or finishing tasks
- Very fine grade aluminum
- oxide abrasive cleans, finishes,
- grains, denibs, and defuzzes

MMM 07447



Pry Bars

- Wrecking Bar combines roll head and angle pry bar ends for better access in tight work areas
- Tempered alloy steel
- Electrostatic Powder Coated Finish

ADC TGHT-040-024 | 24"

ADC TGHT-044-015 | 15"



Curved Locking Jaw Pliers

- Chrome vanadium steel hardened for maximum strength and durability.
- Bare metal handle
- Curved jaws, knurled tips and wire cutters
- Instantly locks

ADC TGHT-030-007 | 7" | 1.14" max

ADC TGHT-030-010 | 10" | 1.46" max



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

Adjustable Wrenches

- Chrome Vanadium Steel for strength and durability
- Chrome Finish
- Cushioned grip for added comfort and visibility or choose plain grip



ADC IDI-AW6 | 6" Length | 15/16" Jaw Width
ADC IDI-AW10 | 10" Length | 1-5/16" Jaw Width



22 Piece Wrench Set

- Chrome vanadium steel alloy for strength and durability
- Polished mirror finish for quick cleaning
- 12 point design minimizes fastener damage and increases torque
- Premium canvas pouch
- 22pc comes in 7mm-32mm Metric
- 16pc comes with 1/4" - 1-1/4"



ADC TGCW-SET-22PC-MET
ADC TGCW-SET-16PC

56pc Socket Set

- Four Flat sides for anti-roll
- Removable inner trays
- Stamped with metric and SAE measurements
- Shallow and deep socket kit
- 6 point flank drive

MLW 48-22-9008



M18 Cordless 2-Speed Grease Gun Kit

- 10,000 PSI max operating pressure
- 10 oz./Minute flow rate
- Pre-set grease counter dispenses precise amounts
- Air bleeder valve for quick priming
- 2 speed design
- Lock-on/Lock-off trigger
- Run time: up to 10 grease cartridges per charge
- Includes battery, charger and case

MLW 2646-21CT



Screwdrivers

ADC TGSD1101 | #1 Phillips Magnetic Tip
ADC TGSD1204 | #2 Phillips Stubby Magnetic Tip
ADC TGSD1301 | #3 Phillips Magnetic Tip
ADC TGSD3101 | #1 Robertson Magnetic Tip
ADC TGSD3204 | #2 Robertson Stubby Magnetic Tip
ADC TGSD3301 | #3 Robertson Magnetic Tip
ADC TGSD5101 | 3/16 Slot Magnetic Tip
ADC TGSD5204 | 1/4 Slot Stubby Magnetic Tip



Kneeling Pad

This 24" X 12" Kneeling Pad is great for any mechanic, tradesperson, or DIYer. XLPE foam base ensures that no water or oils are absorbed by the foam. Comes with the Auto Value logo etched into the top. Custom etching available for \$15.00 per kneeler.

AES KNEELINGPAD



FLOOR BROOMS, SHOVELS & YARD EQUIPMENT

30" Foam Double Edge Squeegee

Constructed for tough, industrial usage. The heavy-duty frame with 4" twin rubber blades moves large amounts of water. 15/16" diameter reusable black handle for foam squeegee (PBP 85-978) not included.



PBP 83-304
PBP 85-978



Indoor/ Outdoor Push Broom Black Polypropylene with Handle

24" push broom head with 3" bristles are excellent for wet or dry sweeping of concrete, asphalt, tile, wood, patios, garages, driveways, sidewalks, and rough wood floors. Bristles are acid resistant.

PBP 92-232



24" Tampico & Steel Broom with Handle

3" black tampico bristles with a center row of steel wire bristles. Works well for dislodging dirt, is acid resistant. 24" long.

PBP 92-282



Indoor/ Outdoor Push Broom Soft Grey with Handle

3" soft grey, flagged tip, solvent resistant bristles. Recommended for sweeping smooth, highly polished floors, varnished wood and concrete. 24" long.

PBP 92-212



24" Maroon Durastran Broom with Handle

3" stiff, heavy duty, maroon polystyrene bristles for wet or dry sweeping of rough concrete and asphalt. 24" long.

PBP 92-262



Garage Broom

(head only, use handle PSI 93069 shown below)

24" broom head and 3" soft outer bristles with stiff nylon inner bristles. Excellent for smooth and rough surfaces. Handle (PSI 93069) not included, see below.

PSI 93070



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

Street Broom

Industrial grade street/stable broom for extra-rough surfaces. 16 inches brush made of synthetic fibers. Tempered steel bracket, formed and welded for more sturdiness. Premium varnished ash handle (1-1/8 inch x 60 inches). Perfect for sweeping up heavy debris



GAR 84245

Heavy Duty Corn Broom

Warehouse corn broom, heavy-duty, natural fiber, indoors and outdoors, 4 rows of stitching and wire band for extra strength. 1-1/8" x 39" hardwood handle, ideal for offices, warehouses, garage bays, driveways and patios.



GAR 84578

17" Contractors Dust Pan

This contractor-grade dustpan is made of heavy-duty aluminum, so it's sturdy yet light, and easy to use and store. Rubber coated handle is 9" long. Heavy-duty aluminum dustpan is 17" wide. Grooved edges for broom and brush cleaning.



GAR 84630

Broom Poles

60" Steel handle with Metal tip. 15"/16" diameter.

PSI 93069

60" hardwood handle threaded and tapered tip. 1" diameter.

PSI 93070

72" hardwood handle with Metal tip. 1" diameter.


PSI 93502



Square Point Shovel

Square Point Shovel Is Ideal For Scooping And Moving Dirt, Gravel And Other Landscaping Material. Solid Ash Handle Is Stained To Help Prevent Chipping And Water Damage. Blade width 10.5".

ADC TGHS2L



Round Point Shovel

Equipped with a forward-turned footstep to provide you with better comfort.

Designed for residential use, this tool is ideal for people looking for an excellent quality/price.

GAR 00197



Steel Tray Wheel Barrow

Transport dirt, mulch, gravel, tools and other materials easily with the True Temper contractor wheelbarrow. Its 6 cu. ft. tray with a maximum capacity of 270lb.

GAR 01044



Sidewalk Scraper

Industrial-grade sidewalk scraper, forged and tempered steel blade, high-quality varnished hardwood long handle.

GAR YFSW9



Floor Scraper

Floor scraper, with flexible and replaceable steel blade. 22" wide, wood handle.

GAR GPFS22



Grain Shovel

Supplied with tubular fiberglass handles for light weight and strength. Cushion grip on both 28" and 48" for comfort. Aluminum blades are riveted to handle. Ribbed blade to add extra strength.


HJU 511172



Ergonomic Snow Shovel

Light ergonomic handle enables you to shovel with greater ease and better posture. The blade is large enough to clear away large quantities of snow and deep enough to lift it. Designed for an intensive and continuous use. 53.5" X 18"

GAR 78521



Snow Pusher

Polyethylene blade removes snow without having to lift it. An indispensable tool with which to take on winter! 24" blue handle is made of aluminum and is made for continuous use.

GAR 78522



Ergonomic Snow Pushers

This winter tool is ideal for removing light snow from large surfaces. It will clear way a large strip of snow with every push, which will make the task easier. Its lightweight ergonomic aluminum handle facilitates each movement.

GAR 78523



36" Snow Pusher

Quickly clear away thin layers of snow from very large surfaces with the Garant extra-wide snow pusher. Its 36 in (91.4 cm) polyethylene blade has a design that is light and not too deep, allowing snow to slide easily. This snow tool has an ergonomic steel handle that will allow the body to keep a natural position throughout each movement.

GAR 80773



Quantities are limited while supplies last.

PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN