

SAFETY & INDUSTRIAL

December 1st, 2021 - January 31st, 2022

Regina: (306) 525-2551

Yorkton: (306) 783-6515

Estevan: (306) 634-3664

Weyburn: (306) 842-4676



GAME-CHANGER FOR COLD-WEATHER DRIVERS

Great for your vehicle and the whole fleet too!

Have you ever driven away with your block heater cord still plugged in? Ever have trouble plugging or unplugging your extension cord at below freezing temperatures? Do you know anyone who has mobility issues?

The VoltSafe magnetic extension cord is a game changer! It eliminates the safety hazards and difficulties caused by standard extension cords. The magnetic force pulls the plug together immediately activating power and then releases just as easily, leaving the plug's entire surface completely safe to touch. No fear of electrocution, no danger of electrical fires and no more driving off with your block heater still plugged in. Say goodbye to the drive of shame!

- App Controlled Timer – Optimize your schedule and save money
- Permanent Magnet – Reliable Quick Connect and Disconnect
- Resilient Protective Cover – Flexible flap automatically snaps back in place
- LED Indicator Light – Indicates when power is flowing
- 10ft Freeze Resistance Flexible Cable
- Corrosion Resistant Contacts – Nickel-plated contacts resistant to oxidation



AES VOLTSafe

ACE METHYL HYDRATE



KLF 984 | 1L
KLF 985 | 4L

BRAKE & ELECTRICAL CONTACT CLEANER



KLF 325 | 627 grams

ROADSIDE TIRE SEAL

Non-flammable tire inflator that safely seals and inflates tires instantly without removing tire from car. Seals punctures up to 3/16". Performs below 0°C.



KLF 566

MULTI-KLEEN PLUS

Industrial strength, multi-purpose cleaner. Its advanced formula is super concentrated, non-abrasive and readily biodegradable.



KLF 184 | 900ml
KLF 186 | 4L

HYDRAULIC JACK OIL

High quality, paraffinic formulation designed for long, trouble free operation. Retards rust and oxidation.



KLF 924

BATTERY SPRAY

Deka Battery Terminal Protection Spray (10 oz).



DEK 00320

Deka Battery Cleaner Spray penetrates, loosens, and neutralizes all acid corrosion deposits (15oz).

DEK 00321



WD-40 PRODUCTS

WD-40 multi-use products!



WDF 01110 | 3.78L Multi-Purpose
WDF 01111 | 311g Multi-Purpose
WDF 01627 | EZ-Reach 14oz

RED "N" TACKY GREASE

- MULTI-PURPOSE EP GREASE | NLGI GC-LB CERTIFIED
- A Technical blend of lithium and polymers plus a heavy addition of "anti-wear"/ "anti-seize" agents
- Excellent for use in trucks, cars, and industrial and farm equipment, boat trailers and wheel bearings
- Provides high levels of temperature stability, chassis protection, resistance to acid and alkali and resistance to rust and corrosion

LUC 20005-30 | 14oz Cartridge



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

ARCTIC PLUS ANTI-GEL

A comprehensive multi-purpose winter diesel additive with anti-gel that addresses critical performance issues. It reduces fuel consumption, extends fuel system, engine & diesel particulate filter life, prevents costly fuel pump, and injector repairs.

DSG AP16 | 16oz
DSG AP32 | 32oz



DIESEL MELT ANTI-GEL

Diesel Melt is an emergency fast-acting anti-gelling treatment additive that is recommended for fuel that has already gelled.



DSG DM16 | 16oz
DSG DM32 | 32oz



POLAR MAX ANTI-GEL

Super concentrated anti-gel for extreme cold. Contains cetane and lubricity additives to make this product second to none on performance. Cleans and unplugs fuel systems, prevents costly fuel pump and injector repairs. Use summer fuel in the winter and save!

DSG PM32 | 32oz



FURNASAFE

- In all heating oil furnaces to ensure efficiency.
- When temperatures drop to below 0° C.
- When you want to reduce heating costs.
- Prevents water from accumulating.
- Safely removes water from condensation.
- Cleans nozzles & provides hotter flame.
- Reduces foaming on tank refills.

DSG FS32 | 32oz



KLONDIKE CLEARANCE

Moly Tac EP-2 Grease

An advanced lithium complex grease formulated with 3% molybdenum disulfide to provide excellent lubricating qualities over a wide range of temperatures.

KLO KL-GR2830 | 397g

MD3 Automatic Transmission Fluid

Blended with premium base stocks and advanced additives that provide oxidation and thermal stability, friction control, load-carrying ability, corrosion and wear protection.

KLO KL-TF1080 | 18.9L

KLONDIKE SAE 30 TDTO-4

Transmission and Drivetrain Fluid is specially designed for the needs of heavy duty mobile and stationary equipment where Caterpillar TO-4 or Allison C-4 fluids are specified. Provides excellent operating and maintenance benefits across a broad temperature range for increased efficiency, performance, and component protection.

KLO KL-TF6280 | 18.9L



BATTERY HYDROMETER

Battery floats are calibrated using a lead weight, which resists sulfuric acid corrosion. The weights are hand made to assure consistency.

- Accurate-range 1.100 to 1.3000
- Direct Reading
- No temperature tables required



G2S EZ-SP101

ANTI-FREEZE TESTER

- Anti-freeze floats are calibrated using brass weights to resist corrosion.
- Range -12°C to -50°C
- Direct reading, hot or cold
- No temperature compensating tables required



G2S EZ-SP102

REPLACEMENT HOSE ASSEMBLY

FRV I4C180FWFW

Fairview

REPLACEMENT LP GAS REGULATOR

FRV GR-338



TIGER TORCH

The Tiger Torch is a heavy-duty torch designed for many applications requiring intense heat. Outstanding features include flame stability and perfect operation in close quarters without flame suffocation. Flame is not extinguished by drafts or high winds.



TTL 95BREG-15FT

INFRARED THERMOMETER WITH LASER

Infrared thermometer that ranges from -50°C to 500°C. Includes free 52220 1" dial thermometer. Color Display.



G2S MTC-52224-A-SP

PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

6K LUMEN UTILITY LIGHT

Instantly upgrade garages, closets, basements and attics without batteries, rewiring or changing the fixture. Powerful 6000 lumen light fits in any standard household light socket. Panels are energy efficient (only 60W) but are 600% brighter than a standard 60W bulb and can rotate 90 degrees so you get light exactly where you need it!

NEBO
TOOLS



NEB OTH-0001

BIG LARRY PRO

Features a high-power, 500 lumen C•O•B work light and red hazard flasher. Fully rechargeable and equipped with 2 magnetic charging stations, ready to handle any task at any time. The PRO also has a powerful magnetic base and adjustable steel clip for convenient hands-free lighting.

NEBO
TOOLS



NEB 6640

LUXTREME

NEBO
TOOLS

USB-C rechargeable and features the most advanced optics. Its 500 lumens blasts light up to 900 meters or 2,952 feet away!



NEB OUTNEBFLT1008

10' OUTDOOR EXTENSION CORD

10' 16/3 SJTW. Water & weather resistant, flame retardant and made to work. Ideal for use with power tools, appliances and other devices rated up to 13 amps. The strain-reliefs are oversized to prevent the wire from separating from the plug and connector.

ADC EC501610



EXTREME COLD WEATHER EXTENSION CORD

15' 16/3 SJTW. Provide outstanding performance in extreme climate conditions at temperatures from -50°C up to +60°C. Provide superior resistance to moisture, ozone, cracking, and are outstanding in resistance to abuse, rough handling and wear.

ADC CW511615



ALL WEATHER LOCKING EXTENSION CORD

14/3 SJEOW. Outstanding performance in extreme climate conditions at temperatures from -50°C up to +105°C. Superior resistance to oil, moisture, ozone, cracking, and are outstanding in resistance to abuse, rough handling and wear.

ADC LT530725 | 25'

ADC LT530730 | 50'

ADC LT530735 | 100'

PRIME



ALL WEATHER LOCKING EXTENSION CORD

12/3 SJEOW. Outstanding performance in extreme climate conditions at temperatures from -50°C up to +105°C. Superior resistance to oil, moisture, ozone, cracking, and are outstanding in resistance to abuse, rough handling and wear.

ADC LT530825 | 25'

ADC LT530830 | 50'

ADC LT530835 | 100'



WIRE SCRATCH BRUSH

Toothbrush Style 3 x7 row stainless steel scratch brush.

PFD 85060

Shoe handle style 4 x 16 row carbon steel scratch brush.

PFD 85033



CHOP SAW WHEEL

14" x 3/32", 1" AH A 36 K
PSF-CHOP. 4400 RPM.



PFD 64492



CUT OFF WHEELS

5"x.045" cut off wheel, 7.5" A.H
SG steel type 27.

PFD 63163

5"x.045" cut off wheel,
7.5" A.H SGP Steelix
type 1.

PFD 69857



RATCHET STRAPS

Heavy Duty Ratcheting Tie-Down Strap double J-Hooks. Certified Yellow nylon woven strap.

	Breaking Strength	Working Load
1"X16'	3000lbs	1500lbs
2"X27'	11000lbs	5000lbs

ADC RS102 | 1"X16'

ADC RS227-CE | 2"X27'



ROUND SLINGS

Endless round sling configurations enable the user to rotate hook and load contact points, resulting in increased sling longevity. Polyester round slings are made of polyester core yarn covered by a seamless, tubular cover to eliminate the premature rupturing of covers.

ADC TGRS036 | 6'

ADC TGRS037 | 8'

ADC TGRS038 | 10'

ADC TGRS039 | 12'



WEB SLINGS

These Type 3, 2 Ply double eye web slings have a working load limits of: Vertical 3,100lbs, Choker 2,480lbs, Basket 6,200lbs.

ADC TGWS0104 | 1X4'

ADC TGWS0106 | 1X6'

ADC TGWS0108 | 1X8'

ADC TGWS0110 | 1X10'



WEB SLINGS

These Type 3, 2 Ply, double eye web slings have a working load limit of: Vertical 6,400lbs, Choker 4,800lbs, Basket 12,800lbs.

ADC TGWS0208 | 2X8'

ADC TGWS0210 | 2X10'

ADC TGWS0212 | 2X12'

ADC TGWS0216 | 2X16'



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

PYLON

28" Orange Traffic Cone with 4" X 6" reflective collar, 14" X 14" base, weighs 7lbs.



ADC TGTC-2803



DELINEATOR POSTS

43" high delineator posts with a black rubber octagon base included, 16.5" wide X 1.5" high. Material is orange polyethylene.



ADC TGTD-4513



SILVER-STREAK METAL MARKER

Ideal when highly-visible, torch-resistant marks are required during metal layout and fabrication work. The unique reflective lead is more visible through a welder's filter plate and will not rub, burn or blow off like soapstone. Marks on all metal surfaces including oily or wet. Refills available.

MKL 096107 | Holder with 6 Refills
MKL 096007 | 6 Refills



OLFA EXTRA HD UTILITY KNIFE H-1

Extra heavy-duty utility knife features a ratchet wheel blade lock and rubber grip inset for better handle control and a rubber grip inset for anti-slip handle control. Includes HB blade, blade is made of high-quality carbon tool steel and designed for unparalleled sharpness and superior edge retention.

OLF H-1 | Utility Knife
OLF HB-5B | 5pc Replacement Blade
OLF HB-20B | 20pc Replacement Blade



OLFA STAINLESS STEEL SCRAPER

Feature high-quality, stainless steel blades, and strong, durable handles to efficiently tackle most conventional jobs.

- Stainless steel blade is integrated into the handle and is not replaceable
- Polypropylene acetone-resistant handle
- Symmetrical shape for right- and left-hand use

OLF SCR-L | SCR-L Wide Scraper



ENERGIZER INDUSTRIAL ALKALINE BATTERY

Strong long lasting Energizer Alkaline battery. Available in AA and AAA. Boxes of 24.



ENE EN91 | AA
ENE EN92 | AAA



ENERGIZER INDUSTRIAL ALKALINE BATTERY

Strong long lasting Energizer Alkaline Battery. Available in 9V, C, and D. Boxes of 12.



ENE EN22 | 9V
ENE EN93 | C
ENE EN95 | D



AUTOMATIC BATTERY CHARGER/ENGINE STARTER

- 250A/125A Engine Start, 40A/20A Boost, and 62A Charge/Maintain
- Compatible with standard, AGM, gel, and deep-cycle batteries
- 4-gauge output cables remain flexible in cold weather

SCH SC1352



NATION WIDE GROUP 31 BATTERY

NationWide 31T-GS-P8 battery.



ISB 31T-GS-P8



BARRICADE TAPE

3" X 1000' polyethylene tape.



ADC TGCT3X1000CAUTION | "CAUTION"
ADC TGCT3X1000DANGER | "DANGER"
ADC TGCT3X1000DDNE-B | "DANGER, DO NOT ENTER"

WELDING JACKET

- Cow Split Leather
- Button Closure, 2 Pockets
- Resists: Abrasion, Heat and Flame



ADC TGW-102 | L,XL,2XL



SAFETY VEST

- CSA Z96-09 Class 2, Level 2
- One Size
- 5-Point Tear Away



ADC TGVEST005



PIONEER SAFETY VEST

- Flame resistance
- Non-conductive concealed snaps
- D ring access slot
- Available in sizes S-4XL



JET V2540050



HARDHAT LINER

Winter liners give you added protection in cold conditions or on windy days. Can be worn with caps, hats, welding helmets, hard hats or alone. Flame resistant outer shell. Twill outer layer, sheep thermal lined and full neck flap.

SCN SAM455



DRIVING GLOVES

- Full-grain cowhide leather
- Drivers style
- Slip-on cuff with shirred elastic wrist
- Unlined



WAT 1653 | L,XL



94002 RED BARON

- Heavy Sherpa lining keeps hands warm in cold conditions
- Smooth full-grain cowhide leather
- Full leather index finger, hooded fingertips, knuckle bar and pulse protector



WAT 94002 (M,L,XL,XXL)



9545TPR SCAPE GOAT

- 3M Thinsulate™ C100 lining
- Full-grain goatskin leather
- Heavy duty rubber on back of hand, fingers and wrist
- Drivers style with keystone thumb

WAT 9545TPR | M,L,XL



Due to pricing volatility in the marketplace, prices are subject to change without notice and backorders at listed prices cannot be held.

PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN