

# SAFETY & INDUSTRIAL



## February & March 2022

Regina: (306) 525-2551  
 Yorkton: (306) 783-6515  
 Estevan: (306) 634-3664  
 Weyburn: (306) 842-4676  
 Mainline Fleet: (306) 721-7711



### Tow Ropes

- Sewn in a Canadian Facility
- Reinforced Eyes



Part Number	Size	Safe Working Load
RMD TS180X20-2	2" x 20'	18,000 LBS
RMD TS270X20-2	3" x 20'	27,000 LBS
RMD TS270X30-2	3" x 30'	24,000 LBS
RMD TS360X20-2	4" x 20'	160,000 LBS
RMD TS360X30-2	3" x 30'	78,400 LBS
RMD TS800X30	8" x 30'	155,000 LBS



OTHER SIZES AVAILABLE!

### K1 Ice Cleat

Manufactured with durable ice-penetrating tungsten carbide studs proven to reduce workplace slips and falls in icy or snowy conditions. Feature an adjustable strap that fits every type and size of footwear, making it easy and efficient to outfit an entire team. Available in high and low profile.



JET V9770570-O/S | Low Profile  
 JET V9770770-O/S | High Profile

### 3/8" 56pc Drive Ratchet Socket Set

MILWAUKEE® SAE 56 piece 3/8" drive Ratchet & Socket set are Anti-Roll and Wrench-Ready. All of our sockets are stamped with metric and SAE measurements on the flat side for easy-to-read visibility. It also comes with a durable carrying case, accessories included.



MLW 48-22-9008

### Clevis Grab Hooks

These hooks can be used with same grade or lower grade steel chains. Forged and gold painted.

ADC CGH-1/2 | 1/2"  
 ADC CGH-3/8 | 3/8"  
 ADC CGH-1/4 | 1/4"



### Ice Melt

This unique formula releases heat to melt ice and snow quickly. It requires fewer applications than rock salt and is non-corrosive to concrete and asphalt. Michelin Quick Melt is 100% natural and leaves no oily residue and is safer for plants and animals.



KLF 7000 | 20kg



### Milwaukee M18 Blower

The M18 FUEL™ Blower has the power to clear from 15ft, generates up to 30% less noise than gas, and provides the longest, max CFM run-time. Designed to meet landscape maintenance professional needs. **Great for blowing snow off walkways and vehicles!**



MLW 2724-20 | Blower only

### 3/8" Stubby Impact Wrench Kit

The kit includes one 3/8" Stubby Impact Wrench, two battery packs; one M12™ REDLITHIUM™ CP2.0 battery pack, and one 12™ REDLITHIUM™ XC4.0 Extended Capacity battery pack. The kit also includes one M12™ Lithium-Ion battery charger and a carrying bag.



MLW 2554-22

## PARTS

## AUTOBODY SUPPLY

## INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

### Cut off Wheels

5"x.045" cut off wheel, 7.5" A.H SG steel type 27.

**PFD 63163**

5"x.045" cut off wheel, 7.5" A.H SGP Steelix type 1.

**PFD 69857**



## FREE 3M VIRTURA SAFETY GLASSES

with the purchase of  
**\$200 or more of  
ANY PFERD  
Products!**



MMM 11872-00000-20

### M18™ Cordless 10oz. Caulk and Adhesive Gun Kit

Deliver caulk or adhesives smoothly and steadily. All-metal gears provide an industry-leading 950lbs of force, and CFTTM Constant Flow Technology eliminates motor oscillation for steady dispensing and even beads at all viscosity levels. The Kit includes 10oz Carriage Conversion Kit, Compact REDLITHIUM™ Battery, Multi-Voltage Charger.

**MLW 2641-21CT**



### 13 Amp 5" Small Angle Grinder Trigger Grip, Lock-On

Delivers up to 30% more durability and power than the competition. With a 2,100 MWO motor it includes Overload Protection to maximize motor life, an Electronic Clutch that extends tool life and helps prevent bind-up, Line Lock-Out that prevents automatic start-up after power loss, and Soft Start. Grinder maintains speed under load for unmatched performance and productivity.

**MLW 6124-30**



### SAWZALL Reciprocating Saw

The fastest cutting reciprocating saw in its class and leverages a POWERSTATE™ Brushless Motor to provide you with 3,000 SPM and a 1-1/4" stroke length for faster material removal.

**MLW 2821-20 | Tool only**



### Torque Wrench

- Drive: 1/2"
- Factory Calibration: +/- 4%
- Torque Range: 50 to 250 ft-lbs (70 to 350 Nm)
- Length: 25-1/2"

**JET 718912**



### Hand Truck

Hand Truck with Pneumatic wheels, 600lbs capacity. Steel Hub with steel ball bearings, powder coated **dark blue** finish. Loop handle 52" height 23lbs. Replacement wheels available.

**ADC TGHT-003 | Hand Truck**

**ADC TGHT-011 | Replacement Wheel**



### Jack Stands- 6 Ton

- Provide safe, secure support for vehicles once lifted and when doing under car maintenance
- Ratchet and pin-type stands constructed of heavier steel with large support saddles
- Ideal in automotive, fleet service, agricultural and construction equipment service centers
- Low Height: 15-1/2" ; High Height: 24"

**SAE 032244**



### Switch Panel Kit

- 2 x 12Vdc lit rocker switch and 1 x momentary rocker
- 10A max. current capability per switch
- Aluminum switch panel
- Comes with connection wires and fast on terminals
- Prewired with necessary jumpers
- Recommended for use with SWS 16399

**STA 766171**



### Amber Medium Profile Fleet LED Beacon

- Fully encapsulated electronics for rugged durability; protecting against vibration and moisture
- Precision molded Fresnel lens
- 3 User selectable flash patterns

**STA 208R-12V-A | Permanent Mount**

**STA 208RM-12V-A | Magnetic Mount**



### 3-Outlet Adapter

**PRIME**

- This 3-outlet adapter can plug directly into a wall-outlet or into a single-tap extension cord with a total load of 15amps
- Outdoor rated when used with a 12/3 or larger extension cord

**ADC PBAD0100**



### Industrial Grade Duct Tape

**3M**

Composed of a waterproof polyethylene film over cloth scrim backing with a rubber adhesive used for demanding duct tape applications. Offers high tack, conformability, strength and easy tear.

**MMM 06975**



### Tesa Electrical Tape

Double layer PET cloth coated at the edges with an advanced acrylic adhesive for lengthwise applications.

**LWR 51036**



**PARTS**

**AUTOBODY SUPPLY**

**INDUSTRIAL**

**REGINA**

**YORKTON**

**WEYBURN**

**ESTEVAN**



## Hex Keys

8 Piece Metric Folding Hex Key Set. 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm.

ADC TGHT3321



## Cable Ties

One piece self-locking cable ties. General purpose nylon 6-6 is a weather resistant grade suitable for use in most practical applications. 100 pieces per pack.

PIC 7066-0C | 7.5" / 50lb

PIC 7068-HD0C | 14" Heavy Duty



## Kneeling Pad

This 24" X 12" Kneeling Pad is great for any mechanic, tradesperson, or DIYer. XLPE foam base ensures that no water or oils are absorbed by the foam. Comes with the Auto Value logo etched into the top. Custom etching available for \$15.00 per kneeler.

AES KNEELINGPAD



## Work Glove

A synthetic leather palm for durability and flexible, spandex back. Great fit provides maximum dexterity while protecting hands from cuts, abrasions and burns. Adjustable hook and loop closure for comfort, reinforced fingertips for longer wear.

PMG AG7000TM | Medium

PMG AG7000TL | Large

PMG AG7000TXL | XL



## 3M Hearing Protection

- Corded Hearing Protection 29DB. 100 pairs per box poly bag individually wrapped | **MMM P2001**
- Skull Screws Ear Plugs 32DB Class AL Grey Uncorded, 120 pairs per box poly bag individually wrapped | **MMM P1300**
- Skull Screws Ear Plugs 32DB Class AL Grey Corded, 120 pairs per box poly bag individually wrapped | **MMM P1301**
- Model 600 Caboflex Banded Style Hearing Protection up to 20DB | **MMM 320-2001**
- 3M Peltor Optime 101 Ear Muffs, 26DB CSA Class A | **MMM H7B**



MMM P2001



MMM P1301



MMM P1300



MMM 320-2001



MMM H7B

**3M** Science.  
Applied to Life.

## GERMGUARD

- GERMGUARD combines powerful cleaning agents, disinfectants and water conditioners to clean and disinfect surfaces while removing visible and invisible contaminants.
- Government of Canada approved to kill the COVID-19 virus from surfaces
- Dilutes to 160L of disinfectant



GDN 10149-16

## Spray Nine HD Cleaner with Germicide

Heavy-duty cleaner degreaser disinfectant features an ammonium chloride that sanitizes and disinfects hard, non-porous surfaces in just seconds. It kills 99.9% of bacteria present and helps to control mold and mildew growth while destroying odors.

KNI C26822 | 630ml

KNI C26832 | 946ml

KNI C26804 | 4L



## WypAll® X60 Cloths

- Absorbent and reinforced to stay strong for cleaning performance in light duty tasks
- KIM 35401 12 rolls / case, 130 sheets / roll
- KIM 54015 252 cloths / Brag Box, 1 box / case
- KIM 34790 126 cloths / box, 10 boxes / case

KIM 35401 | 12 rolls/case

KIM 54015 | 1 Brag Box/case

KIM 34790 | 10 Pop-Up Box/case



## WypAll® X80 Cloths

- Proprietary HydroKnit technology is fast absorbing to wick away moisture
- Durable wipes absorb more water and oil than textile shop rags and stay strong for superior performance
- Disposable cloths clean oil, dirt, grime and solvents
- Contains 475 WypAll® X80 cloths

KIM 41055 | Jumbo Roll | \$79.99



**PARTS**

**AUTOBODY SUPPLY**

**INDUSTRIAL**

**REGINA**

**YORKTON**

**WEYBURN**

**ESTEVAN**

# ROAD SAFETY

SEE CLEARLY WITH BOSCH AND PHILIPS

## BOSCH TWIN SERIES INDUSTRIAL WIPER BLADES



Application Coverage for Off-road/Agriculture/Coach/RV's



See your salesman for size and pricing!

## Metal Squeegee Head with Handle

- Rust resistant 8" metal squeegee with 16" or 20" wooden handle"
- Features EPDM pliable blade
- Includes bug scrub netting
- Plastic side guard protects glass from scratching



PSI 9031R | 16" Handle  
PSI 9032R | 20" Handle

## Hub Oil

Lucas Hub Oil was formulated to stop leaks in steering axles and trailer hubs on heavy duty trucks. It also allows hubs to run on a marginal amount of oil in case of a blown seal or poor maintenance. It is an excellent gear lube for racing or heavy duty applications.



LUC 20088 | 946ml

## HD Air Lubricant

Lucas Air Tool Lubricant is a unique formula that was developed for the working professional. It combats rust and varnish and coats the working parts with a cushion of waterproof lubricants that resist blowout.



LUC 20216 | 946ml

## Chain Lubricant

Lucas Chain Lube is a low odor, semi-synthetic spray lubricant designed to meet the demands of today's high performance motorcycle chains and sprockets. Lucas Chain Lube Aerosol is perfect to keep your chain in perfect long lasting condition, and minimal sling off.



LUC 20393 | 11oz

## HD Oil Stabilizer

Lucas Oil Heavy Duty Oil Stabilizer available in 946ml bottle or a 4L jug.



LUC 20001 | 946ml  
LUC 20002 | 4L

## Ultra Bond Instant Adhesive

Made with cyanoacrylate, this super glue is suitable for multipurpose use. Boasting a functional cure time of 15 seconds, the adhesive has a working temperature range of -53° to 82°C, dries clear.



PER 49502 | 3g  
PER 49512 | 28g

## PHILIPS ULTINON ESSENTIAL

LED headlights

New Ultinon Essential LED headlights provide the best value for your money, with a compact all-in-one design featuring powerful brightness, stylish looks, dual heat dissipation technology, and 12V/24V compatibility.



NOW IN STOCK!

## HD Anti-Freeze

3.78L Mixed fleet long life anti-freeze for all engines. Yellow in color.

REC 16-314 | Mixed Fleet Concentrate



Same as 16-314 only as a premix 50/50. No need to add any water. 3.78L, Pale yellow in color.

REC 16-324 | Mixed Fleet 50/50 Pre Mix



## MAG1 Bearing Grease

NLGI Grade 2 offers a standard grease thickness, with a thick consistency. Use it in normal bearing applications. The penetration range at 25°C (77°F) is 265 to 295.


PMO MAG00720 | 1LB



## Permatex Orange Threadlocker

Threadlocker provides 3 times the prevailing torque resistance of Blue Threadlocker while still allowing fasteners to be disassembled. This HIGH STRENGTH REMOVABLE threadlocker is ideal for parts subjected to prolonged vibration and heavy-duty service.

PER 25209 | 10ml  
PER 25236 | 36ml



Due to pricing volatility in the market place, prices are subject to change without notice and back orders at listed prices cannot be held.

PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN