

TOOLS & EQUIPMENT

JUNE & JULY 2022



Regina: (306) 525-2551
 Yorkton: (306) 783-6515
 Estevan: (306) 634-3664
 Weyburn: (306) 842-4676
 Mainline Fleet: (306) 721-7711



60X Rim Clamp Tire Changer

Built for high volume shops, the 60X includes advanced features and a best-in-class external clamping range. Standard 3-position, steel clamps are easy to adjust allowing quick set-up. The calibratable inflation gauge contains a lexan cover, an over pressure feature and a safety spring allowing it to survive about 200,000 tire inflations. The X-Series® extended tower has the ability to change up to a 14" wide tire. Featuring a Patented Robo-Arm® Helper Device, a Hand Activated Bead Loosner, and a Single Point Sealer.



60XE11

(Item must be ordered - Approximately 7-10 business days)

80C Center Clamp Tire Changer

Built for high volume shops, the 80C center Clamp Tire Changer is built on the best platform in the business. Easy to use center locking mechanism is fast, robust and helps prevent metal to metal contact with customer wheels. Air powered, articulating roller arm provides direct pressure on the bead to prevent it from rolling back over the mounting tool. Wheel and tire service is a hard business. Get a tire changer that can take the abuse. 80C features a brand new chassis designed especially for high-volume, high-duty cycle tire shops that need to go the extra mile. Includes 3 year parts, 6 month labor manufactures warranty.



80CEH220

(Item must be ordered - Approximately 7-10 business days)

1185 Wheel Balancer

The Coats® 1185 will help your shop to the next level. This unit is designed for light to medium duty environments, but offers features you will find on much larger, more elaborate machines. Easily visible laser line helps operators place weights right where they are needed. Vivid color display alerts operator to the imbalance location and identifies the optimal tape on or clip weight location. Audio and graphics-based notifications alert operator when weight placement is needed. Includes 1 year parts, 6 month labor manufactures warranty.



1185

113277C | Light Truck Optional Cone Kit 40mm

(Item must be ordered - Approximately 7-10 business days)

1500-3D Direct Drive Wheel Balancer

Motor and spindle are combined into a single, pre-balanced assembly that always stays calibrated to zero. Pinpoints the exact weight location, both radially and axially and eliminates trial and error. Automatically positions the wheel at the weight placement location and locks the spindle in place for easy, accurate weight application. Features a 3D Automatic Data Entry of the distance, diameter, and width. A Behind Spoke mode that allows you to hide the Tape-A-weight behind the spokes to a decorative wheel quickly and easily. A side shadow board with a basic accessory kit comes standard on the 1500 balancer. Includes 3 year parts, 6 month labor manufactures warranty.



1500

113277C | Light Truck Optional Cone Kit 40mm

(Item must be ordered - Approximately 7-10 business days)

MaxiSYS MS909CV Commercial Vehicle Diagnostics Tablet with wireless VCI/J2534

Autel MaxiSYS MS909CV is an advanced commercial vehicle diagnostic tablet compatible with 80+ models of light, medium and heavy-duty vehicles. The 9.7" wireless Android-based touchscreen tablet performs extensive diagnostics including the ability to read/erase codes, view/graph live data, and perform active tests. The tablet includes a Bluetooth-enabled vehicle communication interface (VCI)/J2534 pass-thru device, the MaxiBAS B200 battery/starting/charging system test device, alligator clamps, multimeter and amp clamps. The tablet features ADAS Calibration Software for class 3-5 vehicles and class 6-8 vehicles with dynamically calibrated systems.



G2S AUL-MS909CV

(Item must be ordered - Approximately 1-3 business days)

MaxiSYS MS909 Diagnostic Tablet with MaxiFlash VCI/J253

The MaxiSYS MS909 is a 9.7" touchscreen Android-based advanced diagnostic tablet powered by an Octa-core processor (2.2GHz Quad + 1.8GHz Quad), 128GB memory and features an advanced VCI supporting latest DoIP, D-PDU and Mega CAN vehicle communication protocols. The MS909 features topology module mapping capability for supported vehicles and its intelligent diagnostics feature that guides the technician from code to repair to test with detailed repair information and illustrations. The MS909 features a rechargeable lithium battery providing 8 hours of continued use, and front and rear cameras.



G2S AUL-MS909

(Item must be ordered - Approximately 1-3 business days)

AUTEL

PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

Premier R-1234yf Machine

The AC1234-4 is a fully automatic ACS machine that meets SAE J2927 and J2843 standards for 1234yf recovery. The machine includes an integrated refrigerant identifier that samples the refrigerant in the vehicle's A/C system prior to recovery. AC1234-4 is a highly accurate and reliable machine capable of servicing both standard and high-voltage vehicle A/C systems.

G2S ROB-AC1234-4

Robinair A/C Recycling Filter-Drier Spin-On Filter. Robinair replacement part features OE fit, form, and function to ensure ease of installation and proper performance.

ROB 34724 | Filter (for 1234YF & R134A machines)



ONE IN STOCK AT THIS PRICE!

ROBINAIR

Flash Reprogrammer

- Fully automatic microprocessor controlled power supply
- For regular automotive, lead-acid, calcium, AGM, start-stop and gel cell batteries
- Maintains stable voltage under varying loads during major vehicle ECU reprogramming and diagnostic work
- Digital volts and amps display
- Multiple output cable selection
- Anderson plug with interchangeable power cords for different regional users
- Heavy-duty replaceable clamps
- Adjustable mounting brackets
- Dual temperature-controlled cooling fans
- Durable aluminum case



SCH INC100

250A 6/12V Battery Charger/Engine Starter

With a 250-amp engine start, this 6- and 12-volt automatic battery charger is powerful enough for SUVs, trucks, and large engines. Features a 40-amp boost mode and is equipped to charge standard, AGM, gel, and deep-cycle batteries and includes a built-in battery and alternator tester. The microprocessor features multi-stage charging, float-mode monitoring, automatic voltage detection, and automatic amperage adjustment for added safety, precision, and overall battery life.

SCH SC1325



ProSeries 12V/24V 4400 Peak Amp Jump Starter

This reliable unit offers two internal high-output AGM batteries to jump start 12- and 24-volt systems. The DSR115 is built with convenience and performance in mind, which is why it includes a digital display to check the battery percentage, an on/off switch, and a 2-amp external automatic charger for a quick recharge. Built in is a 12-volt DC power outlet and 2.1A USB port to charge and run mobile phones, tablets, or other accessories.

SCH DSR115



Jump-N-Carry 12V Jump Starter

The Jump-N-Carry JNC660 1700 Peak Amp 12 Volt Jump Starter is a favorite piece of equipment for automotive service garages, car dealerships, towing operations and busy fleet service facilities. **Features:**

- 1700 peak ampere
- Battery status indicator gauge
- 46 inch heavy-duty #2 cables
- DC outlet to power 12 volt accessories

G2S SOLJNC660



Nebo Inspector Flashlight

The NEBO Inspector is an innovative, powerful pocket light that outputs 180 lumens, with 3 light modes and 3x adjustable zoom that provide the perfect amount of light for any situation. The INSPECTOR is also waterproof (IP67) and features a removable steel clip and Soft-Touch Technology, which provides momentary operation when the light is off, with the slight touch of the button.

NEB POC-0004

NEBO



Nebo Big Larry Pro

Bright Work Light with Red Hazard Flasher and Magnetic Charging Station. The BIG Larry® PRO features a high-power, 500 lumen COB work light and red hazard flasher. Fully rechargeable and equipped with 2 magnetic charging stations. The PRO also has a powerful magnetic base and adjustable steel clip for convenient hands-free lighting. When there is work to be done...bring a PRO!

NEB 6640

NEBO



Lisle Combustion Leak Detector

- Quickly pinpoints combustion leaks
- Checks for combustion leaks caused by bad head gaskets, cracked blocks, and cracked or warped heads
- Indicating fluid changes from blue to yellow when exposed to combustion gases in the radiator
- Includes: 16 oz. combustion leak indicating fluid, hose, tester, and vacuum fitting

G2S LIS-75500



Pro-Torch

This pro micro torch is powered by butane and features a child-resistant automatic ignition system. The flame temperature is 2400°F. This torch is refillable and has a windproof flame and a safety lock.

PIC 8247-31



Wet/Dry Vacuum

10 gallon stainless steel vacuum with 10amp 5 peak HP motor.

KIN 8540LST

8 gallon corrosion resistant plastic tank with a 9amp 4 peak HP motor.

KIN 8530LPN

KIN KVAC-1070 | 8 & 10 gallon Vacuum Cartridge



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

Drive Ratchet & Socket Sets

Drive Ratchet & Socket set is designed from the ground up, offering our users the most versatile sockets that have innovative FOUR FLAT™ sides featuring a anti-roll and wrench-ready design. The 90 tooth ratchet tool offers 4° of arc swing and a slim profile design.



MLW 48-22-9004 | 50pc 1/4" SAE/METRIC
MLW 48-22-9008 | 56pc 3/8" SAE/METRIC

12pc Demolition Blade Set

Milwaukee demolition blades are thicker for maximum durability and taller for straighter cuts. The set features The Ax for cutting nail embedded wood, The Wrecker for general purpose demolition cutting, and The Torch for metal cutting. The set also includes an innovative job site durable case for convenient blade storage. Includes: (2) 6" 5 TPI Blade, (2) 6" 8 TPI Blade, (4) 6" 18 TPI Blade, (2) 9" 5 TPI Blade, (2) 9" 14 TPI Blade.



MLW 49-22-3329

Safety Glasses - Anti-Fog Lenses

The protective eyewear features anti-fog lenses to reduce fogging. Durable anti-scratch lenses protect your eyes while withstanding the demands of a job site. Additionally, these MILWAUKEE® protective glasses have an integrated flexible nose bridge providing you with extended comfort.



MLW 48-73-2005

Hook and Pick Set

Features chrome-plated shanks and a comfort grip handle and precision knurling. The kit features a straight pick, offset hook, o-ring hook, and 90° right angle hook. The hook and pick tool set comes in an easy-access storage tray for long-term tool storage.



MLW 48-22-9215

1" Mini Copper Tubing Cutter

The Milwaukee 1" Mini Copper Tubing Cutter is designed to be the most durable mini cutter on the market. Featuring a Proprietary Adjustment Mechanism, Milwaukee Mini Tubing Cutters are engineered for 5X longer life.



MLW 48-22-4251

M12™ ROVER™ Service & Repair Flood Light with USB Charging

The light provides 700 lumens of high definition output, is capable of lighting up a workspace for up to 24 hours at a time with an M12™ XC4.0Ah Battery Pack, and features a light head that pivots 110°.



MLW 2367-20 (Bare Tool Only)

M12™ Paint & Detailing Color Match Light

The MILWAUKEE® M12™ Paint and Detailing Color Match Light (bare tool, battery not included) has the best LED color quality and run-time of any handheld color match light. This light features a 98+ Color Rendering Index in five color temperatures to mimic natural sunlight (100 CRI). The five color temperature options provide a full spectrum of sunlight from early morning to mid-day and overcast. This light has 1000 lumens of output with a 98+ Color Rendering Index to illuminate metallics and imperfections in the paint.



MLW 2127-20 (Bare Tool Only)

10pc Heat Gun Kit

Motor: 120 volt, 12.5 amps. Features dual heat settings and fan speeds. Includes: Window nozzle - deflects to prevent panes of glass from overheating. Reflector nozzle for soldering pipes or shrink-fitting shrink sleeves. Features a focus nozzle and reduction nozzle for focused jet of heat. Includes a paint scraper for stripping paint and a shave hook scraper handle with 3 attachable blades. Blow-mold case included.



JET 011981

Sioux 1/2 Impact Wrench (Extended Anvil)

Sioux IW500MP-4R3 1/2 Impact Wrench has forged Aluminum Anvil Housing to offer maximum strength and durability. It comes with 1/2 inch drive, 780 ft-lb torque and 9400-rpm free speed. The high power to weight ratio and one hand forward/reverse operation, and ergonomic grip.



SIO IW500MP-4R3

1/2" Drive Torque Wrench

- Factory Calibration: +/- 4%
- Torque Range: 50 to 250 ft-lbs (70 to 350 Nm)
- Length: 25-1/2"
- 24-Tooth Chrome Vanadium (CrV) ratchet gear
- Patented lock ring
- Ergonomic handle grip for superior comfort
- Perceptible jolt and audible click indicate desired setting has been reached



JET 718912

5 Piece Clip Lifter Kit

Each clip lifter is shaped to enable the user to reach into tight areas and easily remove a variety of retaining vehicle clip types. A high quality, professional set of 5 clip lifters.



G2S MUK-277015

PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON


WEYBURN

ESTEVAN

Flexzilla Air Hose

Extreme all weather flexibility, even in subzero temperatures (-40 to 140°F). It is lightweight and easy to handle. This hose has zero memory allowing it to lay flat and won't kink under pressure. Durable and abrasion-resistant outer cover/ Anodized aircraft aluminum ends. Max working pressure at 70°F: 300 psi. Includes bend restrictors.

G2S LEG-HFZ1250YW3 | 1/2" X 50'
G2S LEG-HFZ3825YW2 | 3/8" X 25'
G2S LEG-HFZ3835YW2 | 3/8" X 35'
G2S LEG-HFZ3850YW2 | 3/8" X 50'



Flexzilla Polyurethane Recoil Hose

Excellent recoil memory. Impact resistant spiral bend restrictors. Superior chemical resistance. Reusable anodized aircraft aluminum 1/4" hose ends are field repairable in seconds. Working Pressure: 70°F: 120 PSI. Extreme all weather flexibility (-40 to 165 degrees F.) 16" tail with swivel fitting and a 8" tail with rigid fitting.

G2S LEG-LP1425AFZ | 25' Coil



Flexzilla Garden Hose

Lightweight flexible hybrid polymer to lie flat and eliminate kinking under pressure. It is easy to maneuver around trees, bushes, or other obstacles. Zero memory means your sprinkler stays put without twisting. Inner tube material is drinking water safe.



G2S LEG-HFZG550YW | 5/8" X 50'

Lincoln Air Hose Reel

- All steel construction with 3/8" x 50' rubber hose
- Slotted mounting base, easy installation
- Spring powered automatic recoil
- 8 position ratchet system, easy positioning of hose
- 5 position adjustable outlet arm



G2S LIN-83753 | 3/8" X 50'

Long Nose Plier 16" 3 pc Set

Set includes one each: 16" long nose pliers, 16" 45° long nose pliers and 16" 90° long nose pliers.



G2S TIT-60787 | 3pc Set

Crimp & Strip Tool Kit

Get started with the Caméléon Crimp and Strip Tool Kit. Includes the 10" Caméléon Ratchet Crimp tool body, 8-22 AWG A1 Die for Heat Shrink Connectors, 8-20 AWG B Die for Non Insulated Connectors, 4-6 AWG B1 Die for Non Insulated Connectors and the Stripper Tool. The sturdy case also features expansion slots so you can easily grow your die collection to suit any of your needs.

PIC 412-91



OLFA Heavy Duty Utility Knife L-2

This heavy-duty Olfa utility knife features an anti-slip rubber grip inset and a ratchet wheel blade lock. Stainless steel blade channel secures blade for the toughest of cutting jobs. Easy, tool-free blade change for convenience. Blade is made of high-quality carbon tool steel and designed for unparalleled sharpness and superior edge retention.



OLF L-2 | L-2 Utility Knife
OLF LB-10B | 10pc Replacement Blades

OLFA Stainless Steel Scraper SCR-S & SCR-L

These handy scrapers feature high-quality, stainless steel blades, and strong, durable handles to efficiently tackle most conventional jobs. Left- and right-handed use. Acetone resistant for easy cleaning.

- Stainless steel blade is integrated into the handle and is not replaceable
- Polypropylene acetone-resistant handle
- Symmetrical shape for right- and left-hand use
- Great for scraping gaskets

OLF SCR-S | SCR-S Narrow Scraper
OLF SCR-L | SCR-L Wide Scraper



Aluminum Work Platform

- Capacity: 444 lbs
- Net weight: 17.90 lbs
- Gross weight: 20 lbs / case
- Dimensions: 38" x 12" x 18"



INF PTR-3001

Carbide Burr Set

8 Piece Double Cut Carbide Burr Set
This single/double cut burr comes with shank diameter of 1/4".

PFERD 26547

5 Piece Steel Cut Carbide Burr Set
For steel and cast steel. 1/4" shank diameter.

PFERD 28037



Oil Filter Wrench Set

Oil filter wrench set covers most cartridge oil filters on market, including Audi, BMW, Dodge, Ford, GM, Hyundai, Jeep, Kia, Land Rover, Lexus, Mazda, Mercedes, Toyota, Volkswagen, and Volvo. Use with 3/8 drive. Set of 13 pieces.

G2S 9CL-62607



9CIRCLE

Due to supply chain constraints and fluctuations in market conditions, prices are subject to change.

PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN