

Your Local Store for

Spring & Summer 2023

AGRICULTURE

Parts, Shop Supplies & Tools



Regina: (306) 525-2551
Yorkton: (306) 783-6515
Estevan: (306) 634-3664
Weyburn: (306) 842-4676
Mainline Fleet: (306) 721-7711



AUTO
electric service
SALES · PARTS · SERVICE

Auto Value
mainline
Parts Stores FLEET SERVICE

STOCKING GATES HYDRAULIC ASSEMBLIES & HD WATER PUMPS



MAG1 Lubricants **PAIL SALE!**

SAE 15W-40 Engine Oil, 18.9L Pail

Premium Conventional 15W-40 CK-4 Heavy Duty Diesel Engine Oil.
PMO MAG67980




Hydraulic Fluid, 18.9L Pails

ISO AW32.
PMO MAG00325
AW ISO 46 Hydraulic Oil.
PMO MAG00465
AW ISO 68 Hydraulic Oil.
PMO MAG00685
Universal Tractor Trans-Hydraulic Fluid.
PMO MAG00525



LONG HAUL ALTERNATORS

Charging the **FLEETS** that hit the **STREETS!**



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN



Ask your sales representative about Squwincher!



Type 2 Basic First Aid Kit

CSA Z12220- Type 2 small basic kit for 2-25 workers. This kit is for the most standard risk businesses located within 15 minutes of the nearest medical facility.



DNT 81CSA-0002-0

Shop Towels

Strong shop towels absorb oil and grease even when wet! The portable Pop-Up box keeps towels clean and dispenses one at a time with a center-pull, 200 towels per box.



KIM 75190

Qualisorb

Unlike clay products which become wet, sticky and heavy, Qualisorb stays dry and manageable, making it easy to remove.



QUA 628 | 22.6L

Box of Rags

In a 20lbs box or bale. Great for economical clean ups in the shop or home. Absorbs greases, oils and more.



RBW 24020 | Box of Fleecy Rags

RBW 24020BALE | Bale of Fleecy Rags

RBW 60020 | Box of White Ganzies Rags

Fast Orange Cleaners and Wipes

Pure, orange scented natural citrus power does the cleaning. The cleaners are fortified with aloe, lanolin, glycerin, and other skin conditioners. Fast Orange formulas gently deep clean grease, tar, grime, ink, paints, sealants, adhesives and other difficult soils.



PER 23218 | 3.8L Smooth

PER 25219 | 3.8L Pumice

PER 25051 | 72 wipes



Odor Eliminator

Mothers Odor Eliminator and Refresher is not just a cover-up! It provides a permanent and effective solution to neutralize and eliminate tough lingering odors in your vehicle. 2oz aerosol can.



MOT 06811

2.5lb Single Use Unit

ABC Automotive dry chemical Fire Extinguisher 2.5LB Single Use Unit with Vehicle Bracket 1A:10BC.



SHD 13315DAUT

Mechanics Gloves

- Synthetic leather on palm for improved grip and dexterity
- Reinforced padding on palm
- Oil and abrasion resistant
- Elastic wrist with hook and loop closure
- Flexible knuckle guards on each finger



ADC TGG-520M | Medium

ADC TGG-520L | Large

ADC TGG-520XL | XLarge

Polyurthane Coated Gloves

- 13 Gauge high performance polyethylene shell
- Cut Resistance Level 3
- Polyurethane coating provides excellent dexterity



ADC TGG-225-08 | Medium

ADC TGG-225-09 | Large

ADC TGG-225-10 | XLarge

Nitrile Coated Gloves

- 13 Gauge polyester
- Shell colour: grey
- Palm colour: black
- Nitrile coating



ADC TGG-200-08 | Medium

ADC TGG-200-09 | Large

ADC TGG-200-10 | XLarge

ADC TGG-200-11 | XXL

Fitted Leather Gloves

- Grain leather
- Patch/ two-piece palm
- Rubberized safety cuff
- Breathable cotton back and cotton lined provided ventilation for user comfort



ADC TGG-400-L | Large

ADC TGG-400-XL | XLarge

Jack Stands available from StrongArm



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

Safety Glasses

Soft adjustable nosepiece to help reduce slippage. Incorporates dual-material temples to provide cushioned comfort plus enhanced style and features. The proprietary 3M™ Pressure Diffusion Temple Technology that helps diffuse pressure over the ear.

3M



MMM SF401AF-CA

Anti-Fog CCS Protective Eyewear

Foam Gasket helps limit eye exposure to nuisance dust and other particles while providing additional cushioning. The anti fog lens coating and removable foam lined gasket with airflow vents. Polycarbonate lenses absorb 99.9% UVA and UVB. Meets the requirements of CSA.

3M



MMM 11872

Black Shop Coveralls

- Pre-shrunk to meet home laundry standards
- YKK #5 2-way brass zipper with snap closure
- Front patch pockets
- Side vent openings
- Reinforced back pockets
- Bi-fold back
- Crown cuff detailing
- Ruler pocket
- Elasticized waist

GROUND FORCE
by Salswear

SIZES AVAILABLE

	36	38	40	42	44	46	48	50	52	54
Regular	*	*	*	*	*	*	*	*	*	*
Reference	S	M	L	XL	2XL					



WAS 761GF-BK- | Sizes 44, 46, 48, 52 Only at this price!
Other sizes available for custom order.

GERMGUARD

- GERMGUARD combines powerful cleaning agents, disinfectants and water conditioners to clean and disinfect surfaces while removing visible and invisible contaminants.
- Government of Canada approved to kill the COVID-19 virus from surfaces
- Makes 160L of disinfectant, that is \$0.42/L



GDN 10149-16

GUARDIAN CHEMICALS

Tarps

Waterproof and resistance to chemicals, tearing and mildew. Weave: 10 x 10, GSM: 135, Material: High density polyethylene. Aluminum grommets every 3'. Polyethylene Rope Reinforced Hems.



ADC TARP-1015-BLUE | 10' X 15'
ADC TARP-1520-BLUE | 15' X 20'

TUFF GRADE



Ratchet Strap 2"X27'

- Double J-hooks
- Heavy-Duty ratchet tie-down
- Nylon woven straps
- Straps: Yellow

TUFF GRADE



ADC RS-227CE

Ratchet Straps

- Ratchet Allows Loads To Be Secured with Maximum Holding Force and includes Steel Coated S Hooks.
- Breaking Strength: 3000lbs
- Working Load Limit: 1000lbs
- Coated S Hook



ADC RS-102 | 1"X16'
ADC RS-103 | 1"X20'

TOOLS & EQUIPMENT

SW-23 Mobile Parts/Brake Washer

Fits every application with its unique design, large sink size, mobility and amazing features. It includes an extra long angled brush/hose for those hard to reach places and a customized dolly with a footstep that makes it really easy to move around.

Includes:

- SW-723 Mobile Parts Washer Kit
- (1) SW-23 Unit
- (3) Pails SW-(8) Fluid
- (1) FL-4 Filter

CRC



CRC 14743

20 Gallon Parts Washer

- 41.8 litre working capacity
- Flexible delivery spout
- Screened inlet protects pump from foreign material
- cETL certified to CAN/CSA C22.2 No. 68-92
- For use with water based cleaning solutions with ph of 7-8 only.



JET 355007

JET

Kleen-Solv

- Multi-purpose cleaning solvent that's fast and effective.
- Can also be used as a paint and varnish thinner.
- Safer on skin than varsols

KLF 116 | 20L



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

See us for
ALL
your Milwaukee Tools!



M18™ 4.5" - 6" Braking Grinder Kit with Battery

The Rapid Stop Brake feature stops all accessories in under 3 seconds. Providing you with high performance, advanced ergonomics and legendary durability. The M18™ REDLITHIUM™ HIGH OUTPUT™ XC6.0 Battery has more material removed per charge and unmatched run-time in all applications.

MLW 2980-22



M18™ Cordless 2-Speed Grease Gun Kit

- Max 10,000 PSI
- 2-Speed Max Pressure and Max Flow Rate
- LED Light
- 48" Flexible Hose

Includes M18™ & M12™ Multi-Voltage Charger, and M18™ Compact REDLITHIUM™ Battery.

MLW 2646-21CT



QUALITY
ROTATING
ELECTRICAL
IN STOCK!



Cut Off & Chop Saw Wheels by PFERD

For additional information and sizes on all PFERD cutting & Grinding products contact the store or your Sales Representative.

Cut off Wheels:

PFD 69834 | 3" x 0.045"

PFD 69817 | 4.5" x 0.030"

PFD 69818 | 5" x 0.030"

14" x 3/32", 1" AH A 36 K PSF-CHOP. 4400 RPM.

PFD 64492



Interstate Batteries

Great for farm equipment as well as cars, trucks, RV's. Group 31 and Group 25 batteries have a 12 month warranty. Group 75 and 78 have a 24 month warranty. With no exchange, please note a core charge will apply.

Part Number	Description
ISB 31A-GS-P8	Group 31 Top Post
ISB 31T-GS-P8	Group 31 Top Stud
ISB 75DT650	Group 75 Dual Terminal 650CCA
ISB 78DT800	Group 78 Dual Terminal 800CCA



Jump-N-Carry 12V Jump Starter

Jump-N-Carry JNC660 1700 Peak Amp 12-Volt Jump Starter.

- 1700 peak ampere
- Battery status indicator gauge
- 46 inch heavy-duty #2 cables
- DC outlet to power 12 volt accessories

G2S SOL-JNC660



Farm & Ranch Battery Charger/Engine Starter

- 200A (12V) and 150A (6V) Engine Start - Powerful enough for SUVs, trucks
- 40A Boost Mode - quickly brings deeply discharged battery back to life
- Scrolling digital display, LED indicators and push-button controls
- Automatically adjusts amperage rate to charge and maintain
- Multi-Stage charging, Auto voltage detection
- Reverse hook-up protection

SCH FR01335



Adjustable Wrench

- Chrome Vanadium Steel for strength and durability
- Chrome Finish
- Cushioned grip for added comfort and visibility or choose plain grip



ADC IDI-AW10 | 10" Length | 1-5/16" Jaw Width

22 Piece Wrench Set

- Chrome vanadium steel alloy for strength and durability
- Polished mirror finish for quick cleaning
- 12 point design minimizes fastener damage and increases torque
- Premium canvas pouch
- Comes in 7mm-32mm



ADC TGCW-SET-22PC-MET



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

Don't get left out in the field this spring! Ask us about Dayco Gold Label Industrial V Belts & series AP, BP, CP, & 5V.



Utility Knife

- Heavy-Duty Cutter
- Contoured handle
- Stainless steel blade channel

Replacement blade:
TGUK-001-10

ADC TGUK-001-00



Tape Measure

- High Impact ABS case for longevity
- Thumb lock for quick lock/release function
- Belt clip for easy storage
- Graduation: Inch and metric

ADC TGTM-008 | 25' x 1"



Assorted Magnetic Screwdrivers

- ADC TGSD1101 | #1 Phillips Magnetic Tip
- ADC TGSD1204 | #2 Phillips Stubby Magnetic Tip
- ADC TGSD1301 | #3 Phillips Magnetic Tip
- ADC TGSD3101 | #1 Robertson Magnetic Tip
- ADC TGSD3204 | #2 Robertson Stubby Magnetic Tip
- ADC TGSD3301 | #3 Robertson Magnetic Tip
- ADC TGSD5101 | 3/16 Slot Magnetic Tip
- ADC TGSD5204 | 1/4 Slot Stubby Magnetic Tip



Diagonal Cutters

Constructed of chrome and vanadium steel hardened for maximum strength and durability. Double dipped handles provide comfortable use. Meets ANSI Standards. Other Sizes available.

ADC TGHT-031-007 | 7" Diagonal Cutter
ADC TGHT-031-008 | 8" Diagonal Cutter



Pliers

Constructed of chrome and vanadium steel hardened for maximum strength and durability. Double dipped handles provide comfortable use. Meets ANSI Standards. Other Sizes available.

ADC TGHT-020-007 | 7" Long Nose Pliers
ADC TGHT-020-008 | 8" Long Nose Pliers
ADC TGHT-014-006 | 6" Slip Joint
ADC TGHT-014-008 | 8" Groove Joint



Curved Locking Jaw Pliers

- Chrome vanadium steel hardened for maximum strength and durability.
- Bare metal handle
- Curved jaws, knurled tips and wire cutters
- Instantly locks



ADC TGHT-030-010 | 10" 1.46" max

MIX N' MATCH

Receive 10% off our preferred wholesale pricing when you purchase a minimum of 5 boxes of hose clamps.

Receive 20% off when purchasing 10 OR more boxes.



Fuel Filter Funnel

With a 5 gal/minute flow rate this fuel filter removes water, dirt and debris. Filters gasoline, heating oil, and kerosene, and 2 cycle mixed gas.

BLI F8C



Extra Large Transmission Funnel

May be used with multiple substances such as oil, radiator fluid or fuel additives. 1-piece tapered, tough, high-density polyethylene for hard-to-reach spots. 5 x 5 x 17.75

BLI 05034MI



Giant Quick Funnel

Has an easy grip guard that makes pouring safe and easy. Includes a snap-in screen. Applications include fuel and oil for marine use, tractors, and trucks. Innovative and sturdy design.

BLI 10705



3 Piece Funnel Assortment

Funnel sets polyethylene Made of tough, high-density polyethylene for dispensing petroleum-based fluids. May be used with substances such as oil, radiator fluid or fuel additives. Includes one each: gray 1/2-pint, charcoal 1-pint, and black 2-quart.

BLI 05068MI



2 in 1 Flexible Spout Funnel

The utility flexible 2 in 1 funnel provides the perfect solution to reach those difficult to reach fluid reservoirs. With a long, flexible spout and no-mess splash guard, this funnel provides the reach and flexibility to get the job done.

DYN 14015



Multi-Purpose Funnel

No-mess splash guard. Fits all sizes of filler tubes. Extended filler neck opens gas tank trap door. Features peg hole for easy hang option. Versatile design for multiple liquid applications including trans fluid, oil, power steering fluid, and gas/oil additives.

BLI 10701



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

Cable Ties

One piece self-locking cable ties. General purpose nylon 6-6 is a weather resistant grade.



- PIC 7065-0C | 5.8"/40lb
- PIC 7066-0C | 7.6"/50lb
- PIC 7067-0C | 11.1"/50lb
- PIC 7068-HD0C | 15" Heavy Duty

3M Temflex Electrical Tape

- Insulation up to 600V
- UL + CSA Rated
- Working temperature of 90°C to 0°C
- 3/4"X60' rolls



MMM 165BK4A



Industrial Grade Duct Tape

Composed of a waterproof polyethylene film over cloth scrim backing with a rubber adhesive used for demanding duct tape applications.



MMM 06975



Chain Lubricant

Lucas Chain Lube is a low odor, semi-synthetic spray lubricant designed to meet the demands of today's high performance motorcycle chains and sprockets. Lucas Chain Lube Aerosol is perfect to keep your chain in perfect long lasting condition, and minimal sling off.



LUC 20393 | 11oz



KEEP THAT ENGINE ALIVE!

HD Oil Stabilizer

Lucas Oil Heavy Duty Oil Stabilizer available in 946ml bottle or a 4L jug.



LUC 20001 | 946ml
LUC 20002 | 3.78L



The Original Gun Oil

Prevents jamming and overheating, resists evaporation and penetrates rust freeing stuck parts and actions. Polymeric film protects from rust, wear and moisture, making copper, lead and wad fouling much easier to clean. It neutralizes acids from fingerprints and resists drying for long term storage use.



LUC 10006 | 59ml



Wheel Bearing Grease

Prime Guard Red Wheel Bearing Grease NLGI2. 14oz.



PMO PR127644

Brake & Parts Cleaner

This low odor product removes brake fluid, grease, oils, and other contaminants from surfaces.



KLF 313 | 14oz

Kroil Penetrant

Wherever there is corrosion either due to heat, salt water, chemical action, or weathering- Kroil will loosen metal joints in a few minutes time, saving labor, equipment and temper. Dissolves gum, dried grease and oil, removes rust and carbon deposits without attacking the metal.



KAN AEROKROIL-100Z | 10oz

Penetrating Fluid

Lead oxide never had a chance. ACDelco Rust Penetrant and Inhibitor aerosol spray contains a special blend of solvents and lubricants to tackle rust, corrosion and other time-formed oxides.



010 992955



Deep Creep

Works fast to break metal surface tension. Frees stubborn parts from rust & corrosion. Use to oil bushings, chains, gears, hinges, rollers & slides. Use to lube & protect metal parts and stays fluid under extreme heat/cold. Gentle petroleum formula, non-corrosive, V.O.C. Compliant.



SFC DC14

Dry Graphite Lubricant

Ideal where a dry lubricant is required or where petroleum products must be avoided. Resists dirt, dust and oil build-up. Wide effective temperature range up to 850°F constant. 16oz.



CRC 75101



Belt Dressing

Eliminates squeaks and prolongs belt life. For use on all types of belts, such as serpentine, flat and v-type belts. Prevents slippage and glazing. Removes oil, grease and glaze. 10oz.



CRC 75350



Power Lube

The next generation of multi-purpose lubricants. This all in one product quickly penetrates, lubricates, stops squeals, fights corrosion & loosens rusted parts. New & improved formula is odor free. 16oz.



CRC 75005

Cutting Oil

Cutting Oil is a superior thread cutting lubricant for use on all types of metals, including brass, copper and aluminum. 16oz.



CRC 75500



Compressor Oil

Helps promote longer life in all types of reciprocating & rotary compressors. Solvent refined & clay filtered for long lasting, anti-foul operation. Cleans valve seat deposits & extends life. 3.78L.



CRC 75133

For all of your filtration needs, Farm & Auto!



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

Anaerobic Gasket Maker

OEM specified. Noncorrosive gasketing material designed primarily for use on aluminum, iron, and steel flanged mating surfaces. Ideal for on-the-spot and emergency repairs, or when a conventional gasket is unavailable. Fills gaps up to .015" and cures to a solvent-resistant seal that will not tear or decay during service. Parts disassemble easily even after extended service. Old gasket material can be removed in minutes with a simple putty knife.

PER 51850 | 50ml



Anaerobic Gasket Maker

Flexible, gasketing material for use on rigid machined flanges with less than .015" gap. OEM approved use where OE specify "anaerobic" gasket (cures in the absence of air). Withstands temperatures to 300°F (149°C). Eliminates preformed, pre-cut, paper, rubber and cork gaskets. Flexes with flanges that move in service.

PER 51550 | 50ml
PER 51580 | 300ml



Anaerobic Gasket Maker

OEM specified. Noncorrosive gasketing material designed primarily for use on aluminum, iron, and steel flanged mating surfaces. Ideal for on-the-spot and emergency repairs, or when a conventional gasket is unavailable. Fills gaps up to .015" and cures to a solvent-resistant seal that will not tear or decay during service. Parts disassemble easily even after extended service. Old gasket material can be removed in minutes with a simple putty knife.

PER 51845 | 300ml



JB Kwik Cold Weld

Two-part epoxy cold weld system that provides strong, lasting repairs to metal and multiple other surface types. After mixing, it forms a permanent bond and can be shaped, tapped, filed, sanded and drilled after curing. rated at a tensile strength of 3127 PSI and will withstand temperatures up to 300°F.

JBW 8276CAN | Twin Tube



JB Kwik Clear Weld

ClearWeld™ is a quick setting, multipurpose two part epoxy that provides a strong and lasting bond on most surfaces including tile, most plastics, ceramic, glass, wood and metal. ClearWeld™ is designed to cure with a clear, transparent bond when used at thicknesses of less than 15 mil. ClearWeld™ has a 1:1 mixing ratio, sets in 5 minutes and cures in 1 hour. With a tensile strength of 3900 PSI, ClearWeld™ sets to a hard, permanent bond.

JBW 50112CAN



Permatex Threadlocker

OEM specified. A permanent, high strength product that is applied to fasteners 3/8" to 1" (10mm to 25mm) in size before assembly. Designed for securing parts that must withstand heavy shock, vibration, or extreme chemical or environmental conditions. Localized heating and hand tools are required to separate parts. Conforms to ASTM D5363 AN0331 (Mil-S-46163A, Type II, Grade O).

PER 26240 | Red | 36ml
PER 24240 | Blue | 36ml



Permatex Threadlocker Gel Twist

OEM specified. Gel formula provides "liquid-reliability" without drips, globs, mess or waste. High strength threadlocker for heavy-duty applications 3/8 inch to 1 inch (10mm to 25mm). Adds 3,000 PSI holding power on slip and press fit assemblies. Replaces set screws and snap rings. Locks against vibration loosening. Conforms to ASTM D5363 AN0221 (Mil-S-46163A, Type I, Grade K).

PER 27115 | Red | 36ml
PER 24215 | Blue | 36ml



Evapo-Rust

With Evapo-Rust® you can remove rust to bare metal without sanding or scrubbing. Evapo-Rust® is the best rust remover available on the market today. It is simple and easy to use, with no need for mixing. The solution comes ready to use.

CRC ER070 | 946ml | 4/case
CRC ER071 | 3.78L | 4/case



Mixed Fleet Anti-Freeze

3.78L Mixed fleet long life anti-freeze for all engines. Yellow in color. 6 years, 960,000kms.

Case Special,
4 per case!



REC 16-314 | Concentrate
REC 16-324 | 50/50 Pre-Mix

Global Long Life Anti-Freeze

- Extended Life
- Global
- Size: 3.78L
- Color: Pale Yellow
- 5 years, 250,000kms

Case Special,
4 per case!



REC 16-104 | Concentrate
REC 16-114 | 50/50 Pre-Mix

Bugs-B-Gone Cleaner

Attacks and neutralizes the stickiest bugs, dirt and grime on your car, RV, truck, motorcycle, or boat. Environmentally safe and non-abrasive.



SFC BBG1 | 16oz Spray Bottle
SFC BBG4 | 4L Concentrate

Pre-Mixed Gas + Oil

Convenient pre-mixed fuel with synthetic 2-cycle oil for maximum performance, protection and storage in 50:1 applications. Made with ethanol free, high octane pure Texas fuel.

KLF 62351 | 8x946ml



Pre-Mixed Gas + Oil

Designed for equipment requiring a specific 40:1 mixed ration, VP SEF is precisely measured to ensure optimal performance and warranty coverage for this application.

KLF 62951 | 8x946ml



Seafoam Motor Treatment

- Cleans fuel injector and carburetor passageways, intake valve and chamber deposits.
- Lubricates upper cylinders
- Works in crankcase oil to liquefy harmful residues & deposits
- Stabilizes gas or diesel fuels up to 2 years

SFC SF16 | 16oz



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

FLOOR BROOMS & SHOVELS

30" Foam Double Edge Squeegee

Constructed for tough, industrial usage. The heavy-duty frame with 4" twin rubber blades moves large amounts of water. 15/16" diameter reusable black handle for foam squeegee (PBP 85-978) not included.

PBP 83-304
PBP 85-978



Indoor/ Outdoor Push Broom Black Polypropylene with Handle

24" push broom head with 3" bristles are excellent for wet or dry sweeping of concrete, asphalt, tile, wood, patios, garages, driveways, sidewalks, and rough wood floors. Bristles are acid resistant.

PBP 92-232



24" Tampico & Steel Broom with Handle

3" black tampico bristles with a center row of steel wire bristles. Works well for dislodging dirt, is acid resistant. 24" long.

PBP 92-282



Indoor/ Outdoor Push Broom Soft Grey with Handle

3" soft grey, flagged tip, solvent resistant bristles. Recommended for sweeping smooth, highly polished floors, varnished wood and concrete. 24" long.

PBP 92-212



24" Maroon Durastran Broom with Handle

3" stiff, heavy duty, maroon polystyrene bristles for wet or dry sweeping of rough concrete and asphalt. 24" long.

PBP 92-262



Garage Broom

(Head only, use handle PSI 93069 shown below)

24" broom head and 3" soft outer bristles with stiff nylon inner bristles. Excellent for smooth and rough surfaces. Handle (PSI 93069) not included, see below.

PSI 93070



Street Broom

Industrial grade street/stable broom for extra-rough surfaces. 16 inches brush made of synthetic fibers. Tempered steel bracket, formed and welded for more sturdiness. Premium varnished ash handle (1-1/8 inch x 60 inches). Perfect for sweeping up heavy debris



GAR 84245

Heavy Duty Corn Broom

Warehouse corn broom, heavy-duty, natural fiber, indoors and outdoors, 4 rows of stitching and wire band for extra strength. 1-1/8" x 39" hardwood handle, ideal for offices, warehouses, garage bays, driveways and patios.


GAR 84578



17" Contractors Dust Pan

This contractor-grade dustpan is made of heavy-duty aluminum, so it's sturdy yet light, and easy to use and store. Rubber coated handle is 9" long. Heavy-duty aluminum dustpan is 17" wide. Grooved edges for broom and brush cleaning.

GAR 84630



Broom Poles

60" Steel handle with metal tip. 15"/16" diameter.
PSI 93069

60" hardwood handle threaded and tapered tip. 1" diameter.
PSI 93070

72" hardwood handle with Metal tip. 1" diameter.
PSI 93502



Square Point Shovel

This tool is equipped with a tempered steel blade. This shovel was designed for entrepreneurs who are looking for a robust, reliable and efficient tool.

GAR 81765



Square Point Shovel, Long Handle

This tool is equipped with a tempered steel blade. This shovel was designed for entrepreneurs who are looking for a robust, reliable and efficient tool.

GAR 81766



Drain Spade

This tool is equipped with a 16" (40.6 cm) forged and tempered steel blade and with a footstep for more power and security. This industrial drain spade is especially designed for professionals looking for a robust, reliable and safe tool to complete various landscaping projects.



GAR 81183

Square Point Shovel

Square Point Shovel Is Ideal For Scooping And Moving Dirt, Gravel And Other Landscaping Material. Solid Ash Handle Is Stained To Help Prevent Chipping and Water Damage. Blade width 10.5".

ADC TGHS2L



Round Point Shovel

Equipped with a forward-turned footstep to provide you with better comfort. Designed for residential use, this tool is ideal for people looking for an excellent quality/price.

GAR 00197



Long Round Point Shovel

Dig, plant or uproot with the help of the Garant Pro Series round shovel. This tool is equipped with a tempered steel blade and a forward turned footstep. This shovel is especially designed for professionals looking for a robust, reliable and efficient tool to complete various landscaping projects.



GAR 80377



Steel Tray Wheel Barrow

Transport dirt, mulch, gravel, tools and other materials easily with the True Temper contractor wheelbarrow. Its 6 cu. ft. tray with a maximum capacity of 270lb.

GAR 01044



Quantities are limited while supplies last. Prices are subject to change without notice.

PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN