

# Your Local Store for

# 

Parts, Tools, & Shop Supplies

**REGINA:** (306) 525-2551 **YORKTON:** (306) 783-6515

**ESTEVAN**: (306) 634-3664 **WEYBURN**: (306) 842-4676

MAINLINE FLEET: (306) 721-7711

The safest, most durable, and efficient industrial hoses, couplings, accessories, and equipment.





# **STOCKING:**

HYDRAULIC ASSEMBLIES HD WATER PUMPS



SAE 15W-40









T4 15W40 RTA 550045128

T5 15W40 RTA 550067157

T6 5W40 RTA 550046217



#### Evolutionary Performance™

SAE 15W-40 Engine Oil PMO MAG67980

ISO AW32
PMO MAG00325

AW ISO 46 Hydraulic Oil
PMO MAG00465

AW ISO 68 Hydraulic Oil PMO MAG00685

Universal Tractor Trans-Hydraulic Fluid PMO MAG00525









**PARTS** 

**AUTOBODY SUPPLY** 

**INDUSTRIAL** 

REGINA YORKTON

WEYBURN

**ESTEVAN** 







#### **Shop Towels**

Strong shop towels absorb oil and grease even when wet! The portable Pop-Up box keeps towels clean and dispenses one at a time with a centerpull, 200 towels per box.

#### KIM 75190



#### Cleaners and Wipes

Pure, orange scented natural citrus power does the cleaning. Fortified with aloe, lanolin, glycerin, and other skin conditioners. Fast Orange formulas gently deep clean grease, tar, grime, ink, paints, sealants, adhesives and other difficult soils.

PER 23218 | 3.8L Smooth PER 25219 | 3.8L Pumice **PER 25051** | 72 wipes

NAME /

Ansell



#### Type 2 Basic First Aid Kit

CSA Z12220- Type 2 small basic kit for 2-25 workers. This kit is for the most standard risk businesses located within 15 minutes of the nearest medical facility.



(DENTEC)

### Absorbs greases,

**Box of Rags** 

oils and more.



CAN A SHIP IN I

RBW Floor Dry

Qualisorb® is the most efficient way to soak up liquid spills wherever you need to absorb unwanted liquid.



PALLET QUANTITIES ARE PICK-UP ONLY **QUA 628** 

#### DNT 81CSA-0002-0

#### **WypAll® Power Clean X80 HD Cloths**

- 160 sheets/box; 475 sheets/roll
- Removes dirt, oil, grime, solvents
- · Reusable cloths reinforced for strength when wet and dry

**KIM 41041 |** 1 Brag<sup>™</sup> Box KIM 41055 | 1 jumbo roll



### Raven Gloves (100/box)

RBW 24020BALE | Bale of Fleecy Rags

Exceptional abrasion and puncture resistance

RBW 60020 | Box of White Ganzies Rags

- Powder free nitrile
- Ambidextrous
- · Textured grip

PBE SAS66517	M
PBE SAS66518	L
PBE SAS66519	XL
PBE SAS66520	XXL

# Mechanics Gloves

Synthetic leather on palm for improved grip and dexterity Reinforced padding on palm

Oil and abrasion resistant







### Patch Palm Leather Gloves Fitters glove

- Patch / Two-piece palm, cotton lined Grain leather provides excellent
- comfort/durability/strength Rubberized safety cuff for extended wrist
- protection Breathable cotton back provides ventilation
- ADC TGG-400-L | Large

ADC TGG-400-XL | X-Large

### **Polyurethane Coated Gloves**

- 13 Gauge high performance polyethylene shell
- Cut Resistance Level 3
- Polyurethane coating provides excellent dexterity

ADC TGG-225-08 | M ADC TGG-225-09 ADC TGG-225-10



### **Nitrile Coated Gloves**

- 13 Gauge polyester
- Shell colour: grey
- Palm colour: black
- · Nitrile coating

**ADC TGG-200-08** ADC TGG-200-09 ADC TGG-200-10 XL ADC TGG-200-11



# **STRONGARM**

**Jack Stands available** 



**PARTS** 

AUTOBODY SUPPLY

**INDUSTRIAL** 

REGINA WEYBURN **YORKTON** 

# Long Haul & Agriculture Alternators available!








# **Quality Rotating Electrical In Stock!**

#### Kleen-Solv Parts Wash Solvent



- Can also be used as a paint and varnish thinner
- Safer on skin than varsols

KLF 116 | 20L



kleen -flo

### **Safety Glasses**

Soft adjustable nosepiece to help reduce slippage.

MMM SF401AF-CA

#### **Anti-Fog CCS Protective Eyewear**

· Foam Gasket helps limit eye exposure to nuisance dust and other particles

Removable foam-lined aasket with airflow vents

MMM 11872



#### **BE Quick Connect Long Range Detergent Foamer**

- High Volume Soap Foamer Tip & Bottle Female 1/4" Quick Connector
- 4000 PSI Maximum Pressure
- 1.5mm Nozzle
- Adjustable Spray
- Adjustable Fan Pattern

#### XPE 85.400.048

#### Ratchet Straps

- Ratchet Allows Loads To Be Secured with Maximum Holding Force and includes Steel Coated S Hooks
- Breaking Strength: 3000lbs, Working Load Limit: 1000lbs
- 16' Strap is black, 20' is yellow
- Coated S Hook

ADC RS-102 | 1"X16"

ADC RS-103 | 1"X20"

#### Ratchet Strap 2"X27"

- · Double J-hooks
- Heavy-Duty ratchet tie-down
- Nylon woven straps
- · Straps: Yellow

### **ADC RS-227CE**

#### 20 Gallon Parts Washer

- 41.8 litre working capacity
- · Flexible delivery spout
- · Screened inlet protects pump from foreign material
- cETL certified to CAN/CSA C22.2 No. 68-92
- For use with water based cleaning solutions with ph of 7-8 only

#### **JET 355007**



GRADE

### **Tarps**

- Waterproof and resistant to chemicals, tearing and mildew
- Weave: 10 x 10, GSM: 135,
- Material: High density polyethylene
- Aluminum grommets every 3'
- Polyethylene Rope Reinforced Hems

ADC TARP-1015-BLUE | 10' X 15' **ADC TARP-1520-BLUE** | 15' X 20'



### SW-23 Mobile Parts/Brake Washer

Fits every application with its unique design, large sink size, mobility, and amazing features. It includes an extra long angled brush/hose for those hard to reach places and a customized dolly with a footstep that makes it really easy to move around.

- SW-723 Mobile Parts Washer Kit
- (1) SW-23 Unit
- (3) Pails SW-(8) Fluid
- (1) FL-4 Filter







**INDUSTRIAL** 

**PARTS** 

AUTOBODY SUPPLY

REGINA **YORKTON**  WEYBURN





# Tarp Straps & **Tow Ropes** In Stock!









Milwaukee



- Available in SAE and Metric
  - Metric: 8mm 22mm SAE: 1/4" - 1'
- MAX BITE™ Open-End Grip
- 25% More Torque
- Ink-filled Size Labels
- Organized Storage Solution

MLW 48-22-9415 | SAE MLW 48-22-9515 | Metric




Milwauker

- 10,000 PSI max operating pressure
- 2-speed design offers users the ability to select between max pressure and max flow rate
- On-board LED light
- Lock-on/lock-off trigger
- 48" Flexible hose
- Plunger rod with markings

MLW 2646-22CT





- 8500 RPM
- 5/8"-11 Spindle for Use with Common Grinding Accessories
- Anti-Vibration Side Handle
- Overload Protection to Maximize Motor Life
- Electronic Clutch for Kickback Protection

MLW 2880-22



- Metal Reinforced Battery Connection
- Wear-Resistant Blade Change
- Anti-Corrosion Clamp
- 1-1/4" Stroke length removes more material with each stroke
- Lighter than previous generations

MLW 2821-22

WHILE SUPPLIES LAST

#### 1/2" Stubby Impact Wrench

- Up to 250 ft-lbs torque Only 4.9" in length
- Industry's most compact cordless stubby impact wrench
- Auto-Shut off mode prevents overtightening of fasteners
- Battery Part #: 48-11-2430

Comes with FREE M12™ REDLITHIUM™ 3.0 Compact Battery! MLW 2555-20P WHILE SUPPLIES LAST

See us for ALL your

Milwaukee needs!

#### Plier Set

Milwaukee

- 6" & 11" Locking C-Clamp with Regular Jaws\*
  7" & 10" Straight Jaw Locking Pliers\*
- 7" & 10" Curved Locking Pliers\*
  5" & 7" Curved Jaw
- 9" Long Nose
- 6" Long Nose Locking Pliers\* \*TORQUE LOCK™ MAXBITE™

MLW 48-22-3690





WHILE SUPPLIES LAST

Milwaukee

### 4-piece Pry Bar Set

- (1) 8" Pry Bar
- (1) 24" Pry Bar
- (1) 18" Pry Bar • (1) 12" Pry Bar
- (1) Storage Tray

MLW 48-22-9214

#### 22 Piece Wrench Set

- Sizes in Set: 7mm-24mm,
- 26mm, 27mm, 30mm, 32mm Polished mirror finish for quick cleaning
- Premium Canvas Pouch
- Chrome vanadium steel alloy for strength + durability

**ADC TGCW-SET-22PC-MET** 

### Jump-N-Carry 12V Jump Starter

- 1700 peak ampere
- Battery status indicator gauge
- 46 inch heavy-duty #2 cables
- DC outlet to power 12 volt accessories

G2S SOL-JNC660



JUIMP n Carry

#### **Cut Off & Chop Saw Wheels**

For additional information and sizes on all PFERD cutting & Grinding products contact the store or your Sales Representative.

PFD 69834 | 3" x 0.045" 5" x 0.030"

**PFD 69817** | 4.5" × 0.030" PFD 69818 i **PFD 64492** | 14" x 3/32"



#### **Interstate Batteries**

Great for farm equipment as well as cars, trucks, RV's. Group 31 batteries have a 12 month warranty. Group 75 and 78 have a 24 month warranty. With no exchange, please note a core charge will apply in all applications.

ISB 31A-GS-P8 | ISB 31T-GS-P8 | Group 31 Top Post

Group 31 Top Stud

ISB 75DT650 | Group 75 Dual Terminal 650CCA Group 78 Dual Terminal 800CCA



### 12V Super Lightweight Start-All® Jump Starters

- Only weighs between 9.4lbs 18.5lbs depending on model! GDĹ-JP-12-24 is 12/24V
- All models include multiple additional ports, allowing for charging of electronic devices like phones and laptops
- Starts gasoline and diesel engines up to 16L (10L max for 5000A model)

G2S GDL-JP-12-5000 | 5000A G2S GDL-JP-12-10000 | 10 000A G2S GDL-JP-12-24 5000A / 10 000A

Ask your sales representative which model is right for you!



**PARTS** 

AUTOBODY SUPPLY

**INDUSTRIAL** 

REGINA

**YORKTON** 

WEYBURN



MIX TO MATCH

Receive 10% off our preferred

wholesale pricing when you purchase a minimum of 5 boxes of hose clamps.

Receive 20% off when

purchasing 10 OR more boxes.

#### 18mm Utility Knife

- Durable ABS handle
- Tough, Silver Snap Blade
- Stainless-steel support channel
- Tool-free blade change

OLF L-1

HD L-1 Cutter

OLF LB-10B | 10pc Replacement Blades OLF LB-50B | 50pc Replacement Blades

BL+TZ

BL+TZ


OLFA

7-Quart Catch All Pan BL+TZ

- · Built-in raised rim handles
- Unique oversized pouring spout
- 7-quart capacity with drain scale that helps track oil usage
- Lightweight and stackable
- Multi-purpose use

#### A.A. VARAILY **Giant Quick Funnel**

Has an easy grip guard that makes pouring safe and easy. Includes a snap-in screen. Applications include fuel and oil for marine use, tractors, and trucks. Innovative and sturdy design.



#### **BLI 10705**

#### 3-Piece Funnel Assortment

Made of tough, high-density polyethylene for dispensing petroleum-based fluids. May be used with substances such as oil, radiator fluid or fuel additives. Includes: 1 gray 1/2-pint, 1 charcoal 1-pint, and 1 black 2-quart.



### **AED Plus - Fully Automatic**

- Real CPR Help provides real-time CPR feedback on the rate and depth of chest compressions
  Easy-to-place, one-piece CPR-D-padz® electrodes with a 5-year shelf life
- Rugged design with an IP (ingress protection) rating of IP55 for dust and water
  Can withstand conditions like extreme temperature, altitude,
- vibration, and shock
- 5-year warranty (7-year warranty with online registration)

#### ADC 102011060

#### Adjustable Wrench

- Chrome Finish
- · Cushioned grip for added comfort and visibility
- 10" length
- 1-5/16" jaw width

#### **ADC IDI-AW10**



#### Assorted Magnetic Screwdrivers

ADC TGSD1101 | #1 Phillips Magnetic Tip ADC TGSD1204 | #2 Phillips Stubby Magnetic Tip ADC TGSD1301 | #3 Phillips Magnetic Tip

ADC TGSD3101 | #1 Robertson Stubby Magnetic Tip ADC TGSD3204 | #2 Robertson Stubby Magnetic Tip

ADC TGSD3301 | #3 Robertson Magnetic Tip ADC TGSD5101 | 3/16 Slot Magnetic Tip

ADC TGSD5204 | 1/4 Slot Stubby Magnetic Tip

#### **Fuel Filter Funnel**

With a 5 gal/minute flow rate this fuel filter removes water, dirt and debris. Filters gasoline, heating oil, and kerosene, as well as 2 cycle mixed gas.



BL+TZ

BL+TZ

#### **BLI F8C**

#### **Extra-Large Transmission Funnel**

May be used with multiple substances such as oil, radiator fluid or fuel additives. 1-piece tapered, tough, high-density polyethylene for hard-toreach spots. 18" long.



### **Multi-Purpose Funnel**

No-mess splash guard. Fits all sizes of filler tubes. Extended filler neck opens gas tank trap door. Features peg hole for easy hang option. Versatile design for multiple liquid applications including trans fluid, oil, power steering fluid, and gas/oil additives.

**DYNALINE** 

# **AED 3 - Fully Automatic**

- Enhanced Real CPR Help technology provides real-time CPR feedback on the
- Emilitated Real CFR Help terminology provides real-mine CFR Heedadack of Ir rate and depth of chest compressions Rugged design features IP (ingress protection) rating of IP55 for dust/water Integrated pediatric rescue: CPR Uni-padz and child-mode selection softkey offers one solution to treat both adults and children Text and voice prompts provide visual and audible feedback to the rescuer
- on CPR quality ' ' A CPR cycle timer and a large color bar gauge show CPR compression

ADC 8501-001102-06



2-in-1 Flexible Spout Funnel

the perfect solution to reach those

The utility flexible 2 in 1 funnel provides

difficult to reach fluid reservoirs. With a

long, flexible spout and no-mess splash

guard, this funnel provides the reach

and flexibility to get the job done.



**PARTS** 

AUTOBODY SUPPLY

**INDUSTRIAL** 

REGINA **CORKTON** 



BLI 10701








AUTEL

Cold weather black cable ties, 100pc each.

PIC 7295-36 | 7.5" PIC 7296-36 | 11" PIC 7297-36 | 14"

PIC 7298-36 | 14" (120lbs)





Working temperature of 90°C

**3M Temflex Electrical Tape** 

to 0°C

3/4" x 60' rolls

MMM 165BK4A



#### MMM 06975

**Chain Lubricant** 

#### Composed of a waterproof polyethylene film over cloth scrim backing with a rubber adhesive used for demanding duct tape applications. 48mm x 55m.

A low odor, semi-synthetic spray lubricant

designed to meet the demands of today's

high performance motorcycle chains and

perfect long lasting condition, and minimal

sprockets. Perfect to keep your chain in

**Industrial-Grade Duct Tape** 



/40E/18074

sling off.

#### AutoLink AL529 Code Reader

- AutoVIN function for quickly identifying manufacturer-specific codes
- Reads enhanced codes in Powertrain system for Ford, GM and Chrysler
- Compatible with domestic, Asian and European vehicles, 1996 and newer

Red "N" Tacky Grease

· Reads, stores and plays back live sensor data

A smooth, tacky, red lithium complex grease

1LB Container

fortified with rust and oxidation inhibitors.

**AUL AL529** 

#### **AutoLink AL529 Heavy-Duty** Code Reader

- Compatible with Heavy Duty Vehicles utilizing SAE-J1939 and SAE-J1708 protocols
- Easily determines the cause of the Check Engine Light/ Malfunction Indicator Light (MIL)
- Turns off Check Engine Light, clears codes and resets monitors

**AUL AL529HD** 

· Agricultural, automotive and

Excellent mechanical stability

industrial applications

Water resistant

· Long storage life



AUTEL

#### HD Oil Stabilizer

LUC 20393 | 11oz

- 100% petroleum product that extends oil life
- Virtually eliminates dry starts and wear
- Lowers oil temperature in any engine, reduces leaking, knocking and blow-by in
- Helps to control noise, overheating, leaks and wear in gear boxes

· Loosens rusted nuts and bolts, frees

frozen shafts, pulleys, and more

Will not attack or damage metal

KAN AEROKROIL-100Z | 10oz

· Use on any corroded threads or tight

LUC 20001 | 946ml LUC 20002 | 3.78 L

**Kroil Penetrant** 



#### Gun Oil

- Odorless
- Prevents jamming and overheating

**LUC 20005-30 |** 14oz Cartridge

LUC 21025 | 325ml Aerosol

Resists evaporation

LUC 20574 i

Penetrates rust and protects from rust, wear and moisture

Ideal where a dry lubricant is required or

Resists dirt, dust and oil build-up. Wide

effective temperature range up to 850°F

where petroleum products must be avoided.

Neutralizes acid from fingerprints

**Dry Graphite Lubricant** 

LUC 10006 | 2oz

CRC

This low odor product removes brake fluid, grease, oils, and other contaminants from surfaces.

**Brake & Parts Cleaner** 

While supplies last! **KLF 313** | 14oz



#### Power Lube

The next generation of multi-purpose lubricants. This all in one product quickly penetrates, lubricates, stops squeals, fights corrosion & loosens rusted parts. New & improved formula is odor free. 16oz.



#### **CRC 75005** | 312g

### **Cutting Oil**

Cutting Oil is a superior thread cutting lubricant for use on all types of metals, including brass, copper and aluminum.

OEM specified. A permanent, high strength

(10mm to 25mm) in size before assembly.

Designed for securing parts that must withstand heavy shock, vibration, or extreme

chemical or environmental conditions. 36ml.

product applied to fasteners 3/8" to 1



Permatex

#### CRC 75500 | 340g

PER 24240 | BLUE

PER 26240 | RED

**Permatex Threadlocker** 

### Compressor Oil

CRC 75101 | 320g

constant.

Helps promote longer life in all types of reciprocating & rotary compressors. Solvent refined & clay filtered for long lasting, anti-foul operation. Cleans valve seat deposits & extends life.

CRC 75133 | 3.78L

#### **Anaerobic Gasket Maker & Sealant**

Flexible, gasketing material for use on rigid machined flanges with less than .015" gap. Eliminates preformed, pre-cut, paper, rubber and cork gaskets. Flexes with flanges that

PER 51550 | FLANGE SEALANT, 50ml PER 51580 | FLANGE SEALANT, 300ml PER 51850 GASKET MAKER, 50ml PER 51845 GASKET MAKER, 300ml



Permatex

provides strong, lasting repairs to metal and multiple other surface types. After mixing, it forms a permanent bond and can be shaped, tapped, filed, sanded and drilled after curing



multipurpose two part epoxy that provides a strong and lasting bond on most surfaces including tile, most plastics, ceramic, glass, wood and metal.



**JBW 50112CAN** | 25ml

### **Permatex Threadlocker Gel Twist**

OEM specified. Gel formula provides "liquid-OEM specified. Get formula provides inquience reliability" without drips, globs, mess or waste. High strength threadlocker for heavyduty applications 3/8" to 1" (10mm to 25mm). Adds 3,000 PSI holding power on slip and press fit assemblies. 36ml.

PER 24215 | BLUE PER 27115 | RED



Permatex

**AUTOBODY SUPPLY INDUSTRIAL** 

**PARTS** 

ORKTON

WEYBURN

ESTIEVAN





JB Kwick Cold Weld

Two-part epoxy cold weld system that

JBW 8276CAN | 2oz Twin Tubes



























#### **Evapo-Rust**

- Removes rust to bare metal without sanding or scrubbing
- Simple and easy to use
- No need for mixing, comes ready to use

Case Special - 4 per case

CRC ER070 | 946ml CRC ER071 | 3.78L



#### Case Special - 4 per case

6 years, 960 000kms

REC 16-314 | Concentrate REC 16-324 | 50/50 Pre-Mix

Mixed Fleet Anti-Freeze

Size: 3.78L

Color: Yellow



#### • Size: 3.78L

- Color: Pale Yellow
- 5 years, 250,000kms



#### Case Special - 4 per case

REC 16-104 | Concentrate **REC 16-114** | 50/50 Pre-Mix

Global Long Life Anti-Freeze



#### **Bugs-B-Gone Cleaner**

- Removes dried-on bugs, organic crud, algae and mildew, brake dust, exhaust soot, road grime, and more
- Safe on vehicle paint, clear coat, gel coat, metal, glass, mirrors, carpet, plastic, vinyl, and more

SFC BBG1 | 16oz Spray Bottle SFC BBG4 | 4L Concentrate

Seafoam Motor Treatment

intake valve and chamber deposits

Stabilizes gas or diesel fuels up to 2yrs

Cleans fuel injector and carburetor passageways,

Works in crankcase oil to liquefy harmful residues



### 2-Cycle S.E.F 50:1

Convenient ethanol-free pre-mixed fuel with synthetic 2-cycle oil for maximum performance, protection and storage in 50:1 applications.

Mothers Odor Eliminator and Refresher

neutralize and eliminate tough lingering

odors in your vehicle. 2oz aerosol can.

is not just a cover-up! It provides a

permanent and effective solution to

KLF 62351 | 946ml

Odor Eliminator

MOT 06811



### 2-Cycle S.E.F 40:1

Convenient pre-mixed fuel with synthetic 2cycle oil for maximum performance, protection and storage in 40:1 applications.





#### 2.5lb Single-Use Fire Extinguisher Unit

ABC Automotive dry chemical Fire Extinguisher 2.5LB Single Use Unit with Vehicle Bracket 1A:10BC.

**SHD 13315DAUT** 



#### **SFC SF16 |** 16oz

#### **Brooms**

**Heavy Duty Corn Broom** Indoor/outdoor use.



#### Maroon Durastran Broom

- · Wet/dry sweeping
- 3" polystyrene bristles
- · For concrete and asphalt
- 24" long with handle



#### Indoor/ Outdoor Push Broom

- 24" Polypropylene push broom head with handle
- 3" acid-resistant bristles
- Wet/dry sweeping



#### **Tampico & Steel Broom** • 3" bristles

- · Center row of steel bristles
- Acid-resistant
- 24" long, comes with handle





PBP 92-262



PBP 92-232

PBP 92-282

24" broom head and 3" soft outer

surfaces. Handle (PSI 93069) not



#### Indoor/Outdoor Push Broom

3" soft grey, flagged tip, solvent resistant bristles. Recommended for sweeping smooth, highly polished floors, varnished wood and concrete. 24" long.


PBP 92-212


### Street Broom

Industrial grade street/stable broom for extrarough surfaces.

- welded for more sturdiness

· Perfect for sweeping up heavy debris





### PSI 93070

#### 

30" Foam Double Edge Squeegee

4" twin rubber blades. Handle sold separately.



**GAR 84630** 

**GAR 84245** 

### 17" Contractors Dust Pan Made of heavy-duty aluminum

- 9" long rubber-coated handle
- Grooved edges for broom &
- brush cleaning



#### **Broom Poles**

included, see below.

PSI 93069 60" Steel handle with metal tip, 15"/16" diameter

60" hardwood handle threaded/tapered tip, 1" diameter

72" hardwood handle with metal tip, 1" diameter

### **Square Point Shovel**

**PBP 83-304** | Squeegee **PBP 85-978** | Handle

This tool is equipped with a tempered steel blade. This shovel was designed for entrepreneurs who are looking for a robust, reliable and efficient tool.

**GAR 81765** 



### Square Point Shovel, Long Handle

This tool is equipped with a tempered steel blade. This shovel was designed for entrepreneurs who are looking for a robust, reliable and efficient tool.

**GAR 81766** 



#### **Drain Spade**

- 16" (40.6 cm) forged and tempered steel blade
- Footstep for more power and security
- · Designed for professionals looking for a robust, reliable and safe tool

**GAR 81183** 





# **PARTS**

AUTOBODY SUPPLY

**INDUSTRIAL** 







#### **Square Point Shovel**

The square point shovel is ideal for scooping and moving dirt, gravel and other landscaping material. Solid ash handle is stained to help prevent chipping and water damage. Blade width 10.5".

#### **ADC TGHS2L**

#### Equipped with a forward-turned footstep to provide you with better comfort. Designed for residential use, this tool is ideal for people looking for excellent quality/price.

**Round Point Shovel** 

#### **GAR 00197**

### **Long Round Point Shovel**

This tool is equipped with a tempered steel blade and a forward turned footstep. This shovel is especially designed for professionals looking for a robust, reliable and efficient tool to complete various landscaping projects.



**GAR 80377** 

Grote

#### Steel Tray Wheelbarrow

Transport dirt, mulch, gravel, tools and other materials easily with the True Temper contractor wheelbarrow. It has a 6 cu. ft. tray with a maximum capacity of 270lb.

#### **GAR 01044**

Clearance item - Limited Quantities while supplies last

#### **Grade USS Fastener Assortment**

A 378-piece assortment of Hex Head Cap Screws, Hex Nuts, and washers (lock and flat).

- Zinc-plated
- Handy carrying case

See your sales representative for detailed content list.

PAP 020-470



#### Class 8/8.8 Metric Fastener Assortment

A 526-piece assortment of Hex Head Cap Screws, Hex Nuts, and washers (lock and flat).

- Zinc-plated
- · Handy carrying case

See your sales representative for detailed content list.

PAP 020-471



papeo

#### Gladhands

- Functions: Service (Blue), Emergency (Red) Material: Steel, Rubber, Aluminum Casting
- Pack Quantity: 1
- Standards: SAE J318 • Seal Material: Rubber
- Mtg Hole: 1/2"
- Port A: 1/2" NPTF

GRO 81-0001-B | Blue GRO 81-0001-R | Red



### 3-in-1 UltraLink™ Power Cord and Air Assembly

- Standards: SAE J560, SAE J2394, DOT J1402, DOT FVSS 106
- Operating Temperature: -55°F and 190°F
- Gauge: 4/12 GA, 2/10 GA, 1/8 GA
- Material: Advanced Polymer Jacketing
- Operation: Up to 225 PSI
- Product Type: Air Hose

### Grote

- Color: Red, Blue
- Length: 15
- Pack Quantity: 1
- Style: ABS



### **Tracker Bar Suspender Spring**

- Replacement spring, hardware and cover for tracker bars
- Includes a snap clip, 20" heavy-duty spring with 81-0129 Cable Clamp Holder
- Plastic cover, 3 hose hanger clamp and snap clip
- Length: 20"
- Pack Quantity: 1
- Product Type: Spring



Style: Non-ABS

Plug / Socket #: 7

GRO 81-0147

Color: Black

Length: 15'

#### Coiled Air Hose

GRO 81-3215

Operating Temperature: -40°C (-40°F) to 104°C (220°F)

- Regulations: FMVSS 571.106, FMCSA 393.45
- Design Current Load: 150 PSI

BriteZone™ LED Work Lights

**GRO BZ201-5** | Square, 1100 Lumens **GRO BZ101-5** | Round, 1600 Lumens

Black Powder Coated Finish

- Material: Nylon, Brass
- Standards: SAE J844

Lens Colour: Clear

Light pattern: Flood

Comes in a pack of 100.

TSA 762886 | 7.5", 50lb TSA 762888 | 11", 50lb

TSA 762890 | 14", 120lb

IPX7 Protection

**Bracket Mount** 9 - 32V

**Cable Ties** 

TSA 762882 |

- Length: 15'
- Leads: 12"
- Color: Red, Blue
- Pack Quantity: 2

Die-Cast Aluminum Housing,

· Multiple lengths and tensile strengths

Width of tie will vary based on selection

Polycarbonate Lens

• Outside Diameter: 1/2"

#### **GRO 81-0015**

Grote

TECHSPAN

Gauge: 6/14 GA, 1/12 GA

VMRS: 034-003-037

- Standards: J560b, J2222
- Material: EVA

### UltraLink™ Coiled Power Cord

Operating Temperature: -40°F to +176°F (-40°C to +80°C)

- Plug: StraightLeads: 12"

### **GRO 87111**

### **LED Marker Lights & Grommets**



- 91400
  - Fits 2.5" round lamps
  - Fits panel thickness up to 1/8"



- 91410
  - Fits 2.5" round lamps
  - Fits panel thickness up to 1/4"



- GRO 91400 | 2-25/32" Hole Grommet GRO 91410 3" Open Grommet 2.5" Optic Light, Red GRO 45812
- 2.5" Optic Light, Amber GRO 45813 2.5" Reflector Light, Red GRO 45832 GRO 45833 | 2.5" Reflector Light, Amber



- 45812 Red Optic Lens
  - 2.5"
- Round







- 45832 Red Lens
- Built-in Reflector
- 2.5"
- Round



- 45833
- Amber Lens Built-in Reflector 2.5"
  - Round

Quantities are limited while supplies last.

**PARTS** 

AUTOBODY SUPPLY

**INDUSTRIAL** 

**CORKTON** 

WEYBURN

ESTEVAN