

TOOLS & EQUIPMENT

REGINA: (306) 525-2551
 YORKTON: (306) 783-6515
 ESTEVAN: (306) 634-3664
 WEYBURN: (306) 842-4676
 MAINLINE FLEET: (306) 721-7711

R1234YF A/C RRR MACHINE WIFI & BLUETOOTH CAPABLE

A fully automatic ACS machine that meets or exceeds SAE J2927 and J2843 standards for 1234yf recovery. The machine includes an integrated refrigerant identifier that samples the refrigerant in the vehicle's A/C system prior to recovery. AC1234-4 is a highly accurate and reliable machine capable of servicing both standard and high-voltage vehicle A/C systems.



G2S ROB-AC1234-4

Get a **FREE ROB-30038 MiniPlus Printer** with the purchase of the G2S ROB-AC1234-4!

MINIPLUS PRINTER

Add-on printer that can be user installed on most Robinair A/C Recover, Recycle and Recharge machines. Paper sold separately. Compatible with the following:

- 34288NI
- 34288NI-230
- 34788NI
- 34788NI-H
- AC1234-4
- AC1234-4-230
- AC1234-4SL
- 17800C
- 17800C-230
- And most other Robinair A/C machines



G2S ROB-30038



R134A A/C RRR MACHINE

Recover, recycle, evacuate, leak-test and recharge R-134a with improved 98.5% efficiency – unmatched by any competitor. The new design features a larger graphical display, automatic features including leak testing, automatic refrigerant refill and oil drain/inject – putting A/C lubricant back into the system. The 34788 also boasts the ability to add a printer, USB data sharing, refrigerant identifier and wireless module for Wi-Fi or Bluetooth® communication. An optional refrigerant charge and oil capacities database is available for North American market vehicles.



G2S ROB-34788NI



CORDLESS WELDER

When you need Clean, Quiet, Power™ in a smaller, smarter, and portable package, the EPEQ® WELDER140 has you covered. With numerous features and safeties built in, you'll be ready for fast repair jobs in the field.

- Lithium-Ion Battery replaces AC power supply for convenience and mobility
- Waterproof, Dust Proof, Shock Proof, with a Rugged and Durable Battery Pack
- Built-in high power constant-current and constant-voltage charging unit for fast charging
- Ergonomic handle and weight balance design for easy carrying
- Hot start for easier welding
- High accuracy display for current
- Easy to read LED display



G2S GDL-282037



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

MAXISYS ADVANCED DIAGNOSTIC TABLET

- Advanced diagnostic tablet compatible with U.S., Asian and European vehicle, 1996 and newer
- Complete TPMS servicing: Activate/read all known sensors, diagnose system, program 1-Sensor, relearn sensors
- 8-inch Wireless Touchscreen tablet with embedded antenna, Bluetooth-enabled MaxiSYS VCI200
- Octa-Core Processor/128 GB memory / 4 GB RAM
- Performs all system scan with ADAS identification/ Customizable Pre & Post scans
- Read/Erase Codes, View Freeze Frame and Live Data
- Bi-directional control capability including Active test/Performs coding and adaptations
- One Year Free software updates and limited hardware warranty

FREE MAXIBAS BT506 INTELLIGENT BATTERY DIAGNOSTICS TOOL INCLUDED WITH PURCHASE, OVER A \$250 VALUE!
G2S AUL-BT506



G2S AUL-MS906PROTS

MAXISYS MS919 DIAGNOSTICS TABLET WITH MAXIFLASH VCM

The MaxiSys MS919 features a 9.7-inch touchscreen tablet with Android 7.0 OS powered by an Octa-core processor (2.3GHz Quad + 1.7GHz Quad), substantial 128GB built-in memory to provide diagnostic guidance and test components to confirm repairs. The new MaxiFlash VCM, functions as a 4-channel oscilloscope, waveform generator, multimeter, and CAN BUS tester. The supporting MS919 software provides a large library of preset guided tests and extensive waveform library, to ensure techs are getting the most Oscilloscope use. The MS919 software outperforms competitors by offering DTC and sensor specific test options to help test more accurately, as well as providing probe and component location diagrams so technicians test while connected correctly. One-stop multitasking is designed for ideal management of workshop operations to keep all data files, customer info, and vehicle records well organized and Cloud-based Data Manager saves customer and vehicle records, scanner data and technician notes.

FREE MAXIIRT IR100 THERMAL IMAGING CAMERA INCLUDED WITH PURCHASE, OVER AN \$850 VALUE!
G2S AUL-IR100



G2S AUL-MS919

FLEXZILLA® GARDEN HOSE 5/8" x 50'

- Extreme all-weather flexibility
- Durable outer cover resists abrasion, UV and mold
- Won't kink under pressure
- Lightweight and easy to handle
- Lays flat - no memory
- Reinforced mid-layering provides extra strength
- Anodized aircraft aluminum ends
- Leak-free connections - A durable O-ring provides long lasting leak-free connections
- Max. working pressure at 70°F: 150 psi
- Drinking water safe
- 11 1/2 GHT FITTINGS



FLEXZILLA

G2S LEG-HFZG550YW

FLEXZILLA® AIR HOSE

- Extreme all-weather flexibility (-40° to 140°F)
- Won't kink under pressure
- Lightweight and easy to handle
- Lays flat - no memory
- Durable and abrasion-resistant outer cover
- Anodized aircraft aluminum ends
- Max. working pressure at 70°F: 300 psi
- Includes bend restrictors to reduce wear and tear, prolonging the life of the hose



FLEXZILLA

G2S LEG-HFZ3835YW2 | 3/8" X 35', 1/4" MNPT FITTINGS
G2S LEG-HFZ3850YW2 | 3/8" X 50', 1/4" MNPT FITTINGS
G2S LEG-HFZ1250YW3 | 1/2" X 50', 3/8" MNPT FITTINGS

DUAL-WHEEL TIRE SEPARATOR

- Ball bearing-driven for near-zero turning resistance
- Forcing Screw and Pullers have 1-1/8" diameter x 11 threads
- Includes two pullers & compact case
- Components have black oxide or bright nickel plating finish for rust and corrosion resistance
- Pusher is heat treated
- Use with air or electric impact wrench



Ken-Tool

G2S KEN-34549

DEAD BLOW HAMMER

- Sustains impact, maximizes force, and absorbs the shock of impact
- Resistant to gas, brake fluid, anti-freeze and more, with a polyurethane head and rubber handle
- Canister filled with steel shot in the hammer's head creates a dead blow effect to reduce rebound



GEARWRENCH

G2S GWR-82242

REFRACTOMETER

- Verify:
 - Coolant
 - Battery
 - DEF
- Easy to use and calibrate
- Replace 2 tools with 1
- 1 year warranty



Central

G2S CEN-3R401

POWER PROBE 3

- Comes with #DMM101ES digital multimeter, leads, and adapters
- 1 year warranty



POWER PROBE

G2S PWP-PPROKIT01

POWER PROBE 4

- Supplies battery voltage and ground
- Safely test computer circuits
- Fuel injector tester
- PMC/ECM driver tester
- Min/Max readings
- Frequency (Hz), Pulse width
- AC/DC Voltmeter, Ohmmeter
- Continuity & resistance



POWER PROBE

G2S PWP-PP401AS

12V TEST LIGHT

THE PROBE 12-Volt Test Light with Haptic Feedback, (PPTACTICS) this tool vibrates and lights when voltage over 12 volts is detected. When a voltage is below 12 volts, this functions as a standard test light.

Just push the button and go! Shows positive voltage, ground, and continuity "all in one tool" with haptic advantage.



POWER PROBE

G2S PWP-PPTACTICS

PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

AUTOLINK AL529 CODE READER

- AutoVIN function for quickly identifying manufacturer-specific codes
- Reads enhanced codes in Powertrain system for Ford, GM and Chrysler
- Compatible with domestic, Asian and European vehicles, 1996 and newer
- Retrieves generic (P0, P2, P3 and U0), manufacturer-specific (P1, P3 and U1) and pending codes
- Retrieves vehicle identification information (VIN, CALID and CVN)



AUTEL

G2S AUL-AL529

AUTOLINK AL529 HEAVY-DUTY CODE READER

- Compatible with Heavy Duty Vehicles utilizing SAE-J1939 and SAE-J1708 protocols
- Easily determines the cause of the Check Engine Light/ Malfunction Indicator Light (MIL)
- Turns off Check Engine Light, clears codes and resets monitors



AUTEL

G2S AUL-AL529HD

OIL CHANGE STATION

- 22-gallon high-impact polyethylene tank
- Built-in filter drain
- Molded tool pockets
- Pop-up fluid level indicator
- 3" access port
- Padded handle bars
- Convenient drain valve adapts to most quick disconnect couplers
- 3" front casters and 10" rear wheels



JohnDew Industries

G2S JDI-22DCX

6/12 VOLT PROFESSIONAL FAST CHARGER

Features & Benefits

- 70/60 Amps charger
- 250 Amp Crank Assist at 12V
- AGM Safe

Warranty Information

- 5 Year LTD



ASSOCIATED

G2S ASS-6012AGM

6/12V 40/40/10A FLEET CHARGER

Features & Benefits

- 6/12 Volt Fast Charger, 40/10 Amps charger
- Wheels (with timer)
- 200 Amp Crank Assist at 12V
- "Safe in Any Weather" Operation



ASSOCIATED

Warranty Information

- 2 Year

G2SASS-US20

PORTABLE CHARGER

Features & Benefits

- Heavy Duty, 6/12/24 Volt
- 60/60/30 Amps charger
- 230 Amp Crank Assist at 12V
- "Stop/Go-light" for Polarity Indication



ASSOCIATED

Warranty Information

- 5 Year LTD

G2SASS-6010B

6/12/24 VOLT HEAVY DUTY FLEET CHARGER

Features & Benefits

- 70/65/30 Amps charger
- 280 Amp Crank Assist at 12V
- AGM Safe



ASSOCIATED

Warranty Information

- 5 Year LTD

G2S ASS-6006AGM

BATTERY TESTER

- Testing Capacity: 40-1200 CCA
- Test multiple battery types
- Battery Voltage: 12V
- System Testing: 12V



SOLAR

G2S SOL-BA9

FLASHING POWER SUPPLY AND FLEET BATTERY CHARGER

- 100/40/10A - 12V 100A Flashing Power Supply & Automatic Battery Charger
- Properly charges AGM, Deep Cycle, Flooded, Spiral Wound & Marine batteries
- Manages depleted & sulfated batteries
- Extra long 13 ft. cables



SOLAR

G2S SOL-PL6800

POWER INVERTER + JUNCTION BLOCK

- Continuous Power: 3000W
- Peak Power: 6000W
- AC Outlets: 3



SOLAR

G2S SOL-PI30000X

PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

RATCHETING SERPENTINE BELT TOOL SET

- Complete tool set for removing or installing the serpentine belt on vehicles with a spring loaded belt tensioner pulley
- Long bar can hold sockets directly or attach to the ratcheting wrench for maximum access



G2S GWR-3680D

GW GEARWRENCH

24-PIECE WRENCH SET

- 15° offset for better access in tight spaces
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- Long pattern beam length for improved reach, leverage and torque
- Hard stamped size marking
- Manufactured from alloy steel for better strength & longer tool life
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME specifications



G2S GWR-81900

GW GEARWRENCH

HEAVY-DUTY WORK STAND

- Heavy duty 500lbs. capacity
- Steel tubing construction
- 1/2" foam padded top
- Adjustable height of 33" to 40" tall
- Weight: 13.8lbs.
- Tube diameter is 1" (27.5mm)



G2S AST-557003

AP Astro Pneumatic

3 TON FLOOR JACK

- 2xP- Double Pump design for fast efficient lifting
- Built for the professional user
- Equipped with safety bypass to prevent overloading
- Rear mounted swivel casters for easy maneuverability
- Heavy duty pump, ram and cylinders are precision machined and inspected to ensure long service life and superior performance
- Superior grade "soft" components for better performance and increases jack life
- Padded handle bumper protects vehicle finish
- Convenient integral parts tray



SAE 030417

STRONGARM

PARTS CART-B™

- Dimensions: 41"W – 51"W x 31"D x 73"H
- Shelves measure 40"W x 24"D
- Shelves adjust every 3"
- Weight rated to 125 lbs. per shelf
- Includes: 3 adjustable shelves, 2 adjustable support arms, 2 bungee cords, 6 metal hooks
- 100 lbs.



SUPER IN-STOCK SPECIAL!
Pricing applies to in-stock clearance inventory only.

AES SSPC-B



BALL JOINT STARTER KIT

- Contains: 3 receiver tubes (2-3/4" I.D. x 3" O.D., 2-1/4" I.D. x 2-1/2" O.D., and 1-3/4" I.D. x 2" O.D.)
- Installation and removing adapters: 1 installing cup, 1 receiving cup, 1 installing adapter.
- Adapters included:
- Receiving tubes - 29503 / 29504 / 29505
 - Removing adapter - 305227 / 305228



G2S OTC-7249

OTC

WORK LIGHT

- 720 Lumen rechargeable LED slim light
- Extra-large 3,350mAh capacity USB-C rechargeable battery with quick charge 2.0amp wall charger and USB-C cable
- Lasts 3.5hrs on high, 8hrs at 50%
- 2.5 hour charge time with green LED's on side indicating current charge level when in use




G2S AST-72SL

AP Astro Pneumatic

SPANESI FLASH

The Flash utilizes a vacuum seal to the flooring surface to deliver 550 pounds of pulling force using a heavy-duty ratcheting system and featuring an adjustable pulling height setup providing precise pulling directions. Compatible with the complete PULL UP! repair system line, the Flash delivers exact pulling tension with direct-pull and down-pull angles.



SUPER IN-STOCK SPECIAL!
Pricing applies to in-stock clearance inventory only.

SPA 5490STR00010

SPANESI

SPRAY GUN CABINET DELUXE™

- 30" W x 16" H x 14" D
- Holds 6 guns inside and 3 guns below
- Digital lock keeps spray guns safe
- Door flips up and slides in
- Comes preassembled



SUPER IN-STOCK SPECIAL!
Pricing applies to in-stock clearance inventory only.

AES I-SGCD




MOBILE ESTIMATING CART™

- Rolls right next to the vehicle
- Large locking drawer stores all your tools

Work Surface: 24" x 19"

Drawer Size: 20" x 16" x 3"



38" - 48"

8" solid rubber wheels



SUPER IN-STOCK SPECIAL!
Pricing applies to in-stock clearance inventory only.

AES I-MEC



Due to supply chain constraints and fluctuations in market conditions, prices are subject to change without notice.

PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN