

MARCH/APRIL 2024



# AUTOMOTIVE

REGINA: (306) 525-2551  
YORKTON: (306) 783-6515  
ESTEVAN: (306) 634-3664  
WEYBURN: (306) 842-4676  
MAINLINE FLEET: (306) 721-7711

## Qwik Sensor

Combines 314.9, 315, and 433/434 MHz applications into one single SKU, eliminating a duplication of your inventory. Required sensor programming can be completed before or after installation and while under pressure.



BWI QS106R



## RACE TO CHARLOTTE



SWEEPSTAKES RUNS MARCH 1ST - APRIL 30TH, 2024

# 20 GRAND PRIZE WINNERS!

\$25 000 IN ANCILLARY GIFT CARDS AVAILABLE TO BE WON!

20 TECHNICIANS AND A GUEST WILL TRAVEL TO CHARLOTTE, NORTH CAROLINA FOR A RACE WEEKEND AND VIP EXPERIENCE.  
TRIP DATES: OCTOBER 9TH - 14TH, 2024

**MYPLACE4PARTS USERS ARE AUTOMATICALLY ENTERED WITH EACH INVOICE OF \$150!**

ASK US FOR MORE INFORMATION!



## RECEIVE A FREE TPMS TOOL

COMPLETE SOLUTION

When you purchase the following quantities of the below Autel Sensors.



FREE TS508 WITH THE PURCHASE OF 20 1-SENSORS



FREE TS508WF WITH THE PURCHASE OF 30 1-SENSORS



FREE TS608 WITH THE PURCHASE OF 125 1-SENSORS

## PROGRAMMABLE UNIVERSAL TPMS SENSOR

Autel 1-Sensor R combines both 315MHz + 433MHz frequencies into one TPMS sensor with the highest industry vehicle coverage. The exclusive MX-Sensor patented PRESS release valve stem design, allows rubber and metal valve stems to freely interchange by hand, without requiring a tool for sensor head fitting. Built to match or exceed OEM sensors in frequency strength and durability, MX-Sensors are 100% ID clone-able with no relearn required and offer latest model vehicle coverage because they quickly update with an Autel wireless programming tool.

TPM 1-SENSOR



AUTEL MX-sensor PROGRAMMABLE UNIVERSAL TPMS 315 MHz + 433 MHz 1 SENSOR COMBINE BOTH

PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

## TYRE MARQUE

MARKAL

For temporary marking on tires, the Tyre Marque solid paint crayon marks smoothly on many surfaces. These bright, smear-resistant colors are easily seen in low light areas and are ideal for tire marking.


MKL 051420 | White  
MKL 051421 | Yellow



## TIRE PLUG

Part's Master

Brown 4" tire repair plug for universal string type repairs. 30pc per box.



PTR 5040216

## TIRE LEAK SOLUTIONS

Part's Master

**Bead Sealer (Thick Formula)**  
PTR 1010009 | 32oz

**Tire Bead Lubricant**  
PTR 1010012 | 1 Gallon

**Leak Seeker Concentrate**  
PTR 1010015 | 8oz



## EZE-SLIDE BRAKE LUBRICANT

Silicone based brake lubricant. Prevents corrosion of sliding caliper pins to keep brake pads from wearing unevenly.

KLF 331 | 170g

kleen-flo



## BRAKE & PARTS KLEEN

This non-chlorinated formula removes brake fluid, oil, grease, transmission fluid and other contaminants.

KLF 313 | 390g

kleen-flo



## INSTANT GASKET MAKER

Permatex

Will not contaminate oxygen sensors or corrode other electronic engine components. Seals instantly, forming a reliable, long lasting elastomeric rubber gasket. Blowout resistant and superior resistance to powertrain fluids.

PER 30874 | 147ml



## TOOL BOX BUDDY

LUCAS OIL

Long lasting and super slick - allows tools to run easier and much longer. 2oz Tool Box Buddy is exactly as the name implies - this is a superior lubricant packaged for the tool box.

LUC 10070 | 59ml



## PATCH & STEM COMBO + SNAP VALVES

**Part Number Description**  
PTR 5040227 2-1/8" patch 1/4" stem combo, 24pc  
PTR 5040228 2-1/8" patch 3/8" stem combo, 24pc

**Part Number Description**  
PTR 17-413-50 1.25 Rubber snap-in valve stem, 50pc  
PTR 17-414-50 1.50 Rubber snap-in valve stem, 50pc  
PTR 17-415-50 1.75 Rubber snap-in valve stem, 50pc  
PTR 17-418-50 2.00 Rubber snap-in valve stem, 50pc



Part's Master

## PERFECT STOP BRAKE FLUID

Synthetic Heavy Duty Brake Fluid for ABS, Disc, and Drum Brakes offering higher boiling points than standard DOT3 and DOT4 brake fluids. Perfect Stop Dot 4 Brake Fluids Boiling point is 510F which is 14+% higher than the standard.

PFL PS332C | Dot 3, 32oz  
PFL PS301C | Dot 3, 1 Gal  
PFL PS432C | Dot 4, 32oz  
PFL PS401C | Dot 4, 1 Gal

PERFECT STOP



## PENTOSIN BRAKE FLUID

Pentosin DOT 4 Brake Fluid is ideal for all modern vehicles with ESP and ABS. DOT can be used in all vehicles that require DOT 4 fluid.

- Low viscosity, cold conditions DOT 4 brake fluid
- Ideal for use in vehicles with ESP and ABS brake systems
- Has excellent resistance to absorbing and retaining water

- Provides superior corrosion resistance
- Protects against vapor lock

APW 1224116 | DOT 4, 1L

PENTOSIN



## EZE-SLIDE CERAMIC BRAKE LUBE

Combines ceramic solids with Nanotechnology to create extreme lubrication. Brake squeal, noise and chatter are eliminated while critical brake components remain lubricated and corrosion-free.

KLF 332 | 236ml

kleen-flo



## BRAKE-IN FINISHING TREATMENT

Prevents brake noise at the source. Effective on all brake systems. Temperature use range -100°C to 1000°C.

KLF 333 | 255g

kleen-flo



## BRAKE & PARTS KLEEN

This non-chlorinated formula removes brake fluid, oil, grease, transmission fluid and other contaminants.

KLF 313 | 390g

kleen-flo



## HEAVY DUTY OIL BOOST

VP Racing

Extreme service formula is specifically formulated for high-mileage vehicles with 75 000 km or more, fleet vehicles used in service applications and vehicles operating under extreme conditions.

KLF 2001 | 946ml



## OCTANIUM OCTANE BOOST

VP Racing

- Increases horsepower
- Acts as a lead substitute where required
- Eliminates knock and pinging
- Improves throttle response and acceleration
- Removes gum and varnish
- Cleans fuel injectors
- One bottle treats up to 10 gallons of fuel

KLF 28551 | 946ml



## INSTANT GASKET MAKER

Permatex

Will not contaminate oxygen sensors or corrode other electronic engine components. Seals instantly, forming a reliable, long lasting elastomeric rubber gasket. Blowout resistant and superior resistance to powertrain fluids.

PER 30874 | 147ml



## GDI INJECTOR CLEANER

CRC

Delivers concentrated advanced PEA detergency directly to the intake valves. Dissolves baked-on carbon deposits, improves MPG, increases power and reduces rough idle. For use on GDI and standard PFI engines.

CRC 75320X6 | 311g



## GLASS CLEANER

CRC

A biodegradable cleaner that cuts through dirt, dust, fingerprints and haze deposits. Provides streak-free glass cleaning even on delicate glass surfaces.

CRC 14100 | 510g



## TOOL BOX BUDDY

LUCAS OIL

Long lasting and super slick - allows tools to run easier and much longer. 2oz Tool Box Buddy is exactly as the name implies - this is a superior lubricant packaged for the tool box.

LUC 10070 | 59ml



## ULTRA SLICK ASSEMBLY LUBE

Permatex

- Adheres to component surfaces to prevent scuffing and galling during initial start up
- Proper lubrication of metal mating surfaces is essential prior to starting a new or rebuilt engine
- High quality formulation meets or exceeds OEM performance specs

PER 81950 | 118ml



## GREZ-OFF

Spray Nine

- Powerful water-based formula quickly removes heavy-duty automotive soils, grease and dirt
- Safe to use, non-flammable, VOC compliant
- No fumes or unpleasant odors
- Ready-to-use, no mixing required

KNI C12520 | 20L



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

# INDUSTRIAL

## CUT OFF WHEELS FOR DIE GRINDERS

3" x .040" Die grinder wheel, 3/8" A.H. SG STEELOX - 60 Grit - Type 1.  
PFD 69303

3" x .045" Die grinder wheel, 3/8" A.H. SG STEELOX - 46 Grit - Type 1.  
PFD 69834



## CLEANING RAGS

Great for general economical clean ups in the shop, home or work shop. Absorbs greases, oils etc.



RBW 24020 | 20LB Box



## FLOOR DRY

Ideal for indoor and outdoor use. Absorbs spillage of oil, acids, alkaline or water. Absorbs up to 140% its own weight in oil.

**PALLET QUANTITIES ARE PICK-UP ONLY**

QUA 628



## BLACK GARBAGE BAGS

Extra strength black garbage bags made from 100% recycled resin.



ADC TGGB2636XSB | 26"x 36" - 125 Bags  
ADC TGGB3550XSB | 35"x 50" - 100 Bags  
ADC TGGB4248XSB | 42"x 48" - 100 Bags  
ADC TGGB5050XSB | 50"x 50" - 100 Bags

## SOFT GREY PUSH BROOM WITH HANDLE

3" soft grey, flagged tip, solvent resistant bristles. Recommended for sweeping smooth, highly polished floors, varnished wood and concrete. 24" long.

PBP 92-212



## ROTELLA DIESEL OIL

Heavy-duty T6 Diesel Engine Oil. 18.9L pails.

RTA 550054526 | 0W40  
RTA 550046217 | 5W40



## OIL CHANGE STATION



- 22-gallon high-impact polyethylene tank
- Built-in filter drain
- Molded tool pockets
- Pop-up fluid level indicator
- 3" access port
- Convenient drain valve adapts to most quick disconnect couplers



G2S JDI-22DCX

## RED "N" TACKY GREASE



- Rust and oxidation inhibitors
- Water resistant
- Excellent mechanical stability
- Long storage life
- Agricultural, automotive and industrial applications



LUC 20574 | 1LB Container

## SRS 2000 GREASE

- Exceptional Resistance to Water Washout
- Outstanding Mechanical Stability
- Enhanced extreme-pressure properties
- Excellent Adhesion (Tackiness)
- Effective corrosion protection
- High Dropping Point
- Excellent oxidative resistance

SHL 550032579 | 400g



## 2-PLY CAMPBELL MACK TOW STRAPS

### NATURAL WHITE

CMS TS1800202NPD | 2 x 20'  
CMS TS1800302NPD | 2 x 30'  
CMS TS2700202NPD | 3 x 20'  
CMS TS2700302NPD | 3 x 30'  
CMS TS3600202NPD | 4 x 20'



### YELLOW POLYESTER

CMS TS5400302TPD | 6 x 30'  
CMS TS5400502TPD | 6 x 50'



## L-1 UTILITY KNIFE



- Durable ABS handle
- Tough, Silver Snap Blade
- Stainless-steel support channel
- Tool-free blade change

OLF L-1 | KNIFE  
OLF LB-10B | 10pc blades  
OLF LB-50B | 50pc blades  
OLF LBB-10B | 10pc black blades  
OLF LBB-50B | 50pc black blades



## SERRATED-EDGE SCISSORS

- Stainless-steel blade design
- Sharpened to tip for accuracy
- Serrated edge blade prevents slips while cutting
- Industrial strength rivet maintains power
- Symmetrical design for right-or left-handed use

OLF SCS-2



## STAINLESS STEEL SCRAPERS



- Polypropylene acetone-resistant handle
- Symmetrical shape for right- and left-hand use
- Blade covers are included
- Good For: Removal and prep work activities for floor, wall, roofing and ceiling

OLF SCR-S | 25mm Narrow  
OLF SCR-L | 60mm Wide



## ALL-WEATHER EXTENSION CORDS

- Water & Oil Resistant, flame retardant
- Abrasion Resistant
- Nickel-Coated Brass Blades Resist Corrosion
- Ultra flexible

ADC LT530725 | 25'  
ADC LT530730 | 50'  
ADC LT530735 | 100'



## 30" FOAM DOUBLE EDGE SQUEEGEE

4" twin rubber blades.  
Handle (85-978) sold separately.

PBP 83-304 | Squeegee  
PBP 85-978 | Handle



## ENERGIZER INDUSTRIAL BATTERIES

24-packs of AA/AAA batteries, and 12-packs of C and D batteries.

ENE EN91 | AA  
ENE EN92 | AAA  
ENE EN93 | C  
ENE EN95 | D



## WYPALL® POWER CLEAN X80 HEAVY DUTY CLOTHS



- 160 sheets/box and 475 sheets/roll
- Removes dirt, oil, grime, solvents, abrasive surfaces, machine/tool part wiping and absorbing industrial size spills

KIM 41041 | 1 Brag™ Box  
KIM 41055 | 1 jumbo roll



## SCOTT® SHOP TOWELS ORIGINAL



- 200 sheets/box, 55 sheets/roll
- 2x more durable when wet
- Rinse and reuse

KIM 75147 | ROLL  
KIM 75190 | BOX



## WYPALL® POWERCLEAN™ PROSCRUB™ HEAVY DUTY WET TOWELS

- 50 sheets/canister
- Features a scrubby side
- Extra large size to remove heavy grease, glue, oil, marker, paint, tar and more

KIM 58310



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN

# BODYSHOP

## M18 FUEL™ 7" VARIABLE SPEED POLISHER

- Compatible with all M18 REDLITHIUM batteries and chargers
- Cordless detailing
- Total control
- Full-size car on 1 charge
- 7 in. pad capacity
- Lock-on/lock-off switch
- 0 - 2,200 RPM
- Tool only, battery not included
- Variable speed dial and trigger
- Constant power technology



MLW 2738-20

## RAPTOR KIT- TOUGH PROTECTIVE COATING



Each kit contains four bottles of Raptor and one tin of hardener (gun not included). Each kit covers approximately 125 square feet, enough to do a full size pick-up truck bed. Compatible with both Raptor Schutz and Professional Vari-Nozzle application guns.



PBE UPO8405 | Black  
PBE UPO8406 | Tintable

## MOTORCYCLE FUEL TANK REPAIR KIT



Motorcycle Fuel Tank Repair kit contains everything you need to repair a leaking fuel tank or to protect a brand new tank from corrosion. Includes:

- Cleaner Degreaser to remove gum, sludge, varnish
- Metal Prep to remove rust & prepare tank for sealer
- Fuel Tank Sealer to permanently seal tank



PBE POR49229

## FUEL TANK LINER REPAIR KIT



Gas Tank Repair kit contains everything you need to repair a leaking fuel tank or to protect a brand new gas tank from corrosion. Includes:

- Cleaner Degreaser to remove gum, sludge, varnish
- Metal Prep to remove rust & prepare tank for sealer
- Fuel Tank Sealer to permanently seal tank



PBE POR249239

## RAGE® OPTEX® ULTRA-PREMIUM BODY FILLER

Rage® OPTEX™ with color-changing technology is an ultra-premium body filler. There's no second guessing—once mixed with cream hardener, OPTEX changes color to indicate the repair is ready to sand.



ECT 135 | 1 Gallon

EVERCOAT

## OPTEX® SUPER BUILD 4:1 POLYESTER PRIMER SURFACER

OPTEX Super Build 4:1 is a two-component hybrid polyester epoxy primer surfacer with a patent-pending built-in guide coat that provides exceptional filling. Compatible with waterborne paint systems and VOC compliant.



ECT 740 | 1 Gallon

EVERCOAT

## ZINCWELD™ PRIMER

A zinc-based weld-through primer that provides superior corrosion protection between welded substrates while minimizing heat affected zones and welding spatter. 16oz aerosol.



SEM 40773



## 1K HS CLEAR: GLOSS

A high solids clearcoat, perfect for refinishing small accessories, door jambs, underhoods, inner panels and new part cut-ins. 20oz aerosol.



SEM 40903



## 1K HS CLEAR: SEMI-GLOSS

A high solids clearcoat, perfect for refinishing small accessories, door jambs, underhoods, inner panels and new part cut-ins. 20oz aerosol.



SEM 40913



## 1K HS CLEAR: MATTE

A high solids clearcoat, perfect for refinishing small accessories, door jambs, underhoods, inner panels and new part cut-ins. 20oz aerosol.



SEM 40923



## XXX UNIVERSAL GUN CLEANER

A heavy-duty cleaner that quickly removes solvent-based and waterborne coatings from spray equipment. 20 oz aerosol.



SEM 77763



## PUMP & SPRAY COMPRESSION SPRAYER

- Expert FKM sealing materials and PA technical plastics
- Enclosed "End Cap" pump design
- Consult FBS website for chemical compatibility list




PBE FBS50100



## SANDING BLOCK KIT



Sanding Block Kit contains the top seven most popular blocks in a blister pack shipper. These are to be used as an accessory item with 3M™ Hookit™ Abrasive Products for sanding filler, primer and other substrates.



MMM 05684

PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA

YORKTON

WEYBURN

ESTEVAN