

APRIL - MAY 2025



Your Local Store for

TOOLS & EQUIPMENT

REGINA
(306) 525-2551

YORKTON
(306) 783-6515

ESTEVAN
(306) 634-3664

WEYBURN
(306) 842-4676

MAINLINE FLEET
(306) 721-7711

EMERALD PARK
(306) 993-1629

ROBINAIR A/C RRR MACHINES

GET A **FREE** MINIPLUS PRINTER WITH
PURCHASE OF THE ROB-AC1234-4!

R1234YF
G2S ROB-AC1234-4

R-134A
G2S ROB-34788NI

A/C Service	Automatic	Automatic
Recovery Efficiency	98.50%	98.50%
Automatic Internal Tank Refill	Yes	Yes
Auto Oil Drain	Yes	Yes
Auto Oil Injection	No	Yes, 1 bottle
Service Record Storage	Yes	Yes
Refrigerant Management	Yes	Yes
Display	4.3" LCD Display	5" x 9" Color, Graphical Display
Vacuum Pump	1.5 cfm dual stage (35 microns)	1.5 cfm dual stage (35 microns)
Internal Tank	30 lb	30 lb
Hose Length	9 ft	9 ft
Printer	ROB-30038 INCLUDED	ROB-30038, not included
WiFi Capable	Yes for both, requires 80211TMP or 80211VCI master kit	
Filter-Drier Capacity	330 lbs	150 lbs
Integrated Refrigerant Identifier	Yes	No
Contaminated Refrigerant Removal Port	Yes	No
Meets SAE Requirements	SAE J-2843, J-2927	J-2788
Hybrid/EV Capable	Yes	No



G2S ROB-30038
MiniPlus Printer



ROB-34788NI



ROB-AC1234-4



PROTECT YOUR INVESTMENT WITH A
VINYL DUST COVER
G2S ROB-17499

PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA YORKTON WEYBURN ESTEVAN EMERALD PARK

cps

MSX 3030 DUAL A/C MACHINE**ONE MACHINE** FOR MULTIPLE REFRIGERANTS

- R-134a and R-1234yf
- Oilless compressor for rapid recovery
- Effortless transport and storage
- Smart technology at your fingertips
- 10" foam filled tires
- Built to last
- Industry-leading 2 year warranty

**LEASING OPTIONS
AVAILABLE O.A.C**


CPS MSX3030

Don't forget the dust cover!
CPS MXXC
FLEXZILLA® HOSES

- Won't kink under pressure
- Lays flat - no memory


PART NO.	SIZE	FITTINGS
Garden Hose		
G2S LEG-HFZG550YW	5/8" x 50'	11-1/2 GHT
Air Hoses		
G2S LEG-HFZ3835YW2	3/8" x 35'	1/4" MNTP
G2S LEG-HFZ3850YW2	3/8" x 50'	1/4" MNTP
G2S LEG-HFZ1250YW3	1/2" x 50'	3/8" MNTP

**JohnDow Industries OIL CHANGE STATION**

- 22-gallon high-impact polyethylene tank
- 3" front casters
- 10" rear wheels
- Pop-up fluid level indicator
- Built-in filter drain
- Molded tool pockets
- 3" access port
- Padded handle bars



G2S JDI-22DCX

STRONGARM®**3 TON 2XP FLOOR JACK**

CAPACITY	3-ton
LOW HEIGHT	4.7" (120mm)
HIGH HEIGHT	18.1" (460mm)
LENGTH	24.7" (628mm)
FRONT WIDTH	10.1" (257mm)
REAR WIDTH	13.5" (343mm)

SAE 030417

ASSOCIATED CHARGERS

- Fan cooling mechanism prevents overheating and extends product life
- Heavy duty vacuum impregnated transformer to seal unit against external agents
- Patented multi-diode rectifiers
- Automatic reset AC and DC circuit breakers
- Automatic electric timer
- "Safe in any Weather"
- DOE Compliant and Energy Efficient
- Made in USA of US and Global Components

Not sure what you need?
Contact your Sales Representative!



PART NO.	MODEL	BATTERY VOLTAGE	CONTINUOUS RATING	CRANK ASSIST @ 12V	CLAMP RATING	WEIGHT	BATTERY TYPES
G2S ASS-US20	US-20	6 / 12 V	40 / 40 / 10A	200 amp	400 amp	35 lbs	Conventional
G2S ASS-6010B	6010-B	6 / 12 / 24 V	60 / 60 / 30 A	230 amp	500 amp	38 lbs	Conventional
G2S ASS-6012AGM	6012-AGM	6 / 12 V	70 / 60 / 30 A	250 amp	400 amp	48 lbs	Conventional, AGM
G2S ASS-6006AGM	6006-AGM	6 / 12 / 24 V	70 65 / 30 A	280 amp	500 amp	53 lbs	Conventional, AGM

PARTS**AUTOBODY SUPPLY****INDUSTRIAL**
REGINA YORKTON WEYBURN ESTEVAN EMERALD PARK

AUTEL[®] DIAGNOSTIC TABLETS

	MS906PROTS G2S AUL-MS906PROTS	MS919 G2S AUL-MS919
Connection	Bluetooth / USB	WiFi / Bluetooth / USB
VCI	MaxiVCI V200	MaxiFlash VCMI
Screen	8inch touchscreen	9.7inch touchscreen
Battery	11,600 mAh	15,000 mAh
Processor	2.2GHz + 1.9GHz Octa-core	2.2GHz + 1.8GHz Octa-core
Memory	128GB / 4GB	128GB / 4GB
Camera	16MP rear, 16MP front	16MP rear, 16MP front
Vehicle Coverage	U.S., European and Asian electric, gas & diesel, & hybrid vehicles	
Complete TPMS Function	TPMS diagnostics, service & 1-sensor programming	---
Topology Module Mapping	---	Color coded all system status screen on supported vehicles
Oscilloscope	---	VCMI 5-in-one device, VCI multimeter, waveform generator, CAN Bus tester
Free items included with purchase of tablet*	Tread Depth Scanner G2S AUL-TBE200	ITS-600PRO TPMS Tablet G2S AUL-700150



SYSTEM COVERAGE

- Adaptive Cruise Control (**ACC**)
- Around View Monitoring (**AVM**)
- Blind Spot Detection (**BSD**)
- Lane Departure Warning (**LDW**)
- Light Imaging Detection and Ranging (**LIDAR**)
- Night Vision System (**NVS**)
- Rear Collision Warning (**RCW**)

AUTEL[®] CODE READERS

PART NO.	DESCRIPTION
G2S AUL-AL529HD	AUTOLINK AL529HD Only handheld code reader that supports heavy truck engine code reading / clearing!
G2S AUL-AL539	AUTOLINK AL539



WHEEL ALIGNMENT & ADAS CALIBRATION



Contact your Sales Representative for pricing!

POWER PROBE 3

- Comes with #DMM101ES digital multimeter, leads, and adapters



POWER PROBE 4

- Supplies battery voltage and ground
- AC/DC Voltmeter, Ohmmeter
- Frequency (Hz), Pulse width
- PMC/ECM driver tester
- Continuity & resistance
- Fuel injector tester

G2S PWP-PP401AS



PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA YORKTON WEYBURN ESTEVAN EMERALD PARK

12V TEST LIGHT



POWER PROBE
G2S PWP-PPTACTICS

WORK LIGHT

- Rechargeable, 720 lumens
- 3.5 hours on high, 8 hours at 50%



Astro Pneumatic
G2S AST-72SL

Ken-Tool DUAL-WHEEL TIRE SEPARATOR

- Includes two pullers & compact case



G2S KEN-34549



COATS WHEEL BALANCERS, TIRE CHANGERS & POST LIFTS

PART NO.	DESCRIPTION
85002300	Entry Level Tire Machine
85002350	Entry Level Wheel Balancer
800MAXX80	Maxx 80 Tire Changer <i>Electric 110V</i>
800MAXX80220	Maxx 80 Tire Changer <i>Electric 220V</i>
8001185	1185 Wheel Balancer
4TV21NSR1	10K 2-in-1 Post Lift

Contact your Sales Representative for more information.
Freight and installation of post lift(s) are an additional cost.



PART NO.	DESCRIPTION
MLW 2684-20	M18 FUEL™ 15mm Random Orbital Polisher
MLW 2584-20	M12 FUEL™ 6" Body Prepping Sander <i>Bare</i> (3/32")
MLW 2584-22CX	M12 FUEL™ 6" Body Prepping Sander <i>Kit</i> (3/32")
MLW 2585-20	M12 FUEL™ 6" Body Work Sander <i>Bare</i> (3/16")
MLW 2585-22CX	M12 FUEL™ 6" Body Work Sander <i>Kit</i> (3/16")
MLW 48-11-2425	M12 High Output 2.5 Amp Battery
MLW 48-11-2450	M12 High Output 5.0 Amp Battery
MLW 49-36-2583	6" Hook and Loop Backing Pad - SOFT
MLW 49-36-2584	6" Hook and Loop Backing Pad - FIRM
MLW 49-36-2585	6" Pressure Sensitive Adhesive Backing Pad - SOFT
MLW 49-36-2586	6" Pressure Sensitive Adhesive Backing Pad - FIRM



SPANESI FLASH *Portable Pulling Column*

The Flash utilizes a vacuum seal to the flooring surface to deliver 550 pounds of pulling force using a heavy-duty ratcheting system and featuring an adjustable pulling height setup providing precise pulling directions. Compatible with the complete PULL UP! repair system line, the Flash delivers exact pulling tension with direct-pull and down-pull angles.

ACT NOW >>

ONLY ONE AVAILABLE!
SPA 5490STR00010



Quantities are limited while supplies last. Some items may require ordering. Prices are subject to change without notice.

PARTS

AUTOBODY SUPPLY

INDUSTRIAL

REGINA YORKTON WEYBURN ESTEVAN EMERALD PARK